BIJOA

Index to Volume 125

The Biochemical Journal

Editorial Board

D. G. Walker (Chairman)
D. S. Robinson (Deputy Chairman)
M. J. Crumpton (Deputy Chairman)
C. A. Pasternak (Deputy Chairman)
H. B. F. Dixon (Deputy Chairman)
R. H. Burdon
R. A. Cox
J. E. Cremer
A. R. Crofts
D. C. Ellwood
N. M. Green*
B. S. Hartley
J. J. Holbrook
K. M. Jones
J. D. Judah
A. E. Kellie
U. E. Loening
P. N. Magee
R. D. Marshall
P. A. Mayes
J. H. Moore
C. J. O. R. Morris
K. Murray
A. C. T. North*
D. V. Parke
R. N. Perham
H. R. Perkins
G. K. Radda
R. Rodnight
J. R. Tata
P. K. Tubbs
D. C. Watts
F. R. Whatley

Editorial Secretary: J. D. Killip

*Nominated by the British Biophysical Society

London: The Biochemical Society © 1971

Price 20p. (U.S.A. 50 cents)

THE BIOCHEMICAL SOCIETY

OFFICERS AND COMMITTEE, 1971–72

Chairman of the Committee
T. W. GOODWIN, F.R.S.

Treasurer
D. F. ELLIOTT

Committee Secretary
A. N. DAVISON

Meetings Secretary
H. M. KEIR

International Secretary
A. P. MATHIAS

Committee

J. S. D. BACON
R. B. BEECHEY
E. A. DAWES
R. M. C. DAWSON
D. T. ELMORE
R. HOFFENBERG*‡
G. D. HUNTER
V. H. T. JAMES
C. F. MILLS
H. R. PERKINS†
S. V. PERRY
D. C. PHILLIPS, F.R.S.
P. J. RANDLE
D. S. ROBINSON†
T. A. SCOTT
D. G. WALKER*†
A. M. WHITE

Symposium Organizer: R. M. S. SMELLIE

* *Ex Officio* Member of Committee.
† Representative of Editorial Board of the *Biochemical Journal*.
‡ Representative of Editorial Board of *Clinical Science*.

The Biochemical Society exists to advance the science of biochemistry through meetings and publications. Eleven meetings a year are held, each at a different place; original papers are presented and special topics are discussed at symposia and colloquia.

Persons interested in biochemistry are eligible for election as Members. Details of further facilities accorded to Members, and forms of application for membership, are available from the Executive Secretary, The Biochemical Society, 7 Warwick Court, London WC1R 5DP (01-242 1076/7/8/9).

The *Biochemical Journal* is published and distributed by the Biochemical Society. It is published twice monthly, in four or more volumes per year. It is planned that five volumes will appear in 1971. The index for each volume is published separately.

Subscriptions to the *Biochemical Journal*. For non-members of the Biochemical Society the subscription to the Journal at the present rate of publication is £45 per year (£9 per volume). For non-members in the U.S.A. the 1971 subscription is $110 per year ($22 per volume). All subscriptions are payable in advance at the time of ordering. Orders and subscriptions should be sent to the Biochemical Society (Publications), 7 Warwick Court, London WC1R 5DP.

Claims regarding issues lost or damaged in transit should be addressed to the Biochemical Society at the address in the preceding paragraph. No claims will be entertained if they are received later than three months after the date of posting of the Journal.

Back Numbers. Enquiries for volumes 1–19 should be addressed to William Dawson & Sons Ltd., Back Issues Department, Cannon House, Park Farm Road, Folkestone, Kent. Quotations for available issues of subsequent volumes and parts may be obtained on application to Walter J. Johnson Ltd., Berkeley Square House, Berkeley Square, London W1X 6BA, or to the Biochemical Society.

Advertisements. Applications for advertising space should be sent to the Advertising Department, The Biochemical Society, 7 Warwick Court, London WC1R 5DP (01-242 1076/7/8/9). Copy is required eight weeks before publication date. Rate cards are available on request.

Microfilms. Volumes 1–89 (1906–1963) have been recorded on microfilm by Micro Methods Ltd., East Ardsley, Wakefield, Yorks. Details are available from the firm or the Biochemical Society.

Index of Authors

Note. Pages in *Proceedings of the Biochemical Society* are distinguised by P.

ADAMS, A., ANDERSON, J. M., NICOL, A. D. & HARKNESS, R. A. The development of hypoxanthine/guanine phosphoribosyltransferase activity in man 36P

ADAMS, W. A. *see* PERRY, D. R. 29P

ADINOLFI, A., GUARRIERA-BOBYLEVA, V., OLEZZA, S. & RUFFO, A. Inhibition by oxalomalate of rat liver mitochondrial and extramitochondrial aconitate hydratase 557

ADLARD, B. P. F. & SMART, J. L. Plasma 11-hydroxy corticosteroid concentrations in stressed adult rats after undernutrition in early life 12P

AHERN, T. & KAY, J. E. Control of protein synthesis during lymphocyte stimulation 73P

AKHTAR, M. *see* BLOXHAM, D. P. 625

ALBERTI, K. G. M. M. *see* HAWKINS, R. A. 541

ALTMAN, F. P. Selective increases in type I hydrogen from reduced nicotinamide–adenine dinucleotide phosphate in liver from phenobarbitone-treated rats 21P

AMBLER, R. P. *see* MORRIS, H. R. 189

ANDERSON, J. M. *see* ADAMS, A. 36P

ANTHONY, C., DUNSTAN, P. M. & DRABBLE, W. T. Metabolism of C_1 and C_2 compounds by *Pseudomonas* AM1: a glycerate kinase mutant and a mutant defective in glyoxylate formation from C_1 compounds 66P

ANTOPOL, W. *see* DATTA, R. K. 213

ARCE, A. *see* MACCIONI, H. J. 1131

ARCHIBALD, A. R., BADDILEY, J., HECKELS, J. E. & HEPTINSTALL, S. Further studies on the glycerol teichoic acid of walls of *Staphylococcus lactis* I3. Location of the phosphodiester groups and their susceptibility to hydrolysis with alkali 353

ARCHIBALD, A. R. & COAPES, H. E. The influence of growth conditions on the presence of bacteriophage-receptor sites in walls of *Bacillus subtilis* W23 667

ARCHIBALD, A. R. & HEPTINSTALL, S. The teichoic acids of *Micrococcus* sp. 24

ARQUILLA, E. R., MILES, P. V. & MORRIS, J. W. S. The structure of insulin in relation to its immunological activity 52P

ARSLANIAN, M. J., PASCOE, E. & REINHOLD, J. G. Rat liver alcohol dehydrogenase. Purification and properties 1039

ATKINS, C. A. *see* PATTERSON, B. D. 34P

ATKINS, E. D. T. & SHEEHAN, J. K. The molecular structure of hyaluronic acid 92P

AUTOR, A. P. *see* COON, M. J. 2P

AVRAMEAS, S. *see* TERNYNCK, T. 297

AZIZ, F. T. A., HIROM, P. C., MILLBURN, P., SMITH, R. L. & WILLIAMS, R. T. The biliary excretion of anions of molecular weight 300–800 in the rat, guinea pig and rabbit 25P

BACA, O. G. *see* THOMPSON, H. A. 365

BACHELARD, H. S. Allosteric activation of brain hexokinase by magnesium ions and by magnesium ion–adenosine triphosphate complex 249

BADDILEY, J. *see* ARCHIBALD, A. R. 353

BAILEY, I. *see* MITCHELL, J. R. 89P

BAIRD, J. K. & CUNNINGHAM, W. L. Formation of yeast protoplasts by using an enzyme preparation from *Cytophaga* 32P

BAISTED, D. J. *see* GREEN, T. R. 1145

BAKER, J. R., RODÉN, L. & YAMAGATA, S. Smith-degraded cartilage proteoglycan as an acceptor for xylosyl transfer 93P

BALASUBRAMANIAM, S. & MITROPOULOS, K. A. An assay method for cholesterol 7α-hydroxylase in rat liver microsomal fraction 13P

BARBER, D. S. *see* WINDER, F. G. 101P

BARBOSA, E. *see* JOANNY, P. 255

BARFORD, D. J. & JONES, J. G. The physiological role of L-tyrosine methyl ester sulphotransferase 76P

BARNES, M. J., CONSTABLE, B. J., MORTON, L. F. & KODICEK, E. Hydroxylysine in the *N*-terminal regions of the α_1- and α_2-chains of various collagens 433

BARNES, M. J., CONSTABLE, B. J., MORTON, L. F. & KODICEK, E. Hydroxylysine in the *N*-terminal telopeptides of skin collagen from chick embryo and newborn rat 925

BARNES, M. J., CONSTABLE, B. J., MORTON, L. F. & KODICEK, E. Studies on the hydroxylation of lysine occurring in the non-helical region at the *N*-terminal end of the collagen molecule 16P

BARNETT, J. E. G., CORINA, D. L. & RASOOL, G. Studies on *N*-acetylneuraminic acid aldolase 275

BARNSLEY, E. A. *see* SPEIR, T. W. 267

BARON, J. *see* ESTABROOK, R. W. 3P

BARROW, A. & GRIFFITHS, L. A. The biliary excretion of hydroxyethylrutosides and other flavonoids in the rat 24P

BARROW, P. C. & HOLT, S. J. Differences in distribution of esterase between cell fractions of rat liver homogenates prepared in various media. Relevance to the lysosomal location of the enzyme in the intact cell 545

BASCH, R. S. & FINEGOLD, M. J. 3β-Hydroxy steroid dehydrogenase activity in the mitochondria of rat adrenal homogenates 983

BASFORD, J. M. *see* COLLINS, J. P. 71P

BASU, T. K., DICKERSON, J. W. T. & PARKE, D. V. The effect of diet on rat plasma corticosteroids and liver aromatic hydroxylase activity 16P

BAYLEY, P. M. Circular dichroism of stacked nucleotide chromophores 91P

BAYLEY, P. M. The conformation of gramicidin S: computed circular-dichroism properties 90P

BEARY, M. E. *see* MARTIN, F. M. 116P

BECK, F. *see* WILLIAMS, K. E. 303

BEECHEY, R. B. *see* CATTELL, K. J. 169

BELHAM, J. E. & NEAL, G. E. Testosterone action in the rat ventral prostate. The effects of diethylstilboestrol and cyproterone acetate on the metabolism of [^{3}H]-testosterone and the retention of labelled metabolites by rat ventral prostate *in vivo* and *in vitro* 81

BELLA, A., JUN. & KIM, Y. S. Inhibition of rat small-intestinal α-(1→2)-fucosyltransferase 1157

BELOFF-CHAIN, A., CHAIN, E. B. & ROOKLEDGE, K. A. The influence of insulin and of contraction on glucose metabolism in the perfused diaphragm muscle from normal and streptozotocin-treated rats 97

BELOFF-CHAIN, A. *see also* ELLIOTT, J. 773

BENNETT, H. P. J., ELLIOTT, D. F., LOWRY, P. J. & MCMARTIN, C. The complete hydrolysis of peptides by a mixture of Sepharose-bound peptidases 80P

BESLEY, G. T. N. & SNART, R. N. Effect of vasopressin on the uptake of calcium ions by kidney mitochondria and on the concentration of adenosine 3′:5′-cyclic monophosphate in toad bladder 60P

BHATTACHARJEE, J. K. *see* SINHA, A. K. 743

BILLING, B. H. *see* JANSEN, F. H. 917

BIRNBAUMER, L. *see* RODBELL, M. 58P

Blackmore, P. F. *see* Clark, M. G. 381
Blanshard, J. M. V. *see* Mitchell, J. R. 89P
Bloemers, H. P. J. *see* van de Meene, J. G. C. 671
Bloomfield, F. J. *see* Scott, J. M. 115P
Bloxham, D. P., Wilton, D. C. & Akhtar, M. Studies on the mechanism and regulation of C-4 demethylation in cholesterol biosynthesis. The role of adenosine 3′:5′-cyclic monophosphate 625
Blundell, T. L., Cutfield, J. F., Dodson, G. G., Dodson, E., Hodgkin, D. C. & Mercola, D. The structure and biology of insulin 50P
Booth, R. *see* Shepherd, K. S. 39P
Borghetti, A. F., Sampson, J. & Korner, A. Studies on the initiation of protein synthesis in a rat liver cell-free system 75P
Borghetti, A. F. *see also* Sampson, J. 74P
Boulton, A. P. *see* Huggins, A. K. 1141
Bourke, E., Fine, A. & Scott, J. Mechanisms of ammoniagenesis in human kidney 94P
Bourke, E. *see also* Costello, J. 114P
Boyd, G. S., Brownie, A. C., Jefcoate, C. R. & Simpson, E. R. Cholesterol hydroxylation in the adrenal cortex and liver 1P
Boyd, G. S. *see also* Grimwade, A. M. 14P
Boyd, S. L., Delovitch, T. L., Holme, G. & Sehon, A. H. Isolation of messenger-like ribonucleic acid from immunochemically precipitated polyribosomes 99P
Bradford, H. F. *see* Dodd, P. R. 1027
Brady, T. G. *see* Buckley, B. M. 113P; Piggott, C. O. 112P
Brandenburg, D., Gattner, H. G., Herbertz, L., Krail, G., Weinert, M. & Zahn, H. Semisynthetic insulin analogues 51P
Bridges, J. W. *see* Gingell, R. 24P
Brightwell, M. & Shall, S. Poly(adenosine diphosphate ribose) polymerase in *Physarum polycephalum* nuclei 67P
Brosnan, J. T. & Fritz, I. B. The permeability of mitochondria to carnitine and acetylcarnitine 94P
Brosnan, M., Sirek, O. V. & Sirek, A. Effect of hypophysectomy and growth hormone replacement on the composition of canine aorta 116P
Broughton, W. J. & Dilworth, M. J. Control of leghaemoglobin synthesis in snake beans 1075
Brown, M. *see* Parish, J. H. 643
Brown, N. L. *see* Parish, J. H. 643
Browne, M., Cecil, R. & Miller, J. C. The behaviour of insulin at non-polar surfaces 63P
Brownie, A. C. *see* Boyd, G. S. 1P
Brownlie, J. Antimicrobial proteins in bovine neutrophils 81P
Buchanan, K. D. *see* Murphy, R. F. 61P
Buck, K. W. & Obaidah, M. A. The composition of the cell wall of *Fusicoccum amygdali* 461
Buck, K. W. *see also* Obaidah, M. A. 473
Buckley, B. M. & Brady, T. G. The lactate dehydrogenase system of the rudd (*Leuciscus erythrophthalmus*) 113P
Bullock, G., Carter, E. E. & White, A. M. The heterogeneity of muscle mitochondria demonstrated by discontinuous-density-gradient centrifugation 107P
Bullock, G. & Manchester, K. L. Structural and functional changes of isolated rat diaphragm after treatment with caffeine together with local anaesthetics and β-receptor blockers 106P
Burchell, B., Dutton, G. J. & Nemeth, A. M. Changes in the mechanism regulating liver uridine diphosphate glucuronyltransferase activity during embryonic life 23P
Burgen, A. S. V. *see* Feeney, J. 62P
Burgoyne, L. A. *see* Wallace, P. G. 47
Burkhalter, A. *see* Howland, R. D. 991
Butcher, R. G. The effect of phenobarbitone on the production of type I hydrogen from reduced nicotinamide–adenine phosphate in different regions of the liver lobule 22P
Butlin, J. D. *see* Cox, G. B. 489

Cammack, R., Johnson, C. E., Hall, D. O. & Rao, K. K. The state of the iron atoms in hydroxylase iron-sulphur proteins 18P
Cammack, R., Rao, K. K., Hall, D. O. & Johnson, C. E. Mössbauer studies of adrenodoxin. The mechanism of electron transfer in a hydroxylase iron–sulphur protein 849
Campbell, E. *see* Gr.ainger, J. N. R. 108P
Cannon, F. C., Dunican, L. K. & O'Gara, F. Dye-buoyant-density-gradient analysis of *Rhizobium* deoxyribonucleic acid 103P
Caputto, R. *see* Maccioni, H. J. 1131
Carter, E. E. *see* Bullock, G. 107P
Cattell, K. J., Lindop, C. R., Knight, I. G. & Beechey, R. B. The identification of the site of action of *NN′*-dicyclohexylcarbodi-imide as a proteolipid in mitochondrial membranes 169
Caygill, C. P. J., Lucy, J. A. & Diplock, A. T. The effect of vitamin E on the intracellular distribution of the different oxidation states of selenium in rat liver 407
Cecil, R. *see* Browne, M. 63P
Ceska, M. Biosynthesis of levan and a new method for the assay of levansucrase activity 209
Cetorelli, J. J. *see* Roberts, R. M. 999
Chahl, J. S. & Ottaway, J. H. Effects of hormones on glycerol metabolism in the isolated perfused liver 73P
Chahl, J. S. *see also* Cochrane, J. 45P
Chain, E. B. *see* Beloff-Chain, A. 97; Dodd, P. R. 1027
Chakraborty, J., Hopkins, R. & Parke, D. V. Biological oxygenation of drugs and steroids in the placenta 15P
Chambers, R. E. & Clamp, J. R. An assessment of methanolysis and other factors used in the analysis of carbohydrate-containing materials 1009
Chan-Henry, E. *see* Jakubovič, A. 563; Woolf, L. I. 569
Charlwood, P. A. Differential sedimentation-velocity and gel-filtration measurements on human apotransferrin and iron–transferrin 1019
Chaykin, S. *see* Collins, P. B. 117P
Cheshire, R. M. & Park, M. V. Inhibition by salicylate of porcine lactate dehydrogenase isoenzyme 5 45P
Chubb, I. W. *see* De Potter, W. P. 375
Clamp, J. R. *see* Chambers, R. E. 1009
Clark, M. G., Williams, J. F. & Blackmore, P. F. The transketolase exchange reaction *in vitro* 381
Clarkson, D. P. *see* Gorman, R. R. 439
Cleland, W. W. *see* Orsi, B. A. 112P
Coapes, H. E. *see* Archibald, A. R. 667
Cochrane, J., Chahl, J. S. & Ottaway, J. H. Liver perfusion with a closed gas circuit 45P
Colleran, E. *see* Ó Carra, P. 110P
Collins, J. P., Basford, J. M. & Jones, J. G. Some catalytic properties of IRC-50 Arvin 71P
Collins, P. B. & Chaykin, S. Comparative metabolism of nicotinamide and nicotinic acid in mice 117P
Compernolle, F., Van Hees, G. P., Fevery, J. & Heirwegh, K. P. M. Mass-spectrometric structure elucidation of dog bile azopigments as the acyl glycosides of glucopyranose and xylopyranose 811
Compernolle, F. *see also* Fevery, J. 803
Connor, A. B. *see* Roberts, R. M. 999
Constable, B. J. *see* Barnes, M. J. 433, 925, 16P

COOKE, A., KAY, J. E. & COOPER, H. L. Ribonucleic acid polymerase activity as a measure of ribonucleic acid synthesis 74P

COOKSON, M. J., GROBER, P. L. & SIMS, P. Mutagenicity of 'K-region' epoxides of polycyclic hydrocarbons towards bacteriophage T_2 100P

COOMBS, T. L., GRANT, P. T. & FRANK, B. H. Differences in the binding of zinc ions by insulin and proinsulin 62P

COON, M. J., STROBEL, H. W., AUTOR, A. P., HEIDEMA, J. & DUPPEL, W. Functional components of the liver microsomal enzyme system catalysing fatty acid, hydrocarbon and drug hydroxylation 2P

COOPER, D. M. F. & DOWNEY, W. K. Lipase activity of bovine mammary gland 95P

COOPER, D. R., RUSSELL, A. E. & HART, G. J. The effects of glycols on the renaturation of soluble collagen 1069

COOPER, D. R. *see also* HART, G. J. 599

COOPER, D. Y. *see* SCHLEYER, H. 10P

COOPER, H. K. *see* ITZHAKI, R. F. 101P

COOPER, H. L. *see* COOKE, A. 74P

COORE, H. G., DENTON, R. M., MARTIN, B. R. & RANDLE, P. J. Regulation of adipose-tissue pyruvate dehydrogenase by insulin and other hormones 115

CORINA, D. L. *see* BARNETT, J. E. G. 275

CORRIOL, J. *see* JOANNY, P. 255

COSSINS, E. A. *see* ROOS, A. J. 17

COSTELLO, J., SCOTT, J. M. & BOURKE, E. Measurement of glucose specific radioactivity in plasma 114P

COX, G. B., NEWTON, N. A., BUTLIN, J. D. & GIBSON, F. The energy-linked transhydrogenase reaction in respiratory mutants of *Escherichia coli* K12 489

COX, R. A., KANAGALINGAM, K. & SUTHERLAND, E. Thermal denaturation in acidic solutions of double-helical ribonucleic acid from virus-like particles found in *Penicillium chrysogenum*. A spectrophotometric study 655

CRAIG, A. W. *see* MCELHONE, M. J. 821

CRAMER, F. & SAENGER, W. The conformation of polynucleotides with particular reference to transfer ribonucleic acids 87P

CULLEN, J., PHILLIPS, M. C. & SHIPLEY, G. G. The effects of temperature on the composition and physical properties of the lipids of *Pseudomonas fluorescens* 733

CUNNINGHAM, W. L. & RAMAGE, P. R. Serum acid hydrolases in the mucopolysaccharidoses 33P

CUNNINGHAM, W. L. & SAN BLAS, G. The cell and exocellular mannans from *Hansenula holstii* N.C.Y.C. 560 31P

CUNNINGHAM, W. L. *see also* BAIRD, J. K. 32P

CURTIS, C. G. *see* GREGORY, P. A. 77P

CUTFIELD, J. F. *see* BLUNDELL, T. L. 50P

DALGLEISH, D. G. & PEACOCKE, A. R. Circular-dichroism studies on two β-lactamases from *Bacillus cereus* 155

DARBY, F. J. & EVANS, D. A. P. The metabolism *in vitro* of [*ureyl*-^{14}C]tolbutamide by microsomal preparations from rat and human liver 46P

DAS, N. P. & SOTHY, S. P. Studies on flavonoid metabolism. Biliary and urinary excretion of metabolites of (+)-[U-^{14}C]catechin 417

DATTA, R. K., ANTOPOL, W. & GHOSH, J. J. Mescaline-induced changes of brain-cortex ribosomes. Role of spermidine in counteracting the destabilizing effect of mescaline on brain-cortex ribosomes 213

DAVIES, A. S. *see* GUNN, H. M. 108P

DAVIES, M. *see* WILLIAMS, K. E. 303

DAVIES, R. V. & WALLIS, M. The preparation and characterization of labelled rat growth hormone 65P

DAVIS, C. L. *see* YOKOYAMA, M. T. 913

DAWES, E. A. *see* MCGILL, D. J. 1059; SENIOR, P. J. 55

DELAHUNTY, T. J. & MOOKERJEA, S. Possible role of cytidine diphosphate choline in the complexing of carbohydrate to β-lipoprotein in liver 96P

DELAHUNTY, T. J. *see also* GORNALL, D. A. 97P

DELOVITCH, T. L. *see* BOYD, S. L. 99P

DENTON, R. M. *see* COORE, H. G. 115; MARTIN, B. R. 105

DE POTTER, W. P. & CHUBB, I. W. The turnover rate of noradrenergic vesicles 375

DHALLA, N. S. *see* MCNAMARA, D. B. 525

DIAMOND, R. & LEVITT, M. A refinement of the structure of lysozyme 92P

DICKERSON, J. W. T. & MERAT, A. The effect of development on the gangliosides of rat brain 40P

DICKERSON, J. W. T., MERAT, A. & WIDDOWSON, E. M. The effect of development on the gangliosides of pig brain 40P

DICKERSON, J. W. T. *see also* BASU, T. K. 16P

DILWORTH, M. J. *see* BROUGHTON, W. J. 1075

DIMICK, P. S. *see* SWENSON, P. E. 1139

DIPLOCK, A. T. *see* CAYGILL, C. P. J. 407

DODD, P. R., BRADFORD, H. F. & CHAIN, E. B. The metabolism of glucose 6-phosphate by mammalian cerebral cortex *in vitro* 1027

DODSON, E. *see* BLUNDELL, T. L. 50P

DODSON, G. G. *see* BLUNDELL, T. L. 50P

DOUCH, P. G. C. & SMITH, J. N. Metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate in insects and mice 385

DOUCH, P. G. C. & SMITH, J. N. The metabolism of 3,5-di-*tert.*-butylphenyl *N*-methylcarbamate in insects and by mouse liver enzymes 400

DOWNEY, W. K. & KEARNEY, R. D. The influences of β-casein removal on bovine casein micelles 96P

DOWNEY, W. K. *see also* COOPER, D. M. F. 95P

DRABBLE, W. T. *see* ANTHONY, C. 66P

DUGGAN, P. F. The calcium pump in the sarcoplasmic reticulum 84P

DUKE, E. J. *see* JOYCE, P. 111P

DUNICAN, L. K. *see* CANNON, F. C. 103P

DUNSTAN, P. M. *see* ANTHONY, C. 66P

DUPPEL, W. *see* COON, M. J. 2P

DUTTON, G. J. *see* BURCHELL, B. 23P

DYER, T. A. *see* PAYNE, P. I. 100P

EADY, R. R., JARMAN, T. R. & LARGE, P. J. Microbial oxidation of amines. Partial purification of a mixed-function secondary-amine oxidase system from *Pseudomonas aminovorans* that contains an enzymically active cytochrome-*P*-420-type haemoprotein 449

EDWARDS, P. A. *see* GREEN, J. R. 41P; SHOOTER, K. V. 829

ELLIOTT, D. F. *see* BENNETT, H. P. J. 80P

ELLIOTT, J., HEMS, D. A. & BELOFF-CHAIN, A. Carbohydrate metabolism of the isolated perfused liver of normal and genetically obese–hyperglycaemic (*ob*/*ob*) mice 773

ELLIOTT, P., PETERS, R. F. & WHITE, A. M. A study of the relationship between glucocorticoid-induced weight loss in rats and the activity of skeletal-muscle and cardiac-muscle ribosomes *in vitro* 106P

ELMORE, D. T. *see* MURPHY, R. F. 61P

ENGEL, P. C. & MASSEY, V. Green butyryl-coenzyme A dehydrogenase. An enzyme–acyl-coenzyme A complex 889

ENGEL, P. C. & MASSEY, V. The purification and properties of butyryl-coenzyme A dehydrogenase from *Peptostreptococcus elsdenii* 879

ENGLISH, L. S., LEES, D. N. & ROGERS, L. J. Aggregated states of chromatophore membrane protein from *Rhodopseudomonas spheroides* 42P

Estabrook, R. W., Baron, J., Peterson, J. & Ishimura, Y. Oxygenated cytochrome *P*-450 as an intermediate in hydroxylation reactions 3P

Evans, D. A. P. *see* Darby, F. J. 46P

Evans, M. E., Richards, A. J., Walker, S. R. & Paterson, J. W. The fate of [^{3}H]salbutamol in man 27P

Evans, R. B. & Manners, D. J. Observations on the purity of some yeast glycogen preparations 31P

Evans, W. H. & Gurd, J. W. Biosynthesis of liver membranes. Incorporation of [^{3}H]leucine into proteins and of [^{14}C]glucosamine into proteins and lipids of liver microsomal and plasma-membrane fractions 615

Feeney, J., Roberts, G. C. K. & Burgen, A. S. V. Conformational studies of some hormonal peptides in solution by using nuclear-magnetic-resonance spectroscopy 62P

Feeney, J. *see also* Roberts, G. C. K. 88P

Fern, E. B. *see* Hider, R. C. 751

Fevery, J., Van Hees, G. P., Leroy, P., Compernolle, F. & Heirwegh, K. P. M. Excretion in dog bile of glucose and xylose conjugates of bilirubin 803

Fevery, J. *see also* Compernolle, F. 811; Heirwegh, K. P. M. 28P

Fine, A. *see* Bourke, E. 94P

Finegold, M. J. *see* Basch, R. S. 983

Fitzgerald, O. *see* Fitzpatrick, D. A. 114P

Fitzpatrick, D. A., Fitzgerald, O. & McGeeney, K. F. Immunoenzymology of purified urate oxidase 114P

Fogarty, W. M. *see* Griffin, P. J. 109P; Ward, O. P. 109P

Ford, P. J. The proteins of *Xenopus* ovary ribosomes 1091

Forrest, H. S. *see* Urushibara, T. 141

Forsdyke, D. R. Application of the isotope-dilution principle to the analysis of factors affecting the incorporation of [^{3}H]uridine and [^{3}H]cytidine into cultured lymphocytes. Evaluation of pools in serum and culture media 721

Forstner, J. & Manery, J. F. Calcium binding by human erythrocyte membranes. Significance of carboxyl, amino and thiol groups 343

Frank, B. H. *see* Coombs, T. L. 62P

Frauenfelder, H. *see* Gunsalus, I. C. 5P

Fritz, I. B. *see* Brosnan, J. T. 94P

Gattner, H. G. *see* Brandenburg, D. 51P

Gaull, G. E. *see* Sturman, J. A. 78P

Gelboin, H. V. Microsomal hydroxylases: studies on the mechanism of induction and their role in polycyclic-hydrocarbon action 4P

Geoghegan, T. *see* Lipke, H. 703

George, D. R. *see* Heath, D. F. 765

Ghosh, J. J. *see* Datta, R. K. 213

Gibb, W. & Jeffery, J. Studies on the site specificity of a hydroxy steroid dehydrogenase 14P

Gibson, F. *see* Cox, G. B. 489

Gibson, N. *see* Mason, J. B. 117P, 118P

Gillespie, D. *see* Gillespie, S. 481

Gillespie, S. & Gillespie, D. Ribonucleic acid–deoxyribonucleic acid hybridization in aqueous solutions and in solutions containing formamide 481

Gillibrand, I. M. & Wyse, R. Uptake of calcium ions and the β-adrenergic receptor site in cardiac muscle 105P

Gingell, R. & Bridges, J. W. Intestinal azo reduction and glucuronide conjugation of Prontosil 24P

Givol, D. *see* Helman, M. 971

Goldspink, D. F., Holmes, D. & Pennington, R. J. Studies on proteolytic activity in commercial myoglobin preparations 865

Gonzalez, G. & Offord, R. E. The subunit structure of prealbumin 309

Gonzalez, M. P. & Ottaway, J. H. Isoenzymes of glutamine synthetase in rat tissues 35P

Goodwin, B. L. Hydroxylation of *p*-hydroxyphenylpyruvate and the N I H shift: a hypothesis 17P

Goodwin, D. W. *see* Ryan, J. W. 921

Goodwin, S. D. & Watkins, W. M. Peptides from human blood-group-specific glycoproteins 79P

Gorman, R. R., Jordan, J. P., Simmons, J. B. & Clarkson, D. P. Biochemical adaptation in rat liver in response to marginal oxygen toxicity 439

Gornall, D. A., Delahunty, T. J. & Kuksis, A. Immunochemical relationships among plasma and egg-yolk lipoproteins of the laying hen 97P

Graham, D. *see* Patterson, B. D. 34P

Graham, G. N. & Sellen, D. B. Light-scattering Rayleigh linewidth measurements on G-actin 104P

Grainger, J. N. R. & Campbell, E. The effect of temperature on the macroscopic and microscopic appearance of crustacean muscle 108P

Grant, J. K., Minguell, J., Taylor, P. & Weiss, M. A possible role of zinc in the metabolism of testosterone by the prostate gland 21P

Grant, P. T. The conversion of proinsulin into insulin in the β-cells of mammals and fishes 49P

Grant, P. T. *see also* Coombs, T. L. 62P

Gray, W. R. *see* Tanner, M. J. A. 1109

Green, C. *see* Green, J. R. 41P

Green, J. R., Edwards, P. A. & Green, C. Optical-rotatory-dispersion studies of steroid molecules in liposomes and erythrocyte membranes 41P

Green, N. M., Konieczny, L., Toms, E. J. & Valentine, R. C. The use of bifunctional biotinyl compounds to determine the arrangement of subunits in avidin 781

Green, T. R. & Baisted, D. J. Development of the squalene-synthesizing system during early stages of pea seed germination 1145

Greenbaum, E. *see* Gunsalus, I. C. 5P

Gregory, P. A., Olavesen, A. H., Curtis, C. G. & Powell, G. M. The fate of the sulphate esters of diethylstilboestrol in the rat 77P

Griffin, M., Kitcher, J. P. & Trudgill, P. W. Some studies on the purified 2-furoyl-coenzyme A hydroxylase from *Pseudomonas putida* F2 19P

Griffin, P. J. & Fogarty, W. M. Some properties of a protease from *Bacillus polymyxa* 109P

Griffiths, L. A. *see* Barrow, A. 24P

Grimwade, A. M., Lawson, M. E. & Boyd, G. S. The cofactor requirement for the rat liver microsomal cholesterol 7α-hydroxylase enzyme system 14P

Grover, P. L. *see* Cookson, M. J. 100P; Sims, P. 28P

Guarriera-Bobyleva, V. *see* Adinolfi, A. 557

Guilford, H. *see* Mosbach, K. 20P

Gunn, H. M. & Davies, A. S. Histochemical characteristics of muscle fibres in the diaphragm 108P

Gunsalus, I. C., Lipscomb, J. D., Marshall, V., Frauenfelder, H., Münck, E. & Greenbaum, E. Structure and reactions of oxygenase active centres: cytochrome *P*-450 and iron–sulphur proteins 5P

Gurd, J. W. *see* Evans, W. H. 615

Halford, S. E. *Escherichia coli* alkaline phosphatase. An analysis of transient kinetics 319

Hall, D. O. *see* Cammack, R. 849, 18P

Hall, T. C. *see* Tao, K. L. 975

Hamilton, I. *see* Henderson, A. R. 36P

Harkness, R. A. *see* Adams, A. 36P

Harrap, K. R. *see* Riches, P. G. 98P

Harrington, M. G. *see* Reville, W. J. 104P

Hart, G. J., Russell, A. E. & Cooper, D. R. The effects of certain glycols, substituted glycols and related organic solvents on the thermal stability of soluble collagen 599

HART, G. J. *see also* COOPER, D. R. 1069
HASLAM, R. J. & TAYLOR, A. Effects of catecholamines on the formation of adenosine 3′:5′-cyclic monophosphate in human blood platelets 377
HATCH, M. D. The C_4-pathway of photosynthesis. Evidence for an intermediate pool of carbon dioxide and the identity of the donor C_4-dicarboxylic acid 425
HAWKINS, R. A., ALBERTI, K. G. M. M., HOUGHTON, C. R. S., WILLIAMSON, D. H. & KREBS, H. A. The effect of acetoacetate on plasma insulin concentration 541
HEATH, D. F., GEORGE, D. R. & ROSE, J. G. The effects of the stress caused by experimental procedures on alanine, aspartate, glutamate and glutamine in rat liver 765
HEATH, M. F. & NORTHCOTE, D. H. Glycoprotein of the wall of sycamore tissue-culture cells 953
HEBB, C. *see* MORRIS, D. 857
HECKELS, J. E. *see* ARCHIBALD, A. R. 353
HEFFNER, J. E. *see* STRATES, B. S. 367
HEFFRON, J. J. A. & MCLOUGHLIN, J. V. Comparative study of a novel dual-fibred muscle 103P
HEGEMAN, S. *see* HOWLAND, R. D. 991
HEIDEMA, J. *see* COON, M. J. 2P
HEIRWEGH, K. P. M., MEUWISSEN, J. A. T. P. & FEVERY, J. Enzymic formation of β-D-monoglucuronide, β-D-monoglucoside and mixtures of β-D-monoxyloside and β-D-dixyloside of bilirubin by microsomal preparations from rat liver 28P
HEIRWEGH, K. P. M. *see also* COMPERNOLLE, F. 811; FEVERY, J. 803
HELMAN, M. & GIVOL, D. Isolation of nitrotyrosine-containing peptides by using an insoluble-antibody column 971
HEMS, D. A. *see* ELLIOTT, J. 773; WHITTON, P. D. 76P
HENDERSON, A. R., HAMILTON, I. & KING, J. The effect of starvation on the cholinesterase activity of the liver and serum of young male rats 36P
HENDERSON, A. R. *see also* SPENCER, C. A. 37P
HEPTINSTALL, S. *see* ARCHIBALD, A. R. 353, 361
HERBERTZ, L. *see* BRANDENBURG, D. 51P
HEWER, A. *see* SIMS, P. 28P
HEWISH, D. R. *see* WALLACE, P. G. 47
HIDER, R. C., FERN, E. B. & LONDON, D. R. The effect of insulin on free amino acid pools and protein synthesis in rat skeletal muscle *in vitro* 751
HILDEBRANDT, A. G. The binding of metyrapone to cytochrome *P*-450 and its inhibitory action on liver microsomal mixed-function oxidase reactions 6P
HILLMAN, H. *see* JOANNY, P. 255
HIROM, P. C. *see* AZIZ, F. T. A. 25P
HITCHCOCK, C. & ROSE, A. The stereochemistry of α-oxidation of fatty acids in plants: the configuration of biosynthetic long-chain 2-hydroxy acids 1155
HOARE, D. S. *see* URUSHIBARA, T. 141
HODGKIN, D. C. *see* BLUNDELL, T. L. 50P
HOLME, G. *see* BOYD, S. L. 99P
HOLMES, D., PARSONS, M. E., PARK, D. C. & PENNINGTON, R. J. An alkaline proteinase in muscle homogenates 98P
HOLMES, D. *see also* GOLDSPINK, D. F. 865
HOLT, S. J. *see* BARROW, P. C. 545
HOPE, D. B. & WÄLTI, M. [1-(L-2-Hydroxy-3-mercaptopropanoic acid)]-oxytocin, a highly potent analogue of oxytocin not bound by neurophysin 909
HOPKINS, R. *see* CHAKRABORTY, J. 15P
HOUGHTON, C. R. S. *see* HAWKINS, R. A. 541
HOWLAND, R. D., BURKHALTER, A., TREVOR, A. J., HEGEMAN, S. & SHIRACHI, D. Y. Properties of Lubrol-extracted uridine diphosphate glucuronyltransferase 991
HRYCAY, E. G. & O'BRIEN, P. J. Cytochrome *P*-450 as a microsomal peroxidase in steroid hydroxylations 12P
HUGGINS, A. K. & BOULTON, A. P. 2-Hydroxyglutarate in crustaceans 1141
HUXLEY, H. E. Structural changes during muscle contraction 85P

ISHIMURA, Y. *see* ESTABROOK, R. W. 3P
ITZHAKI, R. F. The arrangement of proteins on the deoxyribonucleic acid in chromatin 221
ITZHAKI, R. F. & COOPER, H. K. Binding of polylysine to chromatin extracted from various tissues 101P
IUPAC COMMISSION ON THE NOMENCLATURE OF ORGANIC CHEMISTRY & IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE. Tentative rules for carbohydrate nomenclature 673
IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE *see* IUPAC COMMISSION ON THE NOMENCLATURE OF ORGANIC CHEMISTRY 673

JAKUBOVIČ, A., WOOLF, L. I. & CHAN-HENRY, E. The inactivation of phenylalanine hydroxylase by 2-amino-4-hydroxy-6,7-dimethyltetrahydropteridine and the aerobic oxidation of the latter. The effects of catalase, dithiothreitol and reduced nicotinamide–adenine dinucleotide 563
JAKUBOVIČ, A. *see also* WOOLF, L. I. 569
JANSEN, F. H. & BILLING, B. H. The identification of monoconjugates of bilirubin in bile as amide derivatives 917
JANSEN, F. H. & STOLL, M. S. Separation and structural analysis of vinyl- and isovinyl-azobilirubin derivatives 585
JARMAN, T. R. *see* EADY, R. R. 449
JARVIE, D. R., OTTAWAY, J. H., NOLTE, J. & PETTE, D. Histochemical localization of enzymes in heart muscle 35P
JEFCOATE, C. R. *see* BOYD, G. S. 1P
JEFFERY, J. *see* GIBB, W. 14P
JOANNY, P., BARBOSA, E., HILLMAN, H. & CORRIOL, J. The uptake and efflux of glycine from rat cerebral-cortex slices 255
JOHNSON, C. E. *see* CAMMACK, R. 849, 18P
JOHNSON, R. K., WYNN, W. T. & JONDORF, W. R. Some aspects of the metabolism of ^{14}C-labelled (±)-2,3-dehydroemetine in the rat 26P
JOLIN, T. & MORREALE DE ESCOBAR, G. Deiodination of L-thyroxine and its activity on the oxidation *in vitro* of reduced nicotinamide–adenine dinucleotide by peroxidase plus hydrogen peroxide 869
JONDORF, W. R. *see* JOHNSON, R. K. 26P
JONES, J. G. *see* BARFORD, D. J. 76P; COLLINS, J. P. 71P
JORDAN, J. P. *see* GORMAN, R. R. 439
JORPES, E. *see* MUTT, V. 57P
JOSEPH, R. L. *see* REVILLE, W. J. 104P
JOYCE, P. & DUKE, E. J. The significance of alternative forms of xanthine oxidase in different mouse tissues 111P

KĄKOL, I. The location of the thiol groups of myosin that are protected by pyrophosphate against reaction with 2,4-dinitrophenyl β-hydroxyethyl disulphide 261
KAN, G. *see* VAN LIER, J. E. 47P
KANAGALINGAM, K. *see* COX, R. A. 655
KANOH, H. & LINDSAY, D. B. Synthesis of fatty acids from [1-^{14}C]acetyl-coenzyme A in subcellular particles of rat epididymal adipose tissue 38P
KAWASAKI, H., SATO, H. & SUZUKI, M. Structural proteins in the egg-shell of the oriental garden cricket, *Gryllus mitratus* 495
KAY, D. *see* MANDELSTAM, J. 635
KAY, J. E. *see* AHERN, T. 73P; COOKE, A. 74P
KEARNEY, R. D. *see* DOWNEY, W. K. 96P
KEMP, D. R. & STEENSON, T. I. Breakdown of indol-3-ylacetic acid by *Corynebacterium fascians* (Tilford) Dowson 65P

Kerr, M. W. & Robertson, A. Properties of phosphoenolpyruvate carboxylase isolated from maize leaves 34P

Khairul Bashar, S. A. M. *see* Parish, J. H. 643

Kim, Y. S. *see* Bella, A., jun. 1157

King, J. *see* Henderson, A. R. 36P

Kirkpatrick, S. J. *see* Strates, B. S. 367

Kitcher, J. P. *see* Griffin, M. 19P

Klieger, E. *see* Schillinger, E. 64P

Knight, B. L. & Myant, N. B. The effect of noradrenaline on glyceride synthesis and oxidative metabolism *in vitro* in the brown fat of newborn rabbits 1

Knight, I. G. *see* Cattell, K. J. 169

Knowler, J. T. & Smellie, R. M. S. The synthesis of ribonucleic acid in immature rat uterus responding to oestradiol-17β 605

Kodicek, E. *see* Barnes, M. J. 433, 925, 16P; Mason, J. B. 117P, 118P; Weber, J. C. 147

Koldovský, O. & Palmieri, M. Cortisone-evoked decrease of acid β-galactosidase, β-glucuronidase, *N*-acetyl-β-glucosaminidase and arylsulphatase in the ileum of suckling rats 697

Koldovský, O. *see also* Weinstein, A. 935

Konieczny, L. *see* Green, N. M. 781

Koningsberger, V. V. *see* van de Meene, J. G. C. 671

Korner, A. *see* Borghetti, A. F. 75P; Salaman, D. F. 72P; Sampson, J. 74P

Kovačević, Z. The pathway of glutamine and glutamate oxidation in isolated mitochondria from mammalian cells 757

Krail, G. *see* Brandenburg, D. 51P

Krebs, H. A. *see* Hawkins, R. A. 541; Woods, H. F. 129

Kuksis, A. *see* Gornall, D. A. 97P

Large, P. J. *see* Eady, R. R. 449

Larsson, P.-O. *see* Mosbach, K. 20P

Lawley, P. D. *see* Shooter, K. V. 829

Lawson, M. E. *see* Grimwade, A. M. 14P

Leaver, J. L. & Ramponi, G. Occurrence of histones in the trypanosomatid flagellate *Crithidia oncopelti* 44P

Lees, D. N. *see* English, L. S. 42P

Leroy, P. *see* Fevery, J. 803

Levin, S. S. *see* Schleyer, H. 10P

Levitt, M. *see* Diamond, R. 92P

Lichtenstein, A. V. & Shapot, V. S. Fractionation of nuclear and cytoplasmic ribonucleic acids from rat tissues on the methylated albumin–kieselguhr column 225

Liddy, C. P. *see* Martin, F. M. 116P

Lindahl, U. *see* Ögren, S. 1119; Wasteson, Å. 903

Lindop, C. R. *see* Cattell, K. J. 169

Lindsay, D. B. *see* Kanoh, H. 38P

Lipke, H. & Geoghegan, T. The composition of peptidochitodextrins from sarcophagid puparial cases 703

Lipscomb, J. D. *see* Gunsalus, I. C. 5P

Lloyd, J. B. *see* Williams, K. E. 303

London, D. R. *see* Hider, R. C. 751

Loten, E. G. *see* Spears, G. 1149

Lowry, P. J. *see* Bennett, H. P. J. 80P

Lubke, K. *see* Schillinger, E. 64P

Lucy, J. A. *see* Caygill, C. P. J. 407; Perry, M. C. 179

Maccioni, H. J., Arce, A. & Caputto, R. The biosynthesis of gangliosides. Labelling of rat brain gangliosides *in vivo* 1131

McDermott, M. & O'Donovan, D. J. An evaluation of the enzymes involved in glutamine metabolism by the kidney 93P

McElhone, M. J., O'Connor, P. J. & Craig, A. W. The stability of rat liver ribonucleic acid *in vivo* after methylation with methyl methanesulphonate or dimethylnitrosamine 821

McGeeney, K. F. & O'Donnell, D. Glucoamylase of dog serum 115P

McGeeney, K. F. *see also* Fitzpatrick, D. A. 114P

McGill, D. J. & Dawes, E. A. Glucose and fructose metabolism in *Zymomonas anaerobia* 1059

Mackie, W. Conformations of crystalline alginic acids and their salts 89P

McKinley-McKee, J. S., Morris, D. L. & Reynolds, C. H. Conformation changes in chemically modified alcohol dehydrogenase 111P

McLoughlin, J. V. *see* Heffron, J. J. A. 103P

McMartin, C. *see* Bennett, H. P. J. 80P

McNamara, D. B., Sulakhe, P. V. & Dhalla, N. S. Properties of the sarcolemmal calcium ion-stimulated adenosine triphosphatase of hamster skeletal muscle 525

McNulty, M. S. *see* Winder, F. G. 101P

Magee, P. N. *see* Stewart, B. W. 943; Swann, P. F. 841

Mainwaring, W. I. P. & Peterken, B. M. A reconstituted cell-free system for the specific transfer of steroid–receptor complexes into nuclear chromatin isolated from ventral prostate gland 285

Manchester, K. L. *see* Bullock, G. 106P

Mandelstam, J., Sterlini, J. M. & Kay, D. Sporulation in *Bacillus subtilis*. Effect of medium on the form of chromosome replication and on initiation to sporulation in *Bacillus subtilis* 635

Maneckjee, A. *see* Morris, D. 857

Manery, J. F. *see* Forstner, J. 343

Manners, D. J., Palmer, G. H., Wilson, G. & Yellowlees, D. Effect of gibberellic acid on the development of some cereal carbohydrases 30P

Manners, D. J. *see also* Evans, R. B. 31P

Marshall, V. *see* Gunsalus, I. C. 5P

Martin, B. R. & Denton, R. M. Metabolism of pyruvate and malate by isolated fat-cell mitochondria 105

Martin, B. R. *see also* Coore, H. G. 115

Martin, F. M., Liddy, C. P. & Beary, M. E. Metabolism *in vitro* of [4-^{14}C]4-androstene-3,17-dione by subcellular fractions isolated from livers of normal and carbon tetrachloride-poisoned rats 116P

Mason, J. B., Gibson, N. & Kodicek, E. The chemical nature of bound nicotinic acid 117P

Mason, J. B., Gibson, N. & Kodicek, E. The fate of dietary bound nicotinic acid in the nicotinic acid-deficient and -supplemented rat 118P

Massey, V. *see* Engel, P. C. 879, 889

Mathews, M. B. Comparative biochemistry of chondroitin sulphate–proteins of cartilage and notochord 37

Melchers, F. Biosynthesis of the carbohydrate portion of immunoglobulins. Incorporation of radioactive fucose into immunoglobulin GI synthesized and secreted by mouse plasma-cell tumour MOPC 21 247

Melchers, F. *see also* Parkhouse, R. M. E. 235

Merat, A. *see* Dickerson, J. W. T. 40P

Mercola, D. *see* Blundell, T. L. 50P

Meuwissen, J. A. T. P. *see* Heirwegh, K. P. M. 28P

Meyer, T. *see* Pettigrew, G. 46P

Middleton, B. Acetoacetyl-coenzyme A thiolases in rat brain during postnatal development 70P

Middleton, B. The existence of oxoacyl-coenzyme A thiolases of differing substrate specificity and intracellular localization in mammalian tissues 69P

Miles, P. V. *see* Arquilla, E. R. 52P

Millburn, P. *see* Aziz, F. T. A. 25P

Miller, J. C. *see* Browne, M. 63P

Mimoun, H. *see* Ullrich, V. 9P

Minguell, J. *see* Grant, J. K. 21P

Mitchell, J. R., Bailey, I. & Blanshard, J. M. V. The conformation of polygalacturonic acid subunits 89P

Mitropoulos, K. A. *see* Balasubramaniam, S. 13P

Montanaro, N., Novello, F. & Stirpe, F. Effect of α-amanitin on ribonucleic acid polymerase II of rat brain nuclei and on retention of avoidance conditioning 1087

Mookerjea, S. *see* Delahunty, T. J. 96P

Morreale de Escobar, G. *see* Jolin, T. 869

Morris, D., Maneckjee, A. & Hebb, C. The kinetic properties of human placental choline acetyltransferase 857

Morris, D. L. *see* McKinley-McKee, J. S. 111P

Morris, H. R., Williams, D. H. & Ambler, R. P. Determination of the sequences of protein-derived peptides and peptide mixtures by mass spectrometry 189

Morris, J. W. S. *see* Arquilla, E. R. 52P

Morton, L. F. *see* Barnes, M. J. 433, 925, 16P

Mosbach, K., Guilford, H., Larsson, P.-O., Ohlsson, R. & Scott, M. Purification of nicotinamide–adenine dinucleotide-dependent dehydrogenases by affinity chromatography 20P

Mulder, G. J. The heterogeneity of uridine diphosphate glucuronyltransferase from rat liver 9

Münck, E. *see* Gunsalus, I. C. 5P

Munday, K. A. *see* Reeds, P. J. 515

Murphy, R. F., Elmore, D. T. & Buchanan, K. D. Isolation of glucagon-like immunoreactivity of gut by affinity chromatography 61P

Mutt, V. & Jorpes, E. Hormonal polypeptides of the upper intestine 57P

Myant, N. B. *see* Knight, B. L. 1

Nabarro, J. D. N. *see* Srivastava, M. C. 64P; Tompkins, C. V. 64P

Nabubkar, L. *see* Shires, T. K. 67

Neal, G. E. *see* Belham, J. E. 81

Nemeth, A. M. *see* Burchell, B. 23P

Newton, N. A. *see* Cox, G. B. 489

Nichols, J. T. *see* Swanson, A. A. 575

Nicol, A. D. *see* Adams, A. 36P

Niemann, W. H. *see* Sturman, J. A. 78P

Niemeyer, R. S. *see* Ryan, J. W. 921

Nimberg, R. B. & Schmid, K. Isolation, purification and characterization of a 0.6S γ_2-globulin from normal human plasma 80P

Nolte, J. *see* Jarvie, D. R. 35P

North, A. C. T. Study of protein conformations 86P

Northcote, D. H. *see* Heath, M. F. 953

Novello, F. *see* Montanaro, N. 1087

Nurminen, T. & Suomalainen, H. Occurrence of long-chain fatty acids and glycolipids in the cell envelope fractions of baker's yeast 963

Obaidah, M. A. & Buck, K. W. Characterization of two cell-wall polysaccharides from *Fusicoccum amygdali* 473

Obaidah, M. A. *see also* Buck, K. W. 461

O'Brien, P. J. *see* Hrycay, E. G. 12P

Ó Cabra, P. & Colleran, E. Properties and kinetics of biliverdin reductase 110P

O'Connor, P. J. *see* McElhone, M. J. 821

O'Connor, W. H. *see* Ryan, H. 1081

O'Donnell, D. *see* McGeeney, K. F. 115P

O'Donovan, D. J. *see* McDermott, M. 93P

Offord, R. E. *see* Gonzalez, G. 309

O'Gara, F. *see* Cannon, F. C. 103P

Ögren, S. & Lindahl, U. Degradation of heparin in mouse mastocytoma tissue 1119

Ohlsson, R. *see* Mosbach, K. 20P

Olavesen, A. H. *see* Gregory, P. A. 77P

Olezza, S. *see* Adinolfi, A. 557

Orrenius, S., Wilson, B., von Bahr, C. & Schenkman, J. B. The significance of drug-induced spectral changes in liver microsomal fraction 8P

Orsi, B. A. & Cleland, W. W. Inhibition kinetics of D-glyceraldehyde 3-phosphate dehydrogenase 112P

Ottaway, J. H. Normalization factors in the fitting of exponential curves to results obtained in isotopic-tracer studies 44P

Ottaway, J. H. *see also* Chahl, J. S. 73P; Cochrane, J. 45P; Gonzalez, M. P. 35P; Jarvie, D. R. 35P

Owen, W. J. & Rogers, L. J. Inhibition of photosynthetic electron transport by 1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT) at a site in the intermediate electron-transport chain 43P

Owens, D. *see* Srivastava, M. C. 64P

Palmer, G. H. *see* Manners, D. J. 30P

Palmieri, M. *see* Koldovský, O. 697

Paretsky, D. *see* Thompson, H. A. 365

Parish, J. H., Khairul Bashar, S. A. M., Brown, N. L. & Brown, M. Cell-free synthesis of tryptophanase from *Escherichia coli*. Use of ribonucleic acid isolated from induced cells and a comparison of the product from a system employing ribosomes with that from one employing ribosomes and exogenous ribonucleic acid 643

Park, D. C. *see* Holmes, D. 98P

Park, M. V. *see* Cheshire, R. M. 45P

Parke, D. V. *see* Basu, T. K. 16P; Chakraborty, J. 15P

Parkhouse, R. M. E. & Melchers, F. Biosynthesis of the carbohydrate portions of immunoglobulin M 235

Parsons, M. E. *see* Holmes, D. 98P

Parulekar, M. R. *see* Singhal, R. L. 329

Pascoe, E. *see* Arslanian, M. J. 1039

Patel, R. N. *see* Urushibara, T. 141

Paterson, J. W. *see* Evans, M. E. 27P; Walker, S. R. 27P

Patterson, B. D., Atkins, C. A. & Graham, D. Carbonic anhydrase: multiple forms in plants 34P

Patterson, D. S. P. Hydroxylation and toxicity of aflatoxins 19P

Payne, P. I. & Dyer, T. A. The occurrence of 5.8S ribonucleic acid in plants 100P

Peacocke, A. R. *see* Dalgleish, D. G. 155

Pennington, R. J. *see* Goldspink, D. F. 865; Holmes, D. 98P

Percy-Robb, I. W. *see* Roberts, L. B. 41P

Perl, M. Appearance of a methylated ribonucleic acid on illumination of *Euglena gracilis* cells grown in the dark 401

Perry, D. R. & Adams, W. A. The incorporation of glycylglycine into humic acid 29P

Perry, M. C., Tampion, W. & Lucy, J. A. The interaction of insulin with phospholipids 179

Perry, S. V. The relaxing protein system and the regulation of the myofibrillar adenosine triphosphatase 83P

Peteeken, B. M. *see* Mainwaring, W. I. P. 285

Peters, R. F. *see* Elliott, P. 106P

Peterson, J. *see* Estabrook, R. W. 3P

Pette, D. *see* Jarvie, D. R. 35P

Pettigrew, G. & Meyer, T. Evidence for an atypical binding of haem in a protozoan cytochrome 46P

Phillips, M. C. *see* Cullen, J. 733

Piggott, C. O. & Brady, T. G. Purification of the high-molecular-weight form of adenosine deaminase from rabbit intestine 112P

Pirie, A. Formation of *N'*-formylkynurenine in proteins from lens and other sources by exposure to sunlight 203

Pitot, H. C. *see* Shires, T. K. 67

POHL, S. L. *see* RODBELL, M. 58P
PONS, V. *see* WEBER, J. C. 147
POWELL, G. M. *see* GREGORY, P. A. 77P
POWELL, M. J. D. Numerical methods for fitting parameters to data 87P
PRICE, C. J. & ROWE, C. E. Stimulation of the release of unesterified fatty acids in synaptosomes by noradrenaline and 5-hydroxytryptamine 38P

RAGNOTTI, G. A rapid method for the determination of ribonucleic acid in subcellular fractions. *Appendix to:* Effect of a modified separation procedure on the size and protein-synthetic activity of membrane-bound liver polyribosomes (Ragnotti, G.) 1057
RAGNOTTI, G. Effect of a modified separation procedure on the size and protein-synthetic activity of membrane-bound liver polyribosomes 1049
RAMAGE, P. R. *see* CUNNINGHAM, W. L. 33P
RAMAIAH, A. *see* TEJWANI, G. A. 507
RAMPONI, G. *see* LEAVER, J. L. 44P
RANDLE, P. J. *see* COORE, H. G. 115
RAO, K. K. *see* CAMMACK, R. 849, 18P
RASOOL, G. *see* BARNETT, J. E. G. 275
REEDS, P. J., MUNDAY, K. A. & TURNER, M. R. Action of insulin and growth hormone on protein synthesis in muscle from non-hypophysectomized rabbits 515
REES, D. A. Some applications of computer model-building in polysaccharide biochemistry 86P
REEVES, R. E. Pyruvate,phosphate dikinase from *Bacteroides symbiosus* 531
REINHOLD, J. G. *see* ARSLANIAN, M. J. 1039
REVILLE, W. J., HARRINGTON, M. C. & JOSEPH, R. L. Post-mortem autolysis in bovine muscle 104P
REYNOLDS, C. H. *see* MCKINLEY-MCKEE, J. S. 111P
RICHARDS, A. J. *see* EVANS, M. E. 27P; WALKER, S. R. 27P
RICHARDSON, M. C. & SCHULSTER, D. β1–24-Adrenocorticotrophin diazotized to polyacrylamide: effects on isolated adrenal cells 60P
RICHES, P. G. & HARRAP, K. R. The effect of chlorambucil on nuclear protein synthesis in Yoshida ascites-sarcoma cells 98P
RITTEL, W. Structure–activity relationship of synthetic corticotrophin peptides 56P
ROBERTS, G. C. K. & FEENEY, J. The combination of nuclear-magnetic-resonance spectroscopy and potential energy calculations in the study of peptide conformation in solution 88P
ROBERTS, G. C. K. *see also* FEENEY, J. 62P
ROBERTS, L. B. & PERCY-ROBB, I. W. Compartmental analysis of the distribution of cholesterol in the isolated perfused rat liver 41P
ROBERTS, R. M., CONNOR, A. B. & CETORELLI, J. J. The formation of glycoproteins in tissues of higher plants. Specific labelling with D-[1-^{14}C]glucosamine 999
ROBERTSON, A. *see* KERR, M. W. 34P
ROBISON, G. A. *see* SINGHAL, R. L. 329
RODBELL, M., BIRNBAUMER, L. & POHL, S. L. Characteristics of glucagon action on the hepatic adenylate cyclase system 58P
RODÉN, L. *see* BAKER, J. R. 93P
ROGERS, L. J. *see* ENGLISH, L. S. 42P; OWEN, W. J. 43P
ROOKLEDGE, K. A. Comparison of some metabolic parameters in the perfused and the incubated rat diaphragm muscle with diaphragm muscle *in vivo* 93
ROOKLEDGE, K. A. *see also* BELOFF-CHAIN, A. 97
ROOS, A. J. & COSSINS, E. A. Pteroylglutamate derivatives in *Pisum sativum* L. Biosynthesis of cotyledonary tetrahydropteroylglutamates during germination 17
ROSE, A. *see* HITCHCOCK, C. 1155
ROSE, J. G. *see* HEATH, D. F. 765
ROSENTHAL, O. *see* SCHLEYER, H. 10P
ROWE, C. E. *see* PRICE, C. J. 38P
RUF, H.-H. *see* ULLRICH, V. 9P
RUFFO, A. *see* ADINOLFI, A. 557
RUSSELL, A. E. *see* COOPER, D. R. 1069; HART, G. J. 599
RYAN, H., RYAN, J. P. & O'CONNOR, W. H. The effect of diffusible acids on potassium ion uptake by yeast 1081
RYAN, J. P. *see* RYAN, H. 1081
RYAN, J. W., NIEMEYER, R. S., GOODWIN, D. W., SMITH, U. & STEWART, J. M. Metabolism of [8-L-[^{14}C]phenylalanine]angiotensin I in the pulmonary circulation 921

SAENGER, W. *see* CRAMER, F. 87P
SALAMAN, D. F. & KORNER, A. Rapid stimulation of nucleolar ribonucleic acid synthesis by growth hormone 72P
SAMPSON, J., BORGHETTI, A. F. & KORNER, A. An assay method for the initiation factors for protein synthesis from rat liver 74P
SAMPSON, J. *see also* BORGHETTI, A. F. 75P
SAN BLAS, G. *see* CUNNINGHAM, W. L. 31P
SASTRY, P. A. *see* WINDER, F. G. 102P
SATO, H. *see* KAWASAKI, H. 495
SCHENKMAN, J. B. *see* ORRENIUS, S. 8P
SCHILLINGER, E., SCHRÖDER, E., KLIEGER, E. & LUBKE, K. Relationship between structure and the insulin-like activity of the neurohypophysial peptide hormones 64P
SCHLEYER, H., COOPER, D. Y., LEVIN, S. S. & ROSENTHAL, O. Cytochrome *P*-450 from the adrenal cortex: interaction of steroids and the hydroxylation reaction 10P
SCHMID, K. *see* NIMBERG, R. B. 80P
SCHRÖDER, E. *see* SCHILLINGER, E. 64P
SCHULSTER, D. *see* RICHARDSON, M. C. 60P
SCOTT, J. *see* BOURKE, E. 94P
SCOTT, J. M. & BLOOMFIELD, F. J. Further observations on transcobalamin III in normal human serum 115P
SCOTT, J. M. *see also* COSTELLO, J. 114P
SCOTT, M. *see* MOSBACH, K. 20P
SECHER, D. S. *see* VAN HEYNINGEN, S. 1159
SEGAL, S. *see* WEINSTEIN, A. 935
SEHON, A. H. *see* BOYD, S. L. 99P
SELLEN, D. B. *see* GRAHAM, G. N. 104P
SENIOR, P. J. & DAWES, E. A. Poly-β-hydroxybutyrate biosynthesis and the regulation of glucose metabolism in *Azotobacter beijerinckii* 55
SHALL, S. *see* BRIGHTWELL, M. 67P
SHAPOT, V. S. *see* LICHTENSTEIN, A. V. 225
SHEEHAN, J. K. *see* ATKINS, E. D. T. 92P
SHEPHERD, K. S. & BOOTH, R. Incorporation of acetate into β-hydroxy-β-methylglutaryl-coenzyme A by rat liver microsomal fraction: the effect of feeding with cholesterol 39P
SHIPLEY, G. G. *see* CULLEN, J. 733
SHIRACHI, D. Y. *see* HOWLAND, R. D. 991
SHIRES, T. K., NARURKAR, L. & PITOT, H. C. The association *in vitro* of polyribosomes with ribonuclease-treated derivatives of hepatic rough endoplasmic reticulum. Characteristics of the membrane binding sites and factors influencing association 67
SHOOTER, K. V., EDWARDS, P. A. & LAWLEY, P. D. The action of mono- and di-functional sulphur mustards on the ribonucleic acid-containing bacteriophage μ2 829
SIMMONS, J. B. *see* GORMAN, R. R. 439
SIMPSON, E. R. *see* BOYD, G. S. 1P
SIMS, P. Epoxy derivatives of aromatic polycyclic hydrocarbons. The preparation of benz[*a*]anthracene 8,9-oxide and 10,11-dihydrobenz[*a*]anthracene 8,9-oxide and their metabolism by rat liver preparations 159

Sims, P., Hewer, A. & Grover, P. L. Formation of epoxides as microsomal metabolites of polycyclic hydrocarbons 28P
Sims, P. *see also* Cookson, M. J. 100P
Singhal, R. L., Parulekar, M. R., Vijayvargiya, R. & Robison, G. A. Metabolic control mechanisms in mammalian systems. Involvement of adenosine 3′:5′-cyclic monophosphate in androgen action 329
Sinha, A. K. & Bhattacharjee, J. K. Lysine biosynthesis in *Saccharomyces*. Conversion of α-aminoadipate into α-aminoadipic δ-semialdehyde 743
Sinnott, M. L. β-Galactosidase-catalysed hydrolysis of β-D-galactopyranosyl azide 717
Sirek, A. *see* Brosnan, M. 116P
Sirek, O. V. *see* Brosnan, M. 116P
Smart, J. L. *see* Adlard, B. P. F. 12P
Smellie, R. M. S. *see* Knowler, J. T. 605
Smith, I. Model of an insulin dimer and tetramer, and a hypothetical proinsulin 81P
Smith, J. N. *see* Douch, P. G. C. 385, 395
Smith, R. L. *see* Aziz, F. T. A. 25P
Smith, U. *see* Ryan, J. W. 921
Snart, R. N. *see* Besley, G. T. N. 60P
Snell, K. & Walker, D. G. Factors regulating L-alanine–glyoxylate aminotransferase development in neonatal rat liver 68P
Snell, K. & Walker, D. G. The regulation and development of the isoenzymes of rat liver L-alanine–glyoxylate aminotransferase 68P
Sneyd, J. G. T. *see* Spears, G. 1149
Sönksen, P. H. *see* Srivastava, M. C. 64P; Tompkins, C. V. 64P
Sothy, S. P. *see* Das, N. P. 417
Spears, G., Sneyd, J. G. T. & Loten, E. G. A method for deriving kinetic constants for two enzymes acting on the same substrate 1149
Speir, T. W. & Barnsley, E. A. The conjugation of glutathione with unsaturated acyl thiol esters and the metabolic formation of *S*-carboxyalkylcysteines 267
Spencer, C. A. & Henderson, A. R. The effect of feeding on the apparent kinetic constants and activation energy of the magnesium ion-activated deoxyribonucleic acid-dependent ribonucleic acid polymerase of rat liver 37P
Spires, I. P. C. *see* Tipton, K. F. 521
Srivastava, M. C., Owens, D., Tompkins, C. V., Sönksen, P. H. & Nabarro, J. D. N. The importance of 'distribution' in the metabolism of growth hormone in man 64P
Srivastava, M. C. *see also* Tompkins, C. V. 64P
Steenson, T. I. *see* Kemp, D. R. 65P
Sterlini, J. M. *see* Mandelstam, J. 635
Stewart, B. W. & Magee, P. N. Effect of a single dose of dimethylnitrosamine on biosynthesis of nucleic acid and protein in rat liver and kidney 943
Stewart, J. M. *see* Ryan, J. W. 921
Stirpe, F. *see* Montanaro, N. 1087
Stoll, M. S. *see* Jansen, F. H. 585
Strates, B. S., Kirkpatrick, S. J., Heffner, J. E. & Urist, M. R. Effect of chemical modification of tyrosine residues on bone morphogenesis 367
Strobel, H. W. *see* Coon, M. J. 2P
Sturman, J. A., Niemann, W. H. & Gaull, G. E. Maternal–foetal relationship of methionine and cystine in the pregnant rhesus monkey 78P
Sulakhe, P. V. *see* McNamara, D. B. 525
Suomalainen, H. *see* Nurminen, T. 963
Sutherland, E. *see* Cox, R. A. 655
Suzuki, M. *see* Kawasaki, H. 495
Swann, P. F. & Magee, P. N. Nitrosamine-induced carcinogenesis. The alkylation of *N*-7 of guanine of nucleic acids of the rat by diethylnitrosamine, *N*-ethyl-*N*-nitrosourea and ethyl methanesulphonate 841
Swanson, A. A. & Nichols, J. T. Human senile cataractous lens protease. Isolation and some chemical characteristics 575
Swenson, P. E. & Dimick, P. S. Non-involvement of δ-hydroxy acid in the oxidation of milk fatty acids 1139

Tampion, W. *see* Perry, M. C. 179
Tanner, M. J. A. & Gray, W. R. The isolation and functional identification of a protein from the human erythrocyte 'ghost' 1109
Tao, K. L. & Hall, T. C. Extensive charging of transfer ribonucleic acid by bean leaf extracts *in vitro* 975
Taylor, A. *see* Haslam, R. J. 377
Taylor, F. B., jun. *see* Tomar, R. H. 793
Taylor, P. *see* Grant, J. K. 21P
Tejwani, G. A. & Ramaiah, A. Properties of phosphofructokinase from the mucosa of rat jejunum and their relation to the lack of Pasteur effect 507
Ternynck, T. & Avrameas, S. Effect of electrolytes and of distilled water on antigen–antibody complexes 297
Thompson, H. A., Baca, O. G. & Paretsky, D. Presence of ribosomal ribonucleic acid in the rickettsia *Coxiella burneti* 365
Tipton, K. F. & Spires, I. P. C. The kinetics of phenethylhydrazine oxidation by monoamine oxidase 521
Tomar, R. H. & Taylor, F. B., jun. The streptokinase–human plasminogen activator complex. Composition and identitity of a subcomponent with activator activity 793
Tompkins, C. V., Srivastava, M. C., Sönksen, P. H. & Nabarro, J. D. N. A comparative study of the distribution and metabolism of monocomponent human insulin and porcine proinsulin in man 64P
Tompkins, C. V. *see also* Srivastava, M. C. 64P
Toms, E. J. *see* Green, N. M. 781
Trevor, A. J. *see* Howland, R. D. 991
Trudgill, P. W. *see* Griffin, M. 19P
Turner, M. R. *see* Reeds, P. J. 515

Ullrich, V., Ruf, H.-H. & Mimoun, H. Model systems for mono-oxygenases, with results with iron(II)–sulphur complexes as models for cytochrome *P*-450 9P
Urist, M. R. *see* Strates, B. S. 367
Urushibara, T., Forrest, H. S., Hoare, D. S. & Patel, R. N. Pteridines produced by *Methylococcus capsulatus*. Isolation and identification of a neopterin 2′:3′-phosphate 141

Valentine, R. C. *see* Green, N. M. 781
van de Meene, J. G. C., Bloemers, H. P. J. & Koningsberger, V. V. Peptidylhydroxamate formation in yeast: a re-evaluation 671
Van Hees, G. P. *see* Compernolle, F. 811; Fevery, J. 803
van Heyningen, S. & Secher, D. S. A new alkaline protease from *Acremonium kiliense* 1159
van Lier, J. E. & Kan, G. Steroid hydroperoxides as intermediates in steroid biogenesis 47P
Venning, M. M. *see* Wallace, P. G. 47
Vijayvargiya, R. *see* Singhal, R. L. 329
von Bahr, C. *see* Orrenius, S. 8P
Vrba, R. Quantitative aspects of assimilation of [U-^{14}C]-glucose carbon in various rat tissues *in vivo* 70P

Walker, D. G. *see* Snell, K. 68P
Walker, S. R., Richards, A. J. & Paterson, J. W. The absorption, excretion and metabolism of disodium [^{14}C]cromoglycate in man 27P
Walker, S. R. *see also* Evans, M. E. 27P

WALLACE, P. G., HEWISH, D. R., VENNING, M. M. & BURGOYNE, L. A. Multiple forms of mammalian deoxyribonucleic acid polymerase. An attempt to relate their interactions with nuclei and free deoxyribonucleic acid *in vitro* with their possible functions *in vivo* 47
WALLIS, M. Structural relationships among growth hormones and prolactins 54P
WALLIS, M. *see also* DAVIES, R. V. 65P
WALLIS, O. C. *see* WHITTAKER, P. A. 82P
WÄLTI, M. *see* HOPE, D. B. 909
WARD, O. P. & FOGARTY, W. M. Extracellular enzymes of a *Bacillus* sp. associated with increased permeability in Sitka spruce (*Picea sitchensis*) 109P
WASTESON, Å. & LINDAHL, U. The distribution of sulphate residues in the chondroitin sulphate chain 903
WATKINS, W. M. *see* GOODWIN, S. D. 79P
WEBER, J. C., PONS, V. & KODICEK, E. The localization of 1,25-dihydroxycholecalciferol in bone cell nuclei of rachitic chicks 147
WEINERT, M. *see* BRANDENBURG, D. 51P
WEINSTEIN, A., KOLDOVSKÝ, O. & SEGAL, S. Developmental aspects of uridine diphosphate galactose 4-epimerase in rat intestine 935
WEISS, M. *see* GRANT, J. K. 21P
WHEELER, K. P. Activation of membrane adenosine triphosphatase by chelating reagents and phospholipids 71P
WHITE, A. M. *see* BULLOCK, G. 107P; ELLIOTT, P. 106P
WHITTAKER, P. A. & WALLIS, O. C. Biosynthesis of yeast mitochondria: effects of rifampicin 82P
WHITTON, P. D. & HEMS, D. A. Glycogen synthesis in the perfused liver of starved rats 76P
WIDDOWSON, E. M. *see* DICKERSON, J. W. T 40P
WILKINSON, B. R. Cell-free biosynthesis of wool keratin proteins 371
WILLIAMS, D. H. *see* MORRIS, H. R. 189
WILLIAMS, J. F. *see* CLARK, M. G. 381
WILLIAMS, K. E., LLOYD, J. B., DAVIES, M. & BECK, F. Digestion of an exogenous protein by rat yolk-sac cultured *in vitro* 303
WILLIAMS, R. T. *see* AZIZ, F. T. A. 25P
WILLIAMSON, D. H. *see* HAWKINS, R. A. 541
WILSON, B. *see* ORRENIUS, S. 8P
WILSON, G. *see* MANNERS, D. J. 30P
WILTON, D. C. The biosynthesis of cholesta-8,14-dien-3β-ol by Chang human liver cells 1153
WILTON, D. C. *see also* BLOXHAM, D. P. 625
WINDER, F. G., MCNULTY, M. S. & BARBER, D. S. Formation of polydeoxyadenylylthymidylate after deoxyribonucleic acid synthesis by a deoxyribonucleic acid polymerase from *Mycobacterium smegmatis* 101P
WINDER, F. G. & SASTRY, P. A. Absence of single-stranded regions in deoxyribonucleic acid during the action of an adenosine triphosphate-dependent deoxyribonuclease 102P
WONG, K. P. Bilirubin glucuronyltransferase. Specific assay and kinetic studies 27
WONG, K. P. Formation of bilirubin glucoside 929
WOODMAN, J. & YOUNG, L. Mercapturic acid formation from sodium alkyl sulphates in the rat 78P
WOODS, H. F. & KREBS, H. A. Lactate production in the perfused rat liver 129
WOOLF, L. I., JAKUBOVIČ, A. & CHAN-HENRY, E. The non-enzymic hydroxylation of phenylalanine to tyrosine by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine 569
WOOLF, L. I. *see also* JAKUBOVIČ, A. 563
WYNN, W. T. *see* JOHNSON, R. K. 26P
WYSE, R. *see* GILLIBRAND, I. M. 105P

YAMAGATA, S. *see* BAKER, J. R. 93P
YELLOWLEES, D. *see* MANNERS, D. J. 30P
YOKOYAMA, M. T. & DAVIS, C. L. Stimulation of hydrogenation of linoleate in *Treponema* (*Borrelia*) sp. strain $B_2 5$ by reduced methyl viologen and by reduced benzyl viologen 913
YOUNG, L. *see* WOODMAN, J. 78P

ZAHN, H. *see* BRANDENBURG, D. 51P

Index of Subjects

Note. Pages in *Proceedings of the Biochemical Society* are distinguished by P.

Acer pseudoplatanus, *see* Sycamore

Acetate, effect of, on the uptake of potassium ions during the oxidation of ethanol by baker's yeast (Ryan, H., Ryan, J. P. & O'Connor, W. H.) 1081

Acetoacetate, effect of, on the concentration of insulin in rat plasma (Hawkins, R. A., Alberti, K. G. M. M., Houghton, C. R. S., Williamson, D. H. & Krebs, H. A.) 541

Acetoacetyl-coenzyme A, formation of a tight complex of *Peptostreptococcus elsdenii* butyryl-coenzyme A dehydrogenase and (Engel, P. C. & Massey, V.) 889

Acetoacetyl-coenzyme A thiolases, activity of, in rat brain during postnatal development (Middleton, B.) 70P

Acetylcholine, inhibition of human placental choline acetyltransferase by (Morris, D., Maneckjee, A. & Hebb, C.) 857

N-Acetyl-β-glucosaminidase, cortisone-evoked decrease in the activity of, in the ileum of suckling rats (Koldovský, O. & Palmieri, M.) 697

N-Acetylimidazole, effect of acetylation of tyrosine residues with, on morphogenesis of rat bone (Strates, B. S., Kirkpatrick, S. J., Heffner, J. E. & Urist, M. R.) 367

N-Acetyl-*S*-(2-methylcrotonyl)- and *N*-acetyl-*S*-(3-methylcrotonyl)-cysteamine, chemical synthesis of, and their conjugation with reduced glutathione by a rat liver preparation (Speir, T. W. & Barnsley, E. A.) 267

N-Acetylneuraminate lyase, properties of, from *Clostridium perfringens* (Barnett, J. E. G., Corina, D. L. & Rasool, G.) 275

N-Acetylneuraminidase, lack of effect of, on the binding of calcium ions by human erythrocyte membranes (Forstner, J. & Manery, J. F.) 343

Acid β-galactosidase, *see* β-Galactosidase, acid

Aconitate hydratase, mitochondrial and cytoplasmic, liver, rat, inhibition by oxalomalate of (Adinolfi, A., Guarriera-Bobyleva, V., Olezza, S. & Ruffo, A.) 557

Acremonium kiliense, purification and properties of an alkaline proteinase from (van Heyningen, S. & Secher, D. S.) 1159

Actin, G-, light-scattering Rayleigh linewidth measurements on (Graham, G. N. & Sellen, D. B.) 104P

Activator complex, streptokinase–human plasminogen, composition and identity of a subcomponent, with activator activity, of (Tomar, R. H. & Taylor, F. B., jun.) 793

Adenine nucleotides, effects of, on the metabolism of pyruvate by rat epididymal fat-cell mitochondria *in vitro* (Martin, B. R. & Denton, R. M.) 105

Adenosine 3′:5′-cyclic monophosphate, effects of catecholamines on the formation of, in human blood platelets (Haslam, R. J. & Taylor, A.) 377

Adenosine 3′:5′-cyclic monophosphate, involvement of, in the stimulation by androgens of the activities of carbohydrate-metabolizing enzymes in rat prostate gland and seminal vesicles (Singhal, R. L., Parulekar, M. R., Vijayvargiya, R. & Robison, G. A.) 329

Adenosine 3′:5′-cyclic monophosphate, role of, in the regulation of C-4 demethylation in cholesterol biosynthesis by rat liver microsomal fraction (Bloxham, D. P., Wilton, D. C. & Akhtar, M.) 625

Adenosine deaminase, purification of the high-molecular-weight form of, from rabbit intestine (Piggott, C. O. & Brady, T. G.) 112P

Adenosine diphosphate, yield of, from the triglyceride cycle in the brown fat of newborn rabbits during stimulation by noradrenaline *in vitro* (Knight, B. L. & Myant, N. B.) 1

Adenosine triphosphatase, calcium ion-stimulated, location of the thiol groups that are essential for the activity of, rabbit skeletal-muscle myosin (Kąkol, I.) 261

Adenosine triphosphatase, calcium ion-stimulated, sarcolemmal, properties of, from hamster skeletal muscle (McNamara, D. B., Sulakhe, P. V. & Dhalla, N. S.) 525

Adenosine triphosphatase, magnesium-plus-calcium ion-stimulated, dependence of energy-linked transhydrogenase activity on the presence of, in *Escherichia coli* K12 (Cox, G. B., Newton, N. A., Butlin, J. D. & Gibson, F.) 489

Adenosine triphosphatase, membrane, activation of, by chelating agents and phospholipids (Wheeler, K. P.) 71P

Adenosine triphosphate, inhibition by, of the activity of phosphofructokinase from rat jejunal mucosa (Tejwani, G. A. & Ramaiah, A.) 507

Adipocytes, epididymal, rat, metabolism of pyruvate and malate *in vitro* by mitochondria from (Martin, B. R. & Denton, R. M.) 105

Adipocytes, epididymal, rat, regulation by insulin and other hormones of mitochondrial pyruvate dehydrogenase in (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115

Adipose tissue, brown, effect of noradrenaline on glyceride biosynthesis and oxidative metabolism *in vitro* in, of newborn rabbits (Knight, B. L. & Myant, N. B.) 1

Adrenal gland, pig, Mössbauer spectroscopy of adrenodoxin from (Cammack, R., Rao, K. K., Hall, D. O. & Johnson, C. E.) 849

Adrenal gland, rat, 3β-hydroxy steroid dehydrogenase activity in the mitochondria of homogenates of (Basch, R. S. & Finegold, M. J.) 983

Adrenocorticotrophin, β1–24-, effects on isolated adrenal cells of, diazotized to polyacrylamide (Richardson, M. C. & Schulster, D.) 60P

Adrenocorticotrophin peptides, synthetic, structure–activity relationship of (Rittel, W.) 56P

Adrenodoxin, adrenal-gland, pig, Mössbauer spectroscopy of (Cammack, R., Rao, K. K., Hall, D. O. & Johnson, C. E.) 849

Aflatoxins, hydroxylation and toxicity of (Patterson, D. S. P.) 19P

L-Alanine, effects of, on the uptake and efflux of glycine by rat cerebral-cortex slices (Joanny, P., Barbosa, E., Hillman, H. & Corriol, J.) 255

Alanine, effects of stress caused by experimental procedures on the concentration of, in rat liver (Heath, D. F., George, D. R. & Rose, J. G.) 765

L-Alanine–glyoxylate aminotransferase, factors regulating the development of, in neonatal rat liver (Snell, K. & Walker, D. G.) 68P

L-Alanine–glyoxylate aminotransferase, regulation and development of the isoenzymes of, in rat liver (Snell, K. & Walker, D. G.) 68P

Albumin, serum, human, effects of electrolytes and distilled water on complexes of anti-(human serum albumin) and (Ternynck, T. & Avrameas, S.) 297

Albumin, serum, ox, ^{125}I-labelled, exogenous, digestion of, by rat yolk-sac cultured *in vitro* (Williams, K. E., Lloyd, J. B., Davies, M. & Beck, F.) 303

Alcohol dehydrogenase, chemically modified, conformational changes in (McKinley-McKee, J. S., Morris, D. L. & Reynolds, C. H.) 111P
Alcohol dehydrogenase, purification and properties of, from rat liver (Arslanian, M. J., Pascoe, E. & Reinhold, J. G.) 1039
Alginic acids, conformation of crystalline forms of, and their salts (Mackie, W.) 89P
Alkaline phosphatase, *see* Phosphatase, alkaline
Alkaline proteinase, *see* Proteinase, alkaline
Alkyl sulphates, sodium, mercapturic acid formation from, in the rat (Woodman, J. & Young, L.) 78P
α-Amanitin, effect of, on ribonucleic acid polymerase II activity of rat brain nuclei and on retention of avoidance conditioning (Montanaro, N., Novello, F. & Stirpe, F.) 1081
Amaranthus leaves, evidence for an intermediate pool of carbon dioxide and the identification of aspartate as the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of photosynthesis in (Hatch, M. D.) 425
Amines, secondary, partial purification from *Pseudomonas aminovorans* of a mixed-function oxidase system catalysing the oxidation of (Eady, R. R., Jarman, T. R. & Large, P. J.) 449
Amino acid sequence, *N*-terminal, of D-glyceraldehyde 3-phosphate dehydrogenase isolated from human erythrocyte 'ghosts' (Tanner, M. J. A. & Gray, W. R.) 1109
Amino acid sequences of some tryptic peptides obtained from prealbumin (Gonzalez, G. & Offord, R. E.) 309
Amino acid sequences, use of mass spectrometry for the determination of, of peptides and peptide mixtures derived from proteins by enzymic hydrolysis (Morris, H. R., Williams, D. H. & Ambler, R. P.) 189
Amino acids, free, effects of insulin on pools of, and protein synthesis in rat skeletal muscle *in vitro* (Hider, R. C., Fern, E. B. & London, D. R.) 751
Amino groups, significance of thiol, carboxyl and, in the binding of calcium ions by human erythrocyte membranes (Forstner, J. & Manery, J. F.) 343
Aminoacyl-transfer-ribonucleic acid synthetases, partial purification of, from bean leaf extracts (Tao, K. L. & Hall, T. C.) 975
α-Aminoadipate, conversion of, into α-aminoadipic δ-semialdehyde by a cell-free extract of *Saccharomyces* sp. (Sinha, A. K. & Bhattacharjee, J. K.) 743
α-Aminoadipic δ-semialdehyde, conversion of α-aminoadipate into, by a cell-free extract of *Saccharomyces* sp. (Sinha, A. K. & Bhattacharjee, J. K.) 743
2-Amino-6-carboxy-4-hydroxypteridine, isolation and identification of, produced by *Methylococcus capsulatus* (Urushibara, T., Forrest, H. S., Hoare, D. S. & Patel, R. N.) 141
2-Amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine, effects of catalase, dithiothreitol and reduced nicotinamide–adenine dinucleotide on the inhibition of rat and mouse liver phenylalanine hydroxylase by, and its aerobic oxidation (Jakubovič, A., Woolf, L. I. & Chan-Henry, E.) 563
2-Amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine, non-enzymic hydroxylation of phenylalanine to tyrosine by (Woolf, L. I., Jakubovič, A. & Chan-Henry, E.) 569
2-Amino-4-hydroxy-6-methylpteridine, isolation and identification of, produced by *Methylococcus capsulatus* (Urushibara, T., Forrest, H. S., Hoare, D. S. & Patel, R. N.) 141
Amino-oxyacetate, inhibition by, of aspartate production by isolated mitochondria from mammalian cells respiring in the presence of glutamine or glutamate (Kovačević, Z.) 757
o-Aminophenol, glucuronide conjugation of, by rat liver microsomal fraction (Mulder, G. J.) 9
o-Aminophenyl glucuronide, formation of, by uridine diphosphate glucuronyltransferase extracted from rat liver microsomal fraction with Lubrol (Howland, R. D., Burkhalter, A., Trevor, A. J., Hegeman, S. & Shirachi, D. Y.) 991
Ammoniagenesis, mechanisms of, in human kidney (Bourke, E., Fine, A. & Scott, J.) 94P
Ammonium ions, effect of, on the activity of phosphofructokinase from rat jejunal mucosa (Tejwani, G. A. & Ramaiah, A.) 507
Androgen–receptor complexes, reconstituted cell-free system for the specific transfer of, into chromatin isolated from rat ventral-prostate-gland nuclei (Mainwaring, W. I. P. & Peterken, B. M.) 285
Androgens, involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by, of the activities of carbohydrate-metabolizing enzymes in rat prostate gland and seminal vesicles (Singhal, R. L., Parulekar, M. R., Vijayvargiya, R. & Robison, G. A.) 329
[4-^{14}C]4-Androstene-3,17-dione, metabolism *in vitro* of, by subcellular fractions isolated from livers of normal and carbon tetrachloride-poisoned rats (Martin, F. M., Liddy, C. P. & Beary, M. E.) 116P
Angiotensin I, [8-L-[^{14}C]phenylalanine]-, metabolism of, in the pulmonary circulation of the rat (Ryan, J. W., Niemeyer, R. S., Goodwin, D. W., Smith, U. & Stewart, J. M.) 921
Antibodies, effects of electrolytes and distilled water on complexes of antigens with (Ternynck, T. & Avrameas, S.) 297
Antibody, anti-nitrotyrosyl, isolation of 3-nitrotyrosine-containing peptides by using a column of, coupled with Sepharose (Helman, M. & Givol, D.) 971
Antigen–antibody complexes, effects of electrolytes and distilled water on (Ternynck, T. & Avrameas, S.) 297
Apis mellifera, *see* Bee
Apotransferrin, human, differential sedimentation-velocity and gel-filtration measurements on, and transferrin containing different amounts of iron (Charlwood, P. A.) 1019
Arabinose, presence of, in a hydroxyproline-containing glycopeptide isolated from the cell wall of sycamore callus cells grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Arvin, IRC-50, catalytic properties of (Collins, J. P., Basford, J. M. & Jones, J. G.) 71P
Arylsulphatase, cortisone-evoked decrease in the activity of, in the ileum of suckling rats (Koldovský, O. & Palmieri, M.) 697
Ascites cells, Ehrlich, pathway of oxidation of glutamine and glutamate by isolated mitochondria from (Kovačević, Z.) 757
Aspartate, effects of stress caused by experimental procedures on the concentration of, in rat liver (Heath, D. F., George, D. R. & Rose, J. G.) 765
Aspartate, identification of, as the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of photosynthesis in *Amaranthus* leaves (Hatch, M. D.) 425
Aspartate, production of, by isolated mitochondria from mammalian cells respiring in the presence of glutamine or glutamate (Kovačević, Z.) 757
Avidin, use of bifunctional biotinyl compounds to determine the arrangement of subunits in (Green, N. M., Konieczny, L., Toms, E. J. & Valentine, R. C.) 781
Avoidance conditioning, effect of α-amanitin on ribonucleic acid polymerase II activity of rat brain nuclei and on retention of (Montanaro, N., Novello, F. & Stirpe, F.) 1087

Azobilirubin β-D-glucopyranoside, mass-spectrometric elucidation of the structure of the azopigment derived from the glucose conjugate of bilirubin excreted in dog bile as (Compernolle, F., Van Hees, G. P., Fevery, J. & Heirwegh, K. P. M.) 811
Azobilirubin, separation and structural analysis of vinyl and isovinyl derivatives of (Jansen, F. H. & Stoll, M. S.) 585
Azobilirubin, separation of glucose and xylose conjugates of, by thin-layer chromatography (Fevery, J., Van Hees, G. P., Leroy, P., Compernolle, F. & Heirwegh, K. P. M.) 803
Azobilirubin β-D-xylopyranoside, mass-spectrometric elucidation of the structure of the azopigment derived from the xylose conjugate of bilirubin excreted in dog bile as (Compernolle, F., Van Hees, G. P., Fevery, J. & Heirwegh, K. P. M.) 811
Azotobacter beijerinckii, poly-3-hydroxybutyrate biosynthesis and the regulation of glucose metabolism in (Senior, P. J. & Dawes, E. A.) 55

Bacillus cereus 569/H, circular-dichroism studies of two β-lactamases from (Dalgleish, D. G. & Peacocke, A. R.) 155
Bacillus subtilis 168 (Marburg), effects of medium on the form of chromosome replication and on initiation to sporulation in (Mandelstam, J., Sterlini, J. M. & Kay, D.) 635
Bacillus subtilis W23, influence of growth conditions on the presence of bacteriophage-receptor sites in the cell wall of (Archibald, A. R. & Coapes, H. E.) 667
Bacteriophage μ2, ribonucleic acid-containing, action of monofunctional and difunctional sulphur mustards on (Shooter, K. V., Edwards, P. A. & Lawley, P. D.) 829
Bacteriophages, influence of growth conditions on the presence of receptor sites for, in the cell wall of *Bacillus subtilis* W23 (Archibald, A. R. & Coapes, H. E.) 667
Bacteroides symbiosus, purification and properties of pyruvate,phosphate dikinase from (Reeves, R. E.) 531
Bean (*Phaseolus vulgaris*), extensive charging of transfer ribonucleic acid by leaf extracts from, *in vitro* (Tao, K. L. & Hall, T. C.) 975
Bean, snake (*Vigna sinensis sesquipedalis*), control of leghaemoglobin biosynthesis in legume nodules of (Broughton, W. J. & Dilworth, M. J.) 1075
Bee (*Apis mellifera*), metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith, J. N.) 385
Behaviour, conditioned, effect of α-amanitin on ribonucleic acid polymerase II activity of rat brain nuclei and on retention of (Montanaro, N., Novello, F. & Stirpe, F.) 1087
Benz[*a*]anthracene 8,9-epoxide, chemical synthesis of, and its metabolism by rat liver preparations (Sims, P.) 159
Bile, dog, excretion of glucose and xylose conjugates of bilirubin in (Fevery, J., Van Hees, G. P., Leroy, P., Compernolle, F. & Heirwegh, K. P. M.) 803
Bile, dog, mass-spectrometric elucidation of the structures of the azopigments derived from the glucose and xylose conjugates of bilirubin excreted in, as azobilirubin β-D-glucopyranoside and azobilirubin β-D-xylopyranoside (Compernolle, F., Van Hees, G. P., Fevery, J. & Heirwegh, K. P. M.) 811
Bile, excretion of anions of molecular weight 300–800 in, in the rat, guinea pig and rabbit (Aziz, F. T. A., Hirom, P. C., Millburn, P., Smith, R. L. & Williams, R. T.) 25P
Bile, excretion of metabolites of (+)-catechin in, in the rat (Das, N. P. & Sothy, S. P.) 417
Bile, human and rat, identification of monoconjugates of bilirubin in, as their amide derivatives (Jansen, F. H. & Billing, B. H.) 917
Bilirubin, azo-, separation and structural analysis of vinyl and isovinyl derivatives of (Jansen, F. H. & Stoll, M. S.) 585
Bilirubin, enzymic formation of β-D-monoglucuronide, β-D-monoglucoside and mixtures of β-D-monoxyloside and β-D-dixyloside of, by microsomal preparations from rat liver (Heirwegh, K. P. M., Meuwissen, J. A. T. P. & Fevery, J.) 28P
Bilirubin, excretion of glucose and xylose conjugates of, in dog bile (Fevery, J., Van Hees, G. P., Leroy, P., Compernolle, F. & Heirwegh, K. P. M.) 803
Bilirubin, formation of bilirubin glucoside from uridine diphosphate glucose and, by rat liver microsomal fraction (Wong, K. P.) 929
Bilirubin glucoside, formation of, by rat liver microsomal fraction (Wong, K. P.) 929
Bilirubin glucuronyltransferase, specific assay method for and kinetic studies on, of rat liver microsomal fraction (Wong, K. P.) 27
Bilirubin, identification of monoconjugates of, in human and rat bile as their amide derivatives (Jansen, F. H. & Billing, B. H.) 917
Bilirubin, mass-spectrometric elucidation of the structures of the azopigments derived from the glucose and xylose conjugates of, excreted in dog bile as azobilirubin β-D-glucopyranoside and β-D-xylopyranoside (Compernolle, F., Van Hees, G. P., Fevery, J. & Heirwegh, K. P. M.) 811
Biliverdin reductase, properties and kinetics of (Ó Carra, P. & Colleran, E.) 110P
Biopolymers, conformation of (Colloquium) 86P
Biotinyl compounds, bifunctional, use of, to determine the arrangement of subunits in avidin (Green, N. M., Konieczny, L., Toms, E. J. & Valentine, R. C.) 781
Bisbiotinyl diamines, use of, to determine the arrangement of subunits in avidin (Green, N. M., Konieczny, L., Toms, E. J. & Valentine, R. C.) 781
Blood, human, effects of catecholamines on the formation of adenosine 3′:5′-cyclic monophosphate in platelets of (Haslam, R. J. & Taylor, A.) 377
Blowfly (*Lucilia sericata*), metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith, J. N.) 385
Blowfly (*Lucilia sericata*), metabolism of 3,5-di-*tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith, J. N.) 395
Bone cells, localization of 1,25-dihydroxycholecalciferol in the nuclei of, from rachitic chicks after a dose of cholecalciferol (Weber, J. C., Pons, V. & Kodicek, E.) 147
Bone, chick and rat, degree of hydroxylation of lysine residues in the *N*-terminal regions of the α_1- and α_2-chains of collagen from, and other sources (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 433
Bone, rat, effect of acetylation of tyrosine residues with *N*-acetylimidazole on morphogenesis of (Strates, B. S., Kirkpatrick, S. J., Heffner, J. E. & Urist, M. R.) 367
Brain cortex, goat, role of spermidine in counteracting the destabilizing effect of mescaline on ribosomes of (Datta, R. K., Antopol, W. & Ghosh, J. J.) 213
Brain cortex, rat, metabolism of glucose 6-phosphate in slices of (Dodd, P. R., Bradford, H. F. & Chain, E. B.) 1027
Brain cortex, rat, uptake and efflux of glycine by slices of (Joanny, P., Barbosa, E., Hillman, H. & Corriol, J.) 255
Brain, guinea-pig, allosteric activation by magnesium ions and by magnesium ion–adenosine triphosphate complex of hexokinase from (Bachelard, H. S.) 249
Brain, pig, kinetics of phenethylhydrazine oxidation by monoamine oxidase from (Tipton, K. F. & Spires, I. P. C.) 521

Brain, rat, effect of α-amanitin on ribonucleic acid II polymerase activity of nuclei of, and on retention of avoidance conditioning (Montanaro, N., Novello, F. & Stirpe, F.) 1087
Brain, rat, labelling *in vivo* of the gangliosides of, after injection of [6-^{3}H]glucosamine and of [U-^{14}C]glucose (Maccioni, H. J., Arce, A. & Caputto, R.) 1131
Bromopyruvate, irreversible inactivation by, of *N*-acetylneuraminate lyase from *Clostridium perfringens* (Barnett, J. E. G., Corina, D. L. & Rasool, G.) 275
Butacarb, *see* 3,5-Di-*tert.*-butylphenyl *N*-methylcarbamate
m-tert.-Butylphenyl *N*-methylcarbamate, metabolism of, in insects and mice (Douch, P. G. C. & Smith, J. N.) 385
Butyryl-coenzyme A dehydrogenase, identification of the green form of, from *Peptostreptococcus elsdenii* as a complex with unsaturated fatty acyl-coenzyme A (Engel, P. C. & Massey, V.) 889
Butyryl-coenzyme A dehydrogenase, purification and properties of, from *Peptostreptococcus elsdenii* (Engel, P. C. & Massey, V.) 879

Calcium ions, significance of carboxyl, amino and thiol groups in the binding of, by human erythrocyte membranes (Forstner, J. & Manery, J. F.) 343
Callus cells, sycamore, composition of the glycoprotein of the cell wall of, grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Callus cells, sycamore, specific labelling with D-[1-^{14}C]-glucosamine of glycoproteins formed in, grown in tissue culture (Roberts, R. M., Connor, A. B. & Cetorelli, J. J.) 999
Cancer pagurus, identification of 2-hydroxyglutarate in (Huggins, A. K. & Boulton, A. P.) 1141
Carbohydrate, activities of enzymes concerned in the metabolism of, in *Zymomonas anaerobia* (McGill, D. J. & Dawes, E. A.) 1059
Carbohydrate, assessment of methanolysis and other factors used in the analysis of materials containing (Chambers, R. E. & Clamp, J. R.) 1009
Carbohydrate compositions of polysaccharides from the cell wall of *Fusicoccum amygdali* (Buck, K. W. & Obaidah, M. A.) 461
Carbohydrate, involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by androgens of the activities of enzymes metabolizing, in rat prostate gland and seminal vesicles (Singhal, R. L., Parulekar, M. R., Vijayvargiya, R. & Robison, G. A.) 329
Carbohydrate, metabolism of, in isolated perfused liver of normal and genetically obese–hyperglycaemic (*ob*/*ob*) mice (Elliott, J., Hems, D. A. & Beloff-Chain, A.) 773
Carbohydrates, tentative rules for the nomenclature of (IUPAC Commission on the Nomenclature of Organic Chemistry and IUPAC–IUB Commission on Biochemical Nomenclature) 673
Carbon dioxide, evidence for an intermediate pool of, and the identity of the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of photosynthesis in maize and *Amaranthus* leaves (Hatch, M. D.) 425
Carbonic anhydrase, multiple forms of, in plants (Patterson, B. D., Atkins, C. A. & Graham, D.) 34P
S-Carboxyalkylcysteines, possible role of glutathione *S*-alkenetransferase activity in rat liver in the formation of (Speir, T. W. & Barnsley, E. A.) 267
Carboxyl groups, significance of thiol, amino and, in the binding of calcium ions by human erythrocyte membranes (Forstner, J. & Manery, J. F.) 343
Cartilage, comparative biochemistry of chondroitin sulphate–proteins of lamprey and sturgeon notochord and of, of lamprey, sturgeon, ray and ox (Mathews, M. B.) 37
Casein, ox, influences of the removal of β-casein on micelles of (Downey, W. K. & Kearney, R. D.) 96P
Catalase, effect of, on the inhibition of rat and mouse liver phenylalanine hydroxylase by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine (Jakubović, A., Woolf, L. I. & Chan-Henry, E.) 563
Cataract, senile, purification and properties of a proteinase from human lens with (Swanson, A. A. & Nichols, J. T.) 575
(+)-Catechin, biliary and urinary excretion of metabolites of, in the rat (Das, N. P. & Sothy, S. P.) 417
Catecholamines, effects of, on the formation of adenosine 3′:5′-cyclic monophosphate in human blood platelets (Haslam, R. J. & Taylor, A.) 377
Cell envelope, occurrence of long-chain fatty acids and glycolipids in fractions of, of baker's yeast (Nurminen, T. & Suomalainen, H.) 963
Cell wall, characterization of two polysaccharides from, of *Fusicoccum amygdali* (Obaidah, M. A. & Buck, K. W.) 473
Cell wall, composition of, of *Fusicoccum amygdali* (Buck, K. W. & Obaidah, M. A.) 461
Cell wall, composition of the glycoprotein of, of sycamore callus cells grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Cell wall, glycerol teichoic acid and a polyribitol phosphate component of, of *Micrococcus* sp. 24 (Archibald, A. R. & Heptinstall, S.) 361
Cell wall, influence of growth conditions on the presence of bacteriophage-receptor sites in, of *Bacillus subtilis* W23 (Archibald, A. R. & Coapes, H. E.) 667
Cell wall, location of the phosphodiester groups of the glycerol teichoic acid of, of *Staphylococcus lactis* I3 and their susceptibility to hydrolysis with alkali (Archibald, A. R., Baddiley, J., Heckels, J. E. & Heptinstall, S.) 353
Cell wall, occurrence of long-chain fatty acids and glycolipids in, of baker's yeast (Nurminen, T. & Suomalainen, H.) 963
Cells, ascites, Ehrlich, pathway of oxidation of glutamine and glutamate by isolated mitochondria from (Kovačević, Z.) 757
Cells, callus, sycamore, composition of the glycoprotein of the cell wall of, grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Cells, callus, sycamore, specific labelling with D-[1-^{14}C]-glucosamine of glycoproteins formed in, grown in tissue culture (Roberts, R. M., Connor, A. B. & Cetorelli, J. J.) 999
Cells, liver, human, Chang, biosynthesis of cholesta-8,14-dien-3β-ol by (Wilton, D. C.) 1153
Cells, mast, mouse, degradation of heparin by (Ögren, S. & Lindahl, U.) 1119
α-Cellulose, association of a hydroxyproline-containing glycopeptide with, in the cell wall of sycamore callus cells grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Cephalosporium acremonium, *see Acremonium kiliense*
Cerebral cortex, goat, role of spermidine in counteracting the destabilizing effect of mescaline on ribosomes of (Datta, R. K., Antopol, W. & Ghosh, J. J.). 213
Cerebral cortex, rat, metabolism of glucose 6-phosphate in slices of (Dodd, P. R., Bradford, H. F. & Chain, E. B.) 1027
Cerebral cortex, rat, uptake and efflux of glycine by slices of (Joanny, P., Barbosa, E., Hillman, H. & Corriol, J.) 255
Chang human liver cells, biosynthesis of cholesta-8,14-dien-3β-ol by (Wilton, D. C.) 1153
Chick embryo, occurrence of hydroxylysine residues in the *N*-terminal telopeptides of skin collagen from (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 925

Chick, rachitic, localization of 1,25-dihydroxycholecalciferol in the nuclei of bone cells from, after a dose of cholecalciferol (Weber, J. C., Pons, V. & Kodicek, E.) 147
Chitin, isolation and characterization of, from the cell wall of *Fusicoccum amygdali* (Buck, K. W. & Obaidah, M. A.) 461
Chitin–protein complex, composition of, from fleshfly puparial cases (Lipke, H. & Geoghegan, T.) 703
2-Chloroethyl 2-hydroxyethyl sulphide, action of, on the ribonucleic acid-containing bacteriophage $\mu 2$ (Shooter, K. V., Edwards, P. A. & Lawley, P. D.) 829
Cholecalciferol, localization of 1,25-dihydroxycholecalciferol in the nuclei of bone cells from rachitic chicks after a dose of (Weber, J. C., Pons, V. & Kodicek, E.) 147
Cholesta-8,14-dien-3β-ol, biosynthesis of, by Chang human liver cells (Wilton, D. C.) 1153
Cholesterol, compartmental analysis of the distribution of, in the isolated perfused rat liver (Roberts, L. B. & Percy-Robb, I. W.) 41P
Cholesterol 7α-hydroxylase, assay method for, in rat liver microsomal fraction (Balasubramaniam, S. & Mitropoulos, K. A.) 13P
Cholesterol 7α-hydroxylase, microsomal, liver, rat, cofactor requirement for (Grimwade, A. M., Lawson, M. E. & Boyd, G. S.) 14P
Cholesterol, hydroxylation of, in adrenal cortex and liver (Boyd, G. S., Brownie, A. C., Jefcoate, C. R. & Simpson, E. R.) 1P
Cholesterol, role of adenosine 3′:5′-cyclic monophosphate in the regulation of C-4 demethylation in the biosynthesis of, by rat liver microsomal fraction (Bloxham, D. P., Wilton, D. C. & Akhtar, M.) 625
Choline acetyltransferase, placental, human, kinetic properties of (Morris, D., Maneckjee, A. & Hebb, C.) 857
Cholinesterase, effect of starvation on the activity of, of the liver and serum of young male rats (Henderson, A. R., Hamilton, I. & King, J.) 36P
Chondroitin sulphate, distribution of sulphate residues in, obtained from ox nasal septum (Wasteson, Å. & Lindahl, U.) 903
Chondroitin sulphate–proteins, comparative biochemistry of, of lamprey, sturgeon, ray and ox connective tissues (Mathews, M. B.) 37
Chromatin, binding of polylysine to, extracted from various tissues (Itzhaki, R. F. & Cooper, H. K.) 101P
Chromatin, reconstituted cell-free system for the specific transfer of 5α-dihydrotestosterone–receptor complexes into, isolated from rat ventral-prostate-gland nuclei (Mainwaring, W. I. P. & Peterken, B. M.) 285
Chromatin, thymus-gland, rat, arrangement of histones and non-histone proteins on the deoxyribonucleic acid of (Itzhaki, R. F.). 221
Chromosomes, effects of medium on the form of the replication of, and on initiation to sporulation in *Bacillus subtilis* 168 (Marburg) (Mandelstam, J., Sterlini, J. M. & Kay, D.) 635
Clostridium perfringens, properties of *N*-acetylneuraminate lyase from (Barnett, J. E. G., Corina, D. L. & Rasool, G.) 275
Coenzyme A, inhibition of human placental choline acetyltransferase by (Morris, D., Maneckjee, A. & Hebb, C.) 857
Coenzyme Q, *see* Ubiquinone
Collagen, degree of hydroxylation of lysine residues in the *N*-terminal regions of the α_1- and α_2-chains of, from various sources (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 433
Collagen, hydroxylation of lysine residues in the non-helical region at the *N*-terminal end of (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 16P
Collagen, skin, calf, soluble, effects of glycols and related compounds on the thermal stability of (Hart, G. J., Russell, A. E. & Cooper, D. R.) 599
Collagen, skin, calf, soluble, effects of glycols on the renaturation of (Cooper, D. R., Russell, A. E. & Hart, G. J.) 1069
Collagen, skin, occurrence of hydroxylysine residues in the *N*-terminal telopeptides of, from chick embryo and newborn rat (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 925
Computer, use of, in a method for deriving kinetic constants for two enzymes acting on the same substrate (Spears, G., Sneyd, J. G. T. & Loten, E. G.) 1149
Connective tissues, comparative biochemistry of chondroitin sulphate–proteins of, of lamprey, sturgeon, ray and ox (Mathews, M. B.) 37
Corticosteroids, plasma, effect of diet on liver aromatic hydroxylase activity and, in the rat (Basu, T. K., Dickerson, J. W. T. & Parke, D. V.) 16P
Corticotrophin, *see* Adrenocorticotrophin
Cortisone, effect of treatment with, on acid β-galactosidase, β-glucuronidase, *N*-acetyl-β-glucosaminidase and arylsulphatase activities in the ileum of suckling rats (Koldovský, O. & Palmieri, M.) 697
Cortisone, effect of treatment with, on uridine diphosphate galactose 4-epimerase activity in rat small intestine during development (Weinstein, A., Koldovský, O. & Segal, S.) 935
Costelytra zealandica, *see* Grassgrub
Cotyledons, pea, biosynthesis of tetrahydropteroylglutamates in, during germination (Roos, A. J. & Cossins, E. A.) 17
Coxiella burneti, presence of ribosomal ribonucleic acid in (Thompson, H. A., Baca, O. G. & Paretsky, D.) 365
Cricket, garden, oriental (*Gryllus mitratus*), properties of the structural proteins in the egg shell of (Kawasaki, H., Sato, H. & Suzuki, M.) 495
S-Crotonyl-*N*-acetyl-L-cysteine, chemical synthesis of, and its conjugation with reduced glutathione by a rat liver preparation (Speir, T. W. & Barnsley, E. A.) 267
S-Crotonyl-*NN*-dimethylcysteamine, chemical synthesis of, and its conjugation with reduced glutathione by a rat liver preparation (Speir, T. W. & Barnsley, E. A.) 267
Cyanogen iodide, oxidation *in vitro* of reduced nicotinamide–adenine dinucleotide catalysed by (Jolin, T. & Morreale de Escobar, G.) 869
3′:5′-Cyclic nucleotide phosphodiesterases, two, derivation of kinetic constants for, in a rat liver preparation (Spears, G., Sneyd, J. G. T. & Loten, E. G.) 1149
Cyproterone acetate, effects of, on the metabolism of [^{3}H]testosterone and the retention of labelled metabolites by rat ventral prostate gland *in vivo* and *in vitro* (Belham, J. E. & Neal, G. E.) 81
Cysteine, possible role of glutathione *S*-alkenetransferase activity in rat liver in the formation of *S*-carboxyalkyl derivatives of (Speir, T. W. & Barnsley, E. A.) 267
[^{3}H]Cytidine, application of the isotope-dilution principle to the analysis of factors in serum and culture media affecting the incorporation of, into cultured rat lymphocytes (Forsdyke, D. R.) 721
Cytochrome, evidence for an atypical binding of haem in, from the protozoon *Crithidia oncopelti* (Pettigrew, G. & Meyer, T.) 46P
Cytochrome *P*-450, activity of, as a microsomal peroxidase in steroid hydroxylations (Hrycay, E. G. & O'Brien, P. J.) 12P
Cytochrome *P*-450, adrenal-cortex, interaction of steroids with, and the hydroxylation reaction (Schleyer, H., Cooper, D. Y., Levin, S. S. & Rosenthal, O.) 10P
Cytochrome *P*-450, model systems for mono-oxygenases, with results with iron(II)–sulphur complexes as models for (Ullrich, V., Ruf, H.-H. & Mimoun, H.) 9P

Cytochrome *P*-450, oxygenated, as an intermediate in hydroxylation reactions (Estabrook, R. W., Baron, J., Peterson, J. & Ishimura, Y.) 3P

Cytochrome *P*-450, structure and reactions of the active centres of, and iron–sulphur proteins as components of an oxygenase system (Gunsalus, I. C., Lipscomb, J. D., Marshall, V., Frauenfelder, H., Münck, E. & Greenbaum, E.) 5P

Cytochrome *P*-420-type haemoprotein, enzymically active, partial purification of a mixed-function secondary-amine oxidase system containing, from *Pseudomonas aminovorans* (Eady, R. R., Jarman, T. R. & Large, P. J.) 449

Cytosol, liver, rat, inhibition by oxalomalate of aconitate hydratase activity of (Adinolfi, A., Guarriera-Bobyleva, V., Olezza, S. & Ruffo, A.) 557

Data, numerical methods for fitting parameters to (Powell, M. J. D.) 87P

(±)-2,3-Dehydroemetine, ^{14}C-labelled, metabolism of, in the rat (Johnson, R. K., Wynn, W. T. & Jondorf, W. R.) 26P

Dehydrogenases, nicotinamide–adenine dinucleotide-dependent, purification of, by affinity chromatography (Mosbach, K., Guilford, H., Larsson, P.-O., Ohlsson, R. & Scott, M.) 20P

Deoxyribonuclease, adenosine triphosphate-dependent, absence of single-stranded regions in deoxyribonucleic acid during the action of, from *Mycobacterium smegmatis* (Winder, F. G. & Sastry, P. A.) 102P

Deoxyribonucleic acid, alkylation of N-7 of guanine residues of, in rat tissues by diethylnitrosamine, *N*-ethyl-*N*-nitrosourea and ethyl methanesulphonate (Swann, P. F. & Magee, P. N.) 841

Deoxyribonucleic acid, arrangement of histones and non-histone proteins on, of rat thymus-gland chromatin (Itzhaki, R. F.) 221

Deoxyribonucleic acid, attempt to relate the interactions of the multiple forms of mammalian deoxyribonucleic acid polymerase with, *in vitro* and their possible functions *in vivo* (Wallace, P. G., Hewish, D. R., Venning, M. M. & Burgoyne, L. A.) 47

Deoxyribonucleic acid, dye–buoyant-density-gradient analysis of, from *Rhizobium trifolii* (Cannon, F. C., Dunican, L. K. & O'Gara, F.) 103P

Deoxyribonucleic acid, effects of a single dose of dimethylnitrosamine on the biosynthesis of, in rat liver and kidney (Stewart, B. W. & Magee, P. N.) 943

Deoxyribonucleic acid, hybridization of ribosomal ribonucleic acid and, from *Escherichia coli* in aqueous solutions and in solutions containing formamide (Gillespie, S. & Gillespie, D.) 481

Deoxyribonucleic acid polymerase, formation of polydeoxyadenylylthymidylate after deoxyribonucleic acid synthesis by, from *Mycobacterium smegmatis* (Winder, F. G., McNulty, M. S. & Barber, D. S.) 101P

Deoxyribonucleic acid polymerase, mammalian, attempt to relate the interactions of the multiple forms of, with nuclei and free deoxyribonucleic acid *in vitro* with their possible functions *in vivo* (Wallace, P. G., Hewish, D. R., Venning, M. M. & Burgoyne, L. A.) 47

Deoxyribonucleic acid-like ribonucleic acid, *see* Ribonucleic acid, deoxyribonucleic acid-like

Development, uridine diphosphate galactose 4-epimerase activity in rat small intestine during (Weinstein, A., Koldovský, O. & Segal, S.) 935

Diabetes, streptozotocin-, influence of insulin and muscular contraction on glucose metabolism in perfused diaphragm muscle from rats suffering from (Beloff-Chain, A., Chain, E. B. & Rookledge, K. A.) 97

Diamines, bisbiotinyl, use of, to determine the arrangement of subunits in avidin (Green, N. M., Konieczny, L., Toms, E. J. & Valentine, R. C.) 781

Diaphragm muscle, effects of insulin and growth hormone on protein synthesis in, from non-hypophysectomized rabbits (Reeds, P. J., Munday, K. A. & Turner, M. R.) 515

Diaphragm muscle, perfused, influence of insulin and muscular contraction on glucose metabolism in, from normal and streptozotocin-diabetic rats (Beloff-Chain, A., Chain, E. B. & Rookledge, K. A.) 97

Diaphragm muscle, rat, comparison of some metabolic parameters in perfused or incubated rat diaphragm muscle *in vitro* with those in, *in vivo* (Rookledge, K. A.) 93

Diaphragm, rat, isolated, structural and functional changes of, after treatment with caffeine together with local anaesthetics and β-receptor blockers (Bullock, G. & Manchester, K. L.) 106P

3,5-Di-*tert.*-butylphenyl *N*-methylcarbamate, metabolism of, in insects and by mouse liver preparations (Douch, P. G. C. & Smith, J. N.) 395

Di-(2-chloroethyl) sulphide, action of, on the ribonucleic acid-containing bacteriophage μ2 (Shooter, K. V., Edwards, P. A. & Lawley, P. D.) 829

NN'-Dicyclohexylcarbodi-imide, identification of the site of action of, as a proteolipid in ox heart mitochondrial membranes (Cattell, K. J., Lindop, C. R., Knight, I. G. & Beechey, R. B.) 169

Diethylene glycol, effect of, on the renaturation of soluble calf skin collagen (Cooper, D. R., Russell, A. E. & Hart, G. J.) 1069

Diethylnitrosamine, alkylation of N-7 of guanine residues of nucleic acids in rat tissues by (Swann, P. F. & Magee, P. N.) 841

Diethylnitrosamine, lack of effect of, on the bilirubin glucuronyltransferase activity of rat liver microsomal fraction (Wong, K. P.) 27

Diethylstilboestrol, effects of, on the metabolism of [^{3}H]testosterone and the retention of labelled metabolites by rat ventral prostate gland *in vivo* and *in vitro* (Belham, J. E. & Neal, G. E.) 81

Diethylstilboestrol, fate of the sulphate esters of, in the rat (Gregory, P. A., Olavesen, A. H., Curtis, C. G. & Powell, G. M.) 77P

10,11-Dihydrobenz[*a*]anthracene 8,9-epoxide, chemical synthesis of, and its metabolism by rat liver preparations (Sims, P.) 159

5α-Dihydrotestosterone–receptor complexes, reconstituted cell-free system for the specific transfer of, into chromatin isolated from rat ventral-prostate-gland nuclei (Mainwaring, W. I. P. & Peterken, B. M.) 285

1,25-Dihydroxycholecalciferol, localization of, in the nuclei of bone cells from rachitic chicks after a dose of cholecalciferol (Weber, J. C., Pons, V. & Kodicek, E.) 147

3,4-Dihydroxyphenethylamine β-hydroxylase, use of, as a marker for determining the turnover rate of noradrenergic vesicles in dog peripheral nervous system (De Potter, W. P. & Chubb, I. W.) 375

Dimethylamine, partial purification from *Pseudomonas aminovorans* of a mixed-function oxidase system catalysing the oxidation of (Eady, R. R., Jarman, T. R. & Large, P. J.) 449

Dimethylnitrosamine, effects of a single dose of, on the biosynthesis of nucleic acids and protein in rat liver and kidney (Stewart, B. W. & Magee, P. N.) 943

Dimethylnitrosamine, stability of ribonucleic acid in rat liver *in vivo* after methylation with (McElhone, M. J., O'Connor, P. J. & Craig, A. W.) 821

6,7-Dimethyl-5,6,7,8-tetrahydropterin, effects of catalase, dithiothreitol and reduced nicotinamide–adenine dinucleotide on the inhibition of rat liver phenylalanine hydroxylase by, and its aerobic oxidation (Jakubovič, A., Woolf, L. I. & Chan-Henry, E.) 563
6,7-Dimethyl-5,6,7,8-tetrahydropterin, non-enzymic hydroxylation of phenylalanine to tyrosine by (Woolf, L. I., Jakubovič, A. & Chan-Henry, E.) 569
2,4-Dinitrophenyl 2-hydroxyethyl disulphide, location of the thiol groups of rabbit skeletal-muscle myosin that are protected by inorganic pyrophosphate against reaction with (Kąkol, I.) 261
2,4-Dinitrophenyl phosphate, analysis of the transient kinetics of the hydrolysis of, by *Escherichia coli* alkaline phosphatase (Halford, S. E.) 319
Disodium [^{14}C]cromoglycate, absorption, excretion and metabolism of, in man (Walker, S. R., Richards, A. J. & Paterson, J. W.) 27P
Dithiothreitol, effect of, on the inhibition of rat and mouse liver phenylalanine hydroxylase by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine (Jakubovič, A., Woolf, L. I. & Chan-Henry, E.) 563
Dopamine, *see* 3,4-dihydroxyphenethylamine

Egg shell, oriental-garden-cricket, properties of the structural proteins in (Kawasaki, H., Sato, H. & Suzuki, M.) 495
Ehrlich ascites cells, pathway of oxidation of glutamine and glutamate by isolated mitochondria from (Kovačević, Z.) 757
Electrolytes, effects of distilled water and, on antigen–antibody complexes (Ternynck, T. & Avrameas, S.) 297
Electron transfer, mechanism of, in pig adrenal-gland adrenodoxin (Cammack, R., Rao, K. K., Hall, D. O. & Johnson, C. E.) 849
Electron transport, photosynthetic, inhibition of, by 1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT) at a site in the intermediate electron-transport chain (Owen, W. J. & Rogers, L. J.) 43P
Endocytosis, uptake of exogenous protein by, by rat yolk-sac cultured *in vitro* (Williams, K. E., Lloyd, J. B., Davies, M. & Beck, F.) 303
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Entner–Doudoroff pathway, regulation of the enzymes of, of glucose metabolism in relation to poly-3-hydroxybutyrate biosynthesis in *Azotobacter beijerinckii* (Senior, P. J. & Dawes, E. A.) 55
Enzymes, two, method for deriving kinetic constants for, acting on the same substrate (Spears, G., Sneyd, J. G. T. & Loten, E. G.) 1149
Epididymis, rat, metabolism of pyruvate and malate *in vitro* by fat-cell mitochondria from (Martin, B. R. & Denton, R. M.) 105
Epididymis, rat, regulation by insulin and other hormones of mitochondrial pyruvate dehydrogenase in fat-cells of (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115
Erythrocyte 'ghosts', human, isolation and identification as D-glyceraldehyde 3-phosphate dehydrogenase of a protein from (Tanner, M. J. A. & Gray, W. R.) 1109
Erythrocytes, human, significance of carboxyl, amino and thiol groups in the binding of calcium ions by membranes of (Forstner, J. & Manery, J. F.) 343
Escherichia coli A2325, hybridization of ribosomal ribonucleic acid and deoxyribonucleic acid from, in aqueous solutions containing formamide (Gillespie, S. & Gillespie, D.) 481
Escherichia coli, analysis of the transient kinetics of alkaline phosphatase from (Halford, S. E.) 319
Escherichia coli, changes in the spectrum of ribosomal ribonucleic acid from, on thermal denaturation in acidic solutions (Cox, R. A., Kanagalingam, K. & Sutherland, E.) 655
Escherichia coli, hydrolysis of β-D-galactopyranosyl azide catalysed by β-galactosidase from (Sinnott, M. L.) 717
Escherichia coli K12, energy-linked transhydrogenase activity in respiratory mutants of (Cox, G. B., Newton, N. A., Butlin, J. D. & Gibson, F.) 489
Escherichia coli M.R.E. 600, comparison of the protein synthesized by a cell-free system containing ribosomal ribonucleic acid from induced cells and ribosomes from repressed cells with the protein synthesized by a cell-free system containing polyribosomes from induced cells and with native tryptophanase of (Parish, J. H., Khairul Bashar, S. A. M., Brown, N. L. & Brown, M.) 643
Esterase, differences in the distribution of, among subcellular fractions of rat liver homogenates prepared in various media and their relevance to the lysosomal location of the enzyme in the intact cell (Barrow, P. C. & Holt, S. J.) 545
Estradiol, *see* Oestradiol
Ethanediol, effect of, on the thermal stability of soluble calf skin collagen (Hart, G. J., Russell, A. E. & Cooper, D. R.) 599
Ethanol, effects of diffusible acids on the uptake of potassium ions during the oxidation of, by baker's yeast (Ryan, H., Ryan, J. P. & O'Connor, W. H.) 1081
2-Ethoxyethanol, effect of, on the renaturation of soluble calf skin collagen (Cooper, D. R., Russell, A. E. & Hart, G. J.) 1069
Ethyl methanesulphonate, alkylation of N-7 of guanine residues of nucleic acids in rat tissues by (Swann, P. F. & Magee, P. N.) 841
Ethylene glycol, *see* Ethanediol
N-Ethyl-*N*-nitrosourea, alkylation of N-7 of guanine residues of nucleic acids in rat tissues by (Swann, P. F. & Magee, P. N.) 841
Euglena gracilis, appearance of a methylated ribonucleic acid on illumination of, grown in the dark (Perl, M.) 401

Fat, brown, effect of noradrenaline on glyceride biosynthesis and oxidative metabolism *in vitro* in, of newborn rabbits (Knight, B. L. & Myant, N. B.) 1
Fat-cells, epididymal, rat, metabolism of pyruvate and malate *in vitro* by mitochondria from (Martin, B. R. & Denton, R. M.) 105
Fat-cells, epididymal, rat, regulation by insulin and other hormones of mitochondrial pyruvate dehydrogenase in (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115
Fatty acids, cyclopropane, effect of, on the molecular packing of phospholipids (Cullen, J., Phillips, M. C. & Shipley, G. G.) 733
Fatty acids, long-chain, occurrence of, in the cell-envelope fractions of baker's yeast (Nurminen, T. & Suomalainen, H.) 963
Fatty acids, long-chain, stereochemistry of the α-oxidation of, in pea leaf preparations (Hitchcock, C. & Rose, A.) 1155
Fatty acids, milk, non-involvement of δ-hydroxy acid in the oxidation of (Swenson, P. E. & Dimick, P. S.) 1139
Fatty acids, non-esterified, decrease in the plasma concentration of, on infusion of acetoacetate into fed and starved rats (Hawkins, R. A., Alberti, K. G. M. M., Houghton, C. R. S., Williamson, D. H. & Krebs, H. A.) 541

Fatty acids, non-esterified, stimulation by noradrenaline and 5-hydroxytryptamine of the release of, in synaptosomes (Price, C. J. & Rowe, C. E.) 38P
Fatty acids, relationship between the capacity for glycolysis and the capacity for the biosynthesis of, in rat liver (Woods, H. F. & Krebs, H. A.) 129
Fatty acids, role of pyruvate dehydrogenase in the control of the biosynthesis of, in adipose tissue (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115
Fatty acids, synthesis of, from [1-^{14}C]acetyl-coenzyme A in subcellular particles of rat epididymal adipose tissue (Kanoh, H. & Lindsay, D. B.) 38P
Fatty acids, unsaturated, effect of, on the molecular packing of phospholipids (Cullen, J., Phillips, M. C. & Shipley, G. G.) 733
Fatty acyl-coenzyme A, unsaturated, formation of tight complexes of *Peptostreptococcus elsdenii* butyryl-coenzyme A dehydrogenase and (Engel, P. C. & Massey, V.) 889
Flavin–adenine dinucleotide, identification of, as the prosthetic group of *Peptostreptococcus elsdenii* butyryl-coenzyme A dehydrogenase (Engel, P. C. & Massey, V.) 879
Fleshfly (*Sarcophaga bullata*), composition of peptidochitodextrins from puparial cases of (Lipke, H. & Geoghegan, T.) 703
Folates, biosynthesis of derivatives of, in pea cotyledons during germination (Roos, A. J. & Cossins, E. A.) 17
Formamide, hybridization of ribosomal ribonucleic acid and deoxyribonucleic acid from *Escherichia coli* in solutions containing (Gillespie, S. & Gillespie, D.) 481
N'-Formylkynurenine, formation of, from tryptophan residues in proteins from lens and other sources on exposure to sunlight (Pirie, A.) 203
Fructose, effect of, on the production of lactate by perfused rat liver (Woods, H. F. & Krebs, H. A.) 129
Fructose, metabolism of, in *Zymomonas anaerobia* (McGill, D. J. & Dawes, E. A.) 1059
Fucose, radioactive, incorporation of, into immunoglobulin G1 synthesized and secreted by mouse plasma-cell tumour MOPC 21 (Melchers, F.) 241
Fucose, radioactive, incorporation of, into macroglobulin synthesized and secreted by mouse plasma-cell tumour MOPC 104E (Parkhouse, R. M. E. & Melchers, F.) 235
α-(1→2)-Fucosyltransferase, small-intestinal, rat, inhibition by nucleotides of the activity of (Bella, A., jun. & Kim, Y. S.) 1157
2-Furoyl-coenzyme A hydroxylase, purification and properties of, from *Pseudomonas putida* F2 (Griffin, M., Kitcher, J. P. & Trudgill, P. W.) 19P
Fusicoccum amygdali, characterization of two polysaccharides from the cell wall of (Obaidah, M. A. & Buck, K. W.) 473
Fusicoccum amygdali, composition of the cell wall of (Buck, K. W. & Obaidah, M. A.) 461

Galactomannorhamnan, characterization of a cell-wall polysaccharide from *Fusicoccum amygdali* as, with attached α-(1→4)-glucan and β-(1→3), β-(1→6)-glucan (Obaidah, M. A. & Buck, K. W.) 473
β-D-Galactopyranosyl azide, hydrolysis of, catalysed by *Escherichia coli* β-galactosidase (Sinnott, M. L.) 717
Galactose, presence of, in a hydroxyproline-containing glycopeptide isolated from the cell wall of sycamore callus cells grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Galactose, radioactive, incorporation of, into macroglobulin synthesized and secreted by mouse plasma-cell tumour MOPC 104E (Parkhouse, R. M. E. & Melchers, F.) 235
β-Galactosidase, acid, cortisone-evoked decrease in the activity of, in the ileum of suckling rats (Koldovský, O. & Palmieri, M.) 697
β-Galactosidase, hydrolysis of β-D-galactopyranosyl azide catalysed by, from *Escherichia coli* (Sinnott, M. L.) 717
Gangliosides, effect of development on, of pig brain (Dickerson, J. W. T., Merat, A. & Widdowson, E. M.) 40P
Gangliosides, effect of development on, of rat brain (Dickerson, J. W. T. & Merat, A.) 40P
Gangliosides, labelling *in vivo* of, of rat brain after injection of [6-^{3}H]glucosamine and of [U-^{14}C]glucose (Maccioni, H. J., Arce, A. & Caputto, R.) 1131
Germination, biosynthesis of tetrahydropteroylglutamates in pea cotyledons during (Roos, A. J. & Cossins, E. A.) 17
Germination, development of the squalene-synthesizing system during early stages of, of pea seeds (Green, T. R. & Baisted, D. J.) 1145
Gibberellic acid, effect of, on the development of some cereal carbohydrases (Manners, D. J., Palmer, G. H., Wilson, G. & Yellowlees, D.) 30P
γ_2-Globulin, 0.6S, isolation, purification and characterization of, from normal human plasma (Nimberg, R. B. & Schmid, K.) 80P
Glucagon, characteristics of the action of, on the liver adenylate cyclase system (Rodbell, M., Birnbaumer, L. & Pohl, S. L.) 58P
Glucagon-like immunoreactivity, isolation of, of the gut by affinity chromatography (Murphy, R. F., Elmore, D. T. & Buchanan, K. D.) 61P
α-(1→3),α-(1→4)-Glucan, characterization of a cell-wall polysaccharide from *Fusicoccum amygdali* as (Obaidah, M. A. & Buck, K. W.) 473
α-(1→4)-Glucan, characterization of a cell-wall polysaccharide from *Fusicoccum amygdali* as a galactomannorhamnan with attached β-(1→3),β-(1→6)-glucan and (Obaidah, M. A. & Buck, K. W.) 473
β-(1→3),β-(1→6)-Glucan, characterization of a cell-wall polysaccharide from *Fusicoccum amygdali* as a galactomannorhamnan with attached α-(1→4)-glucan and (Obaidah, M. A. & Buck, K. W.) 473
Glucoamylase, properties of, from dog serum (McGeeney, K. F. & O'Donnell, D.) 115P
Gluconeogenesis in isolated perfused liver of normal and genetically obese–hyperglycaemic (*ob/ob*) mice (Elliott, J., Hems, D. A. & Beloff-Chain, A.) 773
[^{14}C]Glucosamine, incorporation of, into proteins and lipids of mouse liver microsomal membranes and plasma membranes (Evans, W. H. & Gurd, J. W.) 615
[6-^{3}H]Glucosamine, labelling of rat brain gangliosides *in vivo* after injection of (Maccioni, H. J., Arce, A. & Caputto, R.) 1131
D-[1-^{14}C]Glucosamine, specific labelling with, of glycoproteins formed in tissues of higher plants (Roberts, R. M., Connor, A. B. & Cetorelli, J. J.) 999
Glucose, changes in the oxidative metabolism of, in rat liver in response to marginal oxygen toxicity (Gorman, R. R., Jordan, J. P., Simmons, J. B. & Clarkson, D. P.) 439
Glucose, comparison of the metabolism of glucose 6-phosphate with that of, in rat cerebral-cortex slices (Dodd, P. R., Bradford, H. F. & Chain, E. B.) 1027
Glucose, decrease in the blood concentration of, on infusion of acetoacetate into fed rats (Hawkins, R. A., Alberti, K. G. M. M., Houghton, C. R. S., Williamson, D. H. & Krebs, H. A.) 541
Glucose, effect of, on the production of lactate by perfused rat liver (Woods, H. F. & Krebs, H. A.) 129
Glucose, excretion of bilirubin conjugated with, in dog bile (Fevery, J., Van Hees, G. P., Leroy, P., Compernolle, F. & Heirwegh, K. P. M.) 803

Glucose, influence of insulin and muscular contraction on the metabolism of, in perfused diaphragm muscle from normal and streptozotocin-diabetic rats (Beloff-Chain, A., Chain, E. B. & Rookledge, K. A.) 97
[U-^{14}C]Glucose, labelling of rat brain gangliosides *in vivo* after injection of (Maccioni, H. J., Arce, A. & Caputto, R.) 1131
Glucose, lower concentration of, in perfused or incubated rat diaphragm muscle *in vitro* than in rat diaphragm muscle *in vivo* (Rookledge, K. A.) 93
Glucose, mass-spectrometric elucidation of the structure of the azopigment derived from bilirubin conjugated with, excreted in dog bile as azobilirubin β-D-glucopyranoside (Compernolle, F., Van Hees, G. P., Fevery, J. & Heirwegh, K. P. M.) 811
Glucose, measurement of the specific radioactivity of, in plasma (Costello, J., Scott, J. M. & Bourke, E.) 114P
Glucose, metabolism of, in *Zymomonas anaerobia* (McGill, D. J. & Dawes, E. A.) 1059
Glucose 6-phosphate dehydrogenase, increased activity of, in rat liver in response to marginal oxygen toxicity (Gorman, R. R., Jordan, J. P., Simmons, J. B. & Clarkson, D. P.) 439
Glucose 6-phosphate, metabolism of, in rat cerebral-cortex slices (Dodd, P. R., Bradford, H. F. & Chain, E. B.) 1027
Glucose, poly-3-hydroxybutyrate biosynthesis and the regulation of the metabolism of, in *Azotobacter beijerinckii* (Senior, P. J. & Dawes, E. A.) 55
[U-^{14}C]Glucose, quantitative aspects of the assimilation of carbon of, in various rat tissues *in vivo* (Vrba, R.) 70P
Glucoside, formation of, of bilirubin by rat liver microsomal fraction (Wong, K. P.) 929
β-Glucuronidase, cortisone-evoked decrease in the activity of, in the ileum of suckling rats (Koldovský, O. & Palmieri, M.) 697
Glucuronide, specific assay method for measuring the formation of, of bilirubin by rat liver microsomal fraction (Wong, K. P.) 27
Glucuronides, biliary excretion of, as metabolites of (+)-catechin in the rat (Das, N. P. & Sothy, S. P.) 417
Glucuronides, formation of, of *o*-aminophenol and *p*-nitrophenol by uridine diphosphate glucuronyltransferase extracted from rat liver microsomal fraction with Lubrol (Howland, R. D., Burkhalter, A., Trevor, A. J., Hegeman, S. & Shirachi, D. Y.) 991
Glucuronides, formation of, of *o*-aminophenol, *p*-nitrophenol, phenolphthalein and 4-methylumbelliferone by rat liver microsomal fraction (Mulder, G. J.) 9
Glutamate, effects of stress caused by experimental procedures on the concentration of, in rat liver (Heath, D. F., George, D. R. & Rose, J. G.) 765
Glutamate, pathway of oxidation of glutamine and, by isolated mitochondria from mammalian cells (Kovačević, Z.) 757
Glutamine, effects of stress caused by experimental procedures on the concentration of, in rat liver (Heath, D. F., George, D. R. & Rose, J. G.) 765
Glutamine, evaluation of the enzymes involved in the metabolism of, by the kidney (McDermott, M. & O'Donovan, D. J.) 93P
Glutamine, pathway of oxidation of glutamate and, by isolated mitochondria from mammalian cells (Kovačević, Z.) 757
Glutamine synthetase, isoenzymes of, in rat tissues (Gonzalez, M. P. & Ottaway, J. H.) 35P
Glutathione *S*-alkenetransferase, partial purification and properties of, from rat liver (Speir, T. W. & Barnsley, E. A.) 267
Glutathione, reduced, conjugation of benz[*a*]anthracene 8,9-epoxide and 10,11-dihydrobenz[*a*]anthracene 8,9-epoxide with, by rat liver preparations (Sims, P.) 159
Glutathione, reduced, conjugation of unsaturated acyl thiol esters with, by a rat liver preparation (Speir, T. W. & Barnsley, E. A.) 267
D-Glyceraldehyde 3-phosphate dehydrogenase, inhibition kinetics of (Orsi, B. A. & Cleland, W. W.) 112P
D-Glyceraldehyde 3-phosphate dehydrogenase, isolation and identification as, of a protein from human erythrocyte 'ghosts' (Tanner, M. J. A. & Gray, W. R.) 1109
Glyceride, effect of noradrenaline on the biosynthesis of, *in vitro* in the brown fat of newborn rabbits (Knight, B. L. & Myant, N. B.) 1
Glycerol, effect of, on the thermal stability of soluble calf skin collagen (Hart, G. J., Russell, A. E. & Cooper, D. R.) 599
Glycerol, effects of hormones on the metabolism of, in isolated perfused rat liver (Chahl, J. S. & Ottaway, J. H.) 73P
Glycerol teichoic acid, cell-wall, location of the phosphodiester groups of, of *Staphylococcus lactis* I3 and their susceptibility to hydrolysis with alkali (Archibald, A. R., Baddiley, J., Heckels, J. E. & Heptinstall, S.) 353
Glycerol teichoic acid, cell-wall, structure of, of *Micrococcus* sp. 24 (Archibald, A. R. & Heptinstall, S.) 361
Glycine, effects of insulin on pools of leucine and, and their incorporation into protein in rat skeletal muscle *in vitro* (Hider, R. C., Fern, E. B. & London, D. R.) 751
Glycine, uptake and efflux of, by rat cerebral-cortex slices (Joanny, P., Barbosa, E., Hillman, H. & Corriol, J.) 255
Glycogen, metabolism of, in isolated perfused liver of normal and genetically obese–hyperglycaemic (*ob*/*ob*) mice (Elliott, J., Hems, D. A. & Beloff-Chain, A.) 773
Glycogen, synthesis of, in perfused liver of starved rats (Whitton, P. D. & Hems, D. A.) 76P
Glycogen, yeast, observations on the purity of some preparations of (Evans, R. B. & Manners, D. J.) 31P
Glycolipids, occurrence of, in the cell-envelope fractions of baker's yeast (Nurminen, T. & Suomalainen, H.) 963
Glycols, effects of, and related compounds on the thermal stability of soluble calf skin collagen (Hart, G. J., Russell, A. E. & Cooper, D. R.) 599
Glycols, effects of, on the renaturation of soluble calf skin collagen (Cooper, D. R., Russell, A. E. & Hart, G. J.) 1069
Glycolysis, aerobic, relationship between the properties of phosphofructokinase from rat jejunal mucosa and the lack of a Pasteur effect on (Tejwani, G. A. & Ramaiah, A.) 507
Glycolysis, relationship between the capacity for fatty acid biosynthesis and the capacity for, in rat liver (Woods, H. F. & Krebs, H. A.) 129
Glycopeptides, assessment of methanolysis and other factors used in the analysis of (Chambers, R. E. & Clamp, J. R.) 1009
Glycoprotein, composition of, of the cell wall of sycamore callus cells grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Glycoproteins, assessment of methanolysis and other factors used in the analysis of (Chambers, R. E. & Clamp, J. R.) 1009
Glycoproteins, blood-group-specific, human, peptides from (Goodwin, S. D. & Watkins, W. M.) 79P
Glycoproteins, specific labelling with D-[1-^{14}C]glucosamine of, formed in tissues of higher plants (Roberts, R. M., Connor, A. B. & Cetorelli, J. J.) 999
Glycosaminoglycan (chondroitin sulphate), distribution of sulphate residues in, obtained from ox nasal septum (Wasteson, Å. & Lindahl, U.) 903

Glycosaminoglycans, preparation of, from mouse mastocytoma tissue (Ögren, S. & Lindahl, U.) 1119
Gramicidin S, computed circular-dichroism properties and the conformation of (Bayley, P. M.) 90P
Grassgrub (*Costelytra zealandica*), metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith, J. N.) 385
Grassgrub (*Costelytra zealandica*), metabolism of 3,5-di-*tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith, J. N.) 395
Growth hormone, effects of hypophysectomy and replacement therapy with, on the composition of dog aorta (Brosnan, M., Sirek, O. V. & Sirek, A.) 116P
Growth hormone, effects of insulin and, on protein synthesis in diaphragm muscle from non-hypophysectomized rabbits (Reeds, P. J., Munday, K. A. & Turner, M. R.) 515
Growth hormone, importance of 'distribution' in the metabolism of, in man (Srivastava, M. C., Owens, D., Tompkins, C. V., Sönksen, P. H. & Nabarro, J. D. N.) 64P
Growth hormone, rat, labelled, preparation and characterization of (Davies, R. V. & Wallis, M.) 65P
Growth hormones, structural relationships among prolactins and (Wallis, M.) 54P
Gryllus mitratus, *see* Cricket, garden, oriental
Guanine nucleotides, inhibiton by, of the activity of α-(1→2)-fucosyltransferase from rat small intestine (Bella, A., jun. & Kim, Y. S.) 1157
Guanine residues, alkylation of N-7 of, of nucleic acids in rat tissues by diethylnitrosamine, *N*-ethyl-*N*-nitrosourea and ethyl methanesulphonate (Swann, P. F. & Magee, P. N.) 841
Guanine residues, stability of ribonucleic acid in rat liver *in vivo* after methylation of N-7 of, with methyl methane sulphonate or dimethylnitrosamine (McElhone, M. J., O'Connor, P. J. & Craig, A. W.) 821

Haemoglobin, control of the biosynthesis of, in legume nodules of the snake bean (Broughton, W. J. & Dilworth, M. J.) 1075
Haemoprotein, cytochrome *P*-420-type, enzymically active, partial purification of a mixed-function secondary-amine oxidase system containing, from *Pseudomonas aminovorans* (Eady, R. R., Jarman, T. R. & Large, P. J.) 449
Heart muscle, histochemical localization of enzymes in (Jarvie, D. R., Ottaway, J. H., Nolte, J. & Pette, D.) 35P
Heart, ox, identification of the site of action of *NN'*-dicyclohexylcarbodi-imide as a proteolipid in the membranes of mitochondria from (Cattell, K. J., Lindop, C. R., Knight, I. G. & Beechey, R. B.) 169
Heparin, degradation of, by mouse mastocytoma tissue (Ögren, S. & Lindahl, U.) 1119
Heparinase, activity of, in mouse mastocytoma tissue (Ögren, S. & Lindahl, U.) 1119
Hexokinase, brain, guinea-pig, allosteric activation of, by magnesium ions and by magnesium ion–adenosine triphosphate complex (Bachelard, H. S.) 249
Histones, arrangement of, and non-histone proteins on the deoxyribonucleic acid of rat thymus-gland chromatin (Itzhaki, R. F.) 221
Histones, occurrence of, in the trypanosomatid flagellate *Crithidia oncopelti* (Leaver, J. L. & Rampani, G.) 44P
Hormones, polypeptide, neurohypophysial, relationship between structure and the insulin-like activity of (Schillinger, E., Schröder, E., Klieger, E. & Lubke, K.) 64P
Hormones, polypeptide, of the upper intestine (Mutt, V. & Jorpes, E.) 57P
Hormones, polypeptide, structure and function of (Colloquium) 49P
Housefly (*Musca domestica*), metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith, J. N.) 385
Housefly (*Musca domestica*), metabolism of 3,5-di-*tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith, J. N) 395
Humic acid, incorporation of glycylglycine into (Perry, D. R. & Adams, W. A.) 29P
Hyaluronic acid, molecular structure of (Atkins, E. D. T. & Sheehan, J. K.) 92P
Hydrocarbons, polycyclic, chemical synthesis of epoxides of, and their metabolism by rat liver preparations (Sims, P.) 159
Hydrocarbons, polycyclic, formation of epoxides as microsomal metabolites of (Sims, P., Hewer, A. & Grover, P. L.) 28P
Hydrocarbons, polycyclic, mutagenicity of 'K-region' epoxides of, towards bacteriophage T_2 (Cookson, M. J., Grover, P. L. & Sims, P.) 100P
Hydrogen peroxide, deiodination of L-thyroxine and its activity in the oxidation *in vitro* of reduced nicotinamide–adenine dinucleotide by peroxidase plus (Jolin, T. & Morreale de Escobar, G.) 869
Hydrogen peroxide, inhibition by, of the oxidation of phenylthylhydrazine by guinea-pig brain monoamine oxidase (Tipton, K. F. & Spires, I. P. C.) 521
δ-Hydroxy acid, non-involvement of, in the oxidation of milk fatty acids (Swenson, P. E. & Dimick, P. S.) 1139
2-Hydroxy acids, long-chain, configuration of, biosynthesized by pea leaf preparations (Hitchcock, C. & Rose, A.) 1155
11-Hydroxy corticosteroids, plasma concentrations of, in stressed adult rats after undernutrition in early life (Adlard, B. P. F. & Smart, J. L.) 12P
3β-Hydroxy steroid dehydrogenase, activity of, in the mitochondria of rat adrenal-gland homogenates (Basch, R. S. & Finegold, M. J.) 983
3β-Hydroxy steroid dehydrogenase, inhibition by adenosine 3′:5′-cyclic monophosphate of the activity of, in rat liver microsomal fraction (Bloxham, D. P., Wilton, D. C. & Akhtar, M.) 625
Hydroxy steroid dehydrogenase, site specificity of, from *Streptomyces hydrogenans* (Gibb, W. & Jeffery, J.) 14P
3-Hydroxybutyryl-coenzyme A, oxidation of, by *Peptostreptococcus elsdenii* butyryl-coenzyme A dehydrogenase (Engel, P. C. & Massey, V.) 889
Hydroxyethylrutosides, biliary excretion of, and other flavonoids in the rat (Barrow, A. & Griffiths, L. A.) 24P
2-Hydroxyglutarate, identification of, in crustaceans (Huggins, A. K. & Boulton, A. P.) 1141
Hydroxylation mechanisms, biological (Symposium) 1P
Hydroxylysine, presence of, in the *N*-terminal regions of the α_1- and α_2-chains of collagen from various sources (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 433
Hydroxylysine residues, occurrence of, in the *N*-terminal telopeptides of skin collagen from chick embryo and newborn rat (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 925
[1-(L-2-Hydroxy-3-mercaptopropionic acid)]-oxytocin, a highly potent analogue of oxytocin that is not bound by ox neurophysin (Hope, D. B. & Wälti, M.) 909
3-Hydroxy-3-methylglutaryl-coenzyme A, effect of feeding with cholesterol on the incorporation of acetate into, by rat liver microsomal fraction (Shepherd, K. S. & Booth, R.) 39P
2-Hydroxypalmitate, configuration of, biosynthesized by pea leaf preparations (Hitchcock, C. & Rose, A.) 1155

p-Hydroxyphenylpyruvate, hydroxylation of, and the NIH shift (Goodwin, B. L.) 17P
Hydroxyproline, presence of, in glycopeptides isolated from the cell wall of sycamore callus cells grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Hypoxanthine/guanine phosphoribosyltransferase, development of the activity of, in man (Adams, A., Anderson, J. M., Nicol, A. D. & Harkness, R. A.) 36P

Ileum, cortisone-evoked decrease in acid β-galactosidase, β-glucuronidase, *N*-acetyl-β-glucosaminidase and arylsulphatase activities in, of suckling rats (Koldovský, O. & Palmieri, M.) 697
Immunoglobulin G, human, effects of electrolytes and distilled water on complexes of anti-(human immunoglobulin) and (Ternynck, T. & Avrameas, S.) 297
Immunoglobulin G1, incorporation of radioactive fucose into, synthesized and secreted by mouse plasma-cell tumour MOPC 21 (Melchers, F.) 241
Immunoglobulin M, incorporation of radioactive mannose, galactose and fucose into, synthesized and secreted by mouse plasma-cell tumour MOPC 104E (Parkhouse, R. M. E. & Melchers, F.) 235
Immunosorbents, effects of electrolytes and distilled water on complexes formed between antibodies and (Ternynck, T. & Avrameas, S.) 297
Indol-3-ylacetic acid, breakdown of, by *Corynebacterium fascians* (Tilford) Dowson (Kemp, D. R. & Steenson, T. I.) 65P
Indoxyl acetate, differences in the distribution of esterase activity towards, among subcellular fractions of rat liver homogenates prepared in various media (Barrow, P. C. & Holt, S. J.) 545
Insulin, behaviour of, at non-polar surfaces (Browne, M., Cecil, R. & Miller, J. C.) 63P
Insulin, conversion of proinsulin into, in the β-cells of mammals and fishes (Grant, P. T.) 49P
Insulin, differences in the binding of zinc ions by proinsulin and (Coombs, T. L., Grant, P. T. & Frank, B. H.) 62P
Insulin, effect of acetoacetate on the concentration of, in rat plasma (Hawkins, R. A., Alberti, K. G. M. M., Houghton, C. R. S., Williamson, D. H. & Krebs, H. A.) 541
Insulin, effects of growth hormone and, on protein synthesis in diaphragm muscle from non-hypophysectomized rabbits (Reeds, P. J., Munday, K. A. & Turner, M. R.) 515
Insulin, effects of, on free amino acid pools and protein synthesis in rat skeletal muscle *in vitro* (Hider, R. C., Fern, E. B. & London, D. R.) 751
Insulin, human, comparative study of the distribution and metabolism of pig proinsulin and, in man (Tompkins, C. V., Srivastava, M. C., Sönksen, P. H. & Nabarro, J. D. N.) 64P
Insulin, influence of muscular contraction and, on glucose metabolism in perfused diaphragm muscle from normal and streptozotocin-diabetic rats (Beloff-Chain, A., Chain, E. B. & Rookledge, K. A.) 97
Insulin, interaction of, with phsopholipids *in vitro* (Perry, M. C., Tampion, W. & Lucy, J. A.) 179
Insulin, model of a dimer and tetramer of, and a hypothetical proinsulin (Smith, I.) 81P
Insulin, regulation by, of mitochondrial pyruvate dehydrogenase in rat epididymal fat-cells (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115
Insulin, semisynthetic analogues of (Brandenburg, D., Gattner, H. G., Herbertz, L., Krail, G., Weinert, M. & Zahn, H.) 51P
Insulin, structure and biology of (Blundell, T. L., Cutfield, J. F., Dodson, G. G., Dodson, E., Hodgkin, D. C. & Mercola, D.) 50P
Insulin, structure of, in relation to its immunological activity (Arquilla, E. R., Miles, P. V. & Morris, J. W. S.) 52P
Intestine, small, cortisone-evoked decrease in acid β-galactosidase, β-glucuronidase, *N*-acetyl-β-glucosaminidase and arylsulphatase activities in the ileum of, of suckling rats (Koldovský, O. & Palmieri, M.) 697
Intestine, small, rat, inhibition by nucleotides of the activity of α-(1→2)-fucosyltransferase from (Bella, A., jun. & Kim, Y. S.) 1157
Intestine, small, rat, relationship between the properties of phosphofructokinase from the jejunal mucosa of, and the lack of a Pasteur effect on aerobic glycolysis (Tejwani, G. A. & Ramaiah, A.) 507
Intestine, small, rat, uridine diphosphate galactose 4-epimerase activity in, during development (Weinstein, A., Koldovský, O. & Segal, S.) 935
Ionic strength, effects of, on the kinetic properties of the multiple forms of mammalian deoxyribonucleic acid polymerase and on their binding to nuclei *in vitro* (Wallace, P. G., Hewish, D. R., Venning, M. M. & Burgoyne, L. A.) 47
Iron, differential sedimentation-velocity and gel-filtration measurements on human transferrin containing different amounts of (Charlwood, P. A.) 1019
Iron proteins, non-haem, evidence supporting the hypothesis that the function of vitamin E is to protect from oxidation selenide located in (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
Iron–sulphur protein (adrenodoxin), adrenal-gland, pig, Mössbauer spectroscopy of (Cammack, R., Rao, K. K., Hall, D. O. & Johnson, C. E.) 849
Iron–sulphur proteins, state of the iron atoms in, of hydroxylase systems (Cammack, R., Johnson, C. E., Hall, D. O. & Rao, K. K.) 18P
Isotopic tracers, normalization factors in the fitting of exponential curves to results obtained in studies with (Ottaway, J. H.) 44P

Jejunum, rat, relationship between the properties of phosphofructokinase from the mucosa of, and the lack of a Pasteur effect on aerobic glycolysis (Tejwani, G. A. & Ramaiah, A.) 507

Keratin proteins, wool, cell-free system for the biosynthesis of (Wilkinson, B. R.) 371
Kidney, rat, alkylation of N-7 of guanine residues of nucleic acids in, by diethylnitrosamine, *N*-ethyl-*N*-nitrosourea and ethyl methanesulphonate (Swann, P. F. & Magee, P. N.) 841
Kidney, rat, effects of a single dose of dimethylnitrosamine on the biosynthesis of nucleic acids and protein in (Stewart, B. W. & Magee, P. N.) 943
Kidney, rat, pathway of oxidation of glutamine and glutamate by isolated mitochondria from (Kovačević, Z.) 757
Kinetic constants, method for the derivation of, for two enzymes acting on the same substrate (Spears, G., Sneyd, J. G. T. & Loten, E. G.) 1149

β-Lactamases, two, circular-dichroism studies of, from *Bacillus cereus* 569/H (Dalgleish, D. G. & Peacocke, A. R.) 155
Lactate dehydrogenase, isoenzymes of, of the rudd (Buckley, B. M. & Brady, T. G.) 113P
Lactate dehydrogenase, pig, inhibition by salicylate of isoenzyme 5 of (Cheshire, R. M. & Park, M. V.) 45P
Lactate, production of, by perfused rat liver (Woods, H. F. & Krebs, H. A.) 129

Leaves, *Amaranthus*, evidence for an intermediate pool of carbon dioxide and the identification of aspartate as the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of photosynthesis in (Hatch, M. D.) 425

Leaves, bean, extensive charging of transfer ribonucleic acid by extracts of, *in vitro* (Tao, K. L. & Hall, T. C.) 975

Leaves, maize, evidence for an intermediate pool of carbon dioxide and the identification of malate as the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of photosynthesis in (Hatch, M. D.) 425

Leaves, pea, configuration of 2-hydroxypalmitate biosynthesized by preparations (Hitchcock, C. & Rose, A.) 1155

Lecithin, *see* Phosphatidylcholine

Leghaemoglobin, control of the biosynthesis of, in legume nodules of the snake bean (Broughton, W. J. & Dilworth, M. J.) 1075

Legume nodules, control of leghaemoglobin biosynthesis in, of the snake bean (Broughton, W. J. & Dilworth, M. J.) 1075

Lens, human, formation of *N'*-formylkynurenine from tryptophan residues in proteins from, on exposure to sunlight (Pirie, A.) 203

Lens, senile-cataractous, human, purification and properties of a proteinase from (Swanson, A. A. & Nichols, J. T.) 575

Leucine, effects of insulin on pools of glycine and, and their incorporation into protein in rat skeletal muscle *in vitro* (Hider, R. C., Fern, E. B. & London, D. R.) 751

[^{3}H]Leucine, incorporation of, into proteins of mouse liver microsomal membranes and plasma membranes (Evans, W. H. & Gurd, J. W.) 615

Levan, enzymic synthesis of, from sucrose *in vitro* (Ceska, M). 209

Levansucrase, new method for the assay of the activity of (Ceska, M). 209

Light, appearance of a methylated ribonucleic acid on exposure of *Euglena gracilis* grown in the dark to (Perl, M.) 401

Linoleate, stimulation of the hydrogenation of, in *Treponema* (*Borrelia*) sp. strain $B_2 5$ by reduced methyl viologen and by reduced benzyl viologen (Yokoyama, M. T. & Davis, C. L.) 913

Lipase, activity of, of ox mammary gland (Cooper, D. M. F. & Downey, W. K.) 95P

Lipids, effects of growth temperature on the composition and physical properties of, of *Pseudomonas fluorescens* N.C.M.B. 129 (Cullen, J., Phillips, M. C. & Shipley, G. G.) 733

Lipids, incorporation of [^{14}C]glucosamine into, of mouse liver microsomal membranes and plasma membranes (Evans, W. H. & Gurd, J. W.) 615

Lipogenesis, relationship between the capacity for glycolysis and the capacity for, in rat liver (Woods, H. F. & Krebs, H. A.) 129

Lipogenesis, role of pyruvate dehydrogenase in the control of, in adipose tissue (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115

β-Lipoprotein, possible role of cytidine diphosphate choline in the complexing of carbohydrate to, in liver (Delahunty, T. J. & Mookerjea, S.) 96P

Lipoproteins, plasma and egg-yolk, immunochemical relationships among, of the laying chicken (Gornall, D. A., Delahunty, T. J. & Kuksis, A.) 97P

Liver cells, human, Chang, biosynthesis of cholesta-8,14-dien-3β-ol by (Wilton, D. C.) 1153

Liver, mouse, incorporation of [^{3}H]leucine into proteins and of [^{14}C]glucosamine into proteins and lipids of microsomal membranes and plasma membranes of (Evans, W. H. & Gurd, J. W.) 615

Liver, mouse, metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate by preparations of (Douch, P. G. C. & Smith, J. N.) 385

Liver, mouse, metabolism of 3,5-di-*tert.*-butylphenyl *N*-methylcarbamate by preparations of (Douch, P. G. C. & Smith, J. N.) 395

Liver, perfused, isolated, carbohydrate metabolism in, of normal and genetically obese–hyperglycaemic (*ob/ob*) mice (Elliott, J., Hems, D. A. & Beloff-Chain, A.) 773

Liver, perfusion of, with a closed gas circuit (Cochrane, J., Chahl, J. S. & Ottaway, J. H.) 45P

Liver, rat and mouse, attempt to relate the interactions of the multiple forms of deoxyribonucleic acid polymerase from, with nuclei and free deoxyribonucleic acid *in vitro* with their possible functions *in vivo* (Wallace, P. G., Hewish, D. R., Venning, M. M. & Burgoyne, L. A.) 47

Liver, rat, apparent heterogeneity of uridine diphosphate glucuronyltransferase of the microsomal fraction of (Mulder, G. J.) 9

Liver, rat, biochemical adaptation in, in response to marginal oxygen toxicity (Gorman, R. R., Jordan, J. P., Simmons, J. B. & Clarkson, D. P.) 439

Liver, rat, differences in the distribution of esterase among subcellular fractions of homogenates of, prepared in various media and their relevance to the lysosomal location of the enzyme in the intact cell (Barrow, P. C. & Holt, S. J.) 545

Liver, rat, effect of a modified separation procedure on the size and protein-synthetic activity of membrane-bound polyribosomes from (Ragnotti, G.) 1049

Liver, rat, effect of vitamin E status on the intracellular distribution of the different oxidation states of selenium in (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407

Liver, rat, effects of a single dose of dimethylnitrosamine on the biosynthesis of nucleic acids and protein in (Stewart, B. W. & Magee, P. N.) 943

Liver, rat, effects of catalase, dithiothreitol and reduced nicotinamide–adenine dinucleotide on the inhibition of phenylalanine hydroxylase from, by 2-amino-4-hydroxy - 6,7 - dimethyl - 5,6,7,8 - tetrahydropteridine (Jakubovič, A., Woolf, L. I. & Chan-Henry, E.) 563

Liver, rat, effects of stress caused by experimental procedures on the concentrations of alanine, aspartate, glutamate and glutamine in (Heath, D. F., George, D. R. & Rose, J. G.) 765

Liver, rat, exchange reaction catalysed *in vitro* by transketolase from (Clark, M. G., Williams, J. F. & Blackmore, P. F.) 381

Liver, rat, factors influencing the association *in vitro* of polyribosomes with ribonuclease-treated rough endoplasmic reticulum from (Shires, T. K., Narurkar, L. & Pitot, H. C.) 67

Liver, rat, formation of bilirubin glucoside by microsomal fraction of (Wong, K. P.) 929

Liver, rat, fractionation of nuclear and cytoplasmic ribonucleic acids of, and various other tissues on a column of methylated albumin–kieselguhr (Lichtenstein, A. V. & Shapot, V. S.) 225

Liver, rat, inhibition by oxalomalate of aconitate hydratase activity of mitochondria from (Adinolfi, A., Guarriera-Bobyleva, V., Olezza, S. & Ruffo, A.) 557

Liver, rat, kinetics of phenethylhydrazine oxidation by monoamine oxidase from (Tipton, K. F. & Spires, I. P. C.) 521

Liver, rat, metabolism of benz[*a*]anthracene 8,9-epoxide and 10,11-dihydrobenz[*a*]anthracene 8,9-epoxide by preparations of (Sims, P.) 159

Liver, rat, partial purification and properties of glutathione *S*-alkenetransferase from (Speir, T. W. & Barnsley, E. A.) 267
Liver, rat, pathway of oxidation of glutamine and glutemate by isolated mitochondria from (Kovačević, Z.) 757
Liver, rat, perfused, production of lactate by (Woods, H. F. & Krebs, H. A.) 129
Liver, rat, properties of uridine diphosphate glucuronyltransferase extracted from microsomal fraction of, with Lubrol (Howland, R. D., Burkhalter, A., Trevor, A. J., Hegeman, S. & Shirachi, D. Y.) 991
Liver, rat, purification and properties of alcohol dehydrogenase from (Arslanian, M. J., Pascoe, E. & Reinhold, J. G.) 1039
Liver, rat, role of adenosine 3′:5′-cyclic monophosphate in the regulation of C-4 demethylation in cholesterol biosynthesis by microsomal fraction from (Bloxham, D. P., Wilton, D. C. & Akhtar, M.) 625
Liver, rat, specific assay method for and kinetic studies on bilirubin glucuronyltransferase of the microsomal fraction of (Wong, K. P.) 27
Liver, rat, stability of ribonucleic acid in, *in vivo* after methylation with methyl methanesulphonate or dimethylnitrosamine (McElhone, M. J., O'Connor, P. J. & Craig, A. W.) 821
Lucilia sericata, *see* Blowfly
Lung, rat, metabolism of [8-L-[^{14}C]phenylalanine]-angiotensin I in the blood during passage through (Ryan, J. W., Niemeyer, R. S., Goodwin, D. W., Smith, U. & Stewart, J. M.) 921
Lymphocytes, rat, cultured, application of the isotope-dilution principle to the analysis of factors in serum and culture media affecting the incorporation of [^{3}H]uridine and [^{3}H]cytidine into (Forsdyke, D. R.) 721
Lysine, conversion of α-aminoadipate into α-aminoadipic δ-semialdehyde in the pathway for the biosynthesis of, in *Saccharomyces* sp. (Sinha, A. K. & Bhattacharjee, J. K.) 743
Lysine residues, degree of hydroxylation of, in the *N*-terminal regions of the α_1- and α_2-chains of collagen from various sources (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 433
Lysine residues, extent of hydroxylation of, in the *N*-terminal telopeptides of skin collagen from chick embryo and newborn rat (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 925
Lysosomes, differences in the distribution of esterase among subcellular fractions of rat liver homogenates prepared in various media and their relevance to the location of enzyme in, in the intact cell (Barrow, P. C. & Holt, S. J.) 545
Lysosomes, digestion of exogenous protein within, of rat yolk-sac cultured *in vitro* (Williams, K. E., Lloyd, J. B., Davies, M. & Beck, F.) 303
Lysozyme, nitrated, isolation of 3-nitrotyrosine-containing peptides obtained from, by using a column of anti-nitrotyrosyl antibody coupled with Sepharose (Helman, M. & Givol, D.) 971
Lysozyme, refinement of the structure of (Diamond, R. & Levitt, M.) 92P

Macroglobulin, incorporation of radioactive mannose, galactose and fucose into, synthesized and secreted by mouse plasma-cell tumour MOPC 104E (Parkhouse, R. M. E. & Melchers, F.) 235
Magnesium ion–adenosine triphosphate complex, allosteric activation of guinea-pig brain hexokinase by (Bachelard, H. S.) 249
Magnesium ions, allosteric activation of guinea-pig brain hexokinase by (Bachelard, H. S.) 249
Magnesium ions, effect of, on the bilirubin glucuronyltransferase activity of rat liver microsomal fraction (Wong, K. P.) 27
Maize (*Zea mays*) leaves, evidence for an intermediate pool of carbon dioxide and the identification of malate as the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of photosynthesis in (Hatch, M. D.) 425
Maize (*Zea mays*) seedlings, germinating, specific labelling with D-[1-^{14}C]glucosamine of glycoproteins formed in (Roberts, R. M., Connor, A. B. & Cetorelli, J. J.) 999
Malate, identification of, as the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of photosynthesis in maize leaves (Hatch, M. D.) 425
Malate, metabolism of pyruvate and, by rat epididymal fat-cell mitochondria *in vitro* (Martin, B. R. & Denton, R. M.) 105
Mannans, cell and exocellular, from *Hansenula holstii* N.C.Y.C. 560 (Cunningham, W. L. & San Blas, G.) 31P
Mannose, radioactive, incorporation of, into macroglobulin synthesized and secreted by mouse plasma-cell tumour MOPC 104E (Parkhouse, R. M. E. & Melchers, F.) 235
Mast cells, mouse, degradation of heparin by (Ögren, S. & Lindahl, U.) 1119
Mastocytoma tissue, mouse, degradation of heparin by (Ögren, S. & Lindahl, U.) 1119
Mealworm (*Tenebrio* sp.), metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate in (Douch, P. G. C. & Smith J. N.) 385
Membrane, microsomal, liver, rat, effect of a modified separation procedure on the size and protein-synthetic activity of polyribosomes bound to (Ragnotti, G.) 1049
Membrane, plasma, *see* Plasma membrane
Membranes, erythrocyte, human, significance of carboxyl, amino and thiol groups in the binding of calcium ions by (Forstner, J. & Manery, J. F.) 343
Membranes, microsomal, liver, mouse, incorporation of [^{3}H]leucine into proteins and of [^{14}C]glucosamine into proteins and lipids of (Evans, W. H. & Gurd, J. W.) 615
Membranes, microsomal, liver, rat, effect of vitamin E status on the selenide content of (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
Membranes, microsomal, rough, liver, rat, factors influencing the association *in vitro* of polyribosomes with, that have been treated with ribonuclease (Shires, T. K., Narurkar, L. & Pitot, H. C.) 67
Membranes, mitochondrial, heart, ox, identification of the site of action of *NN′*-dicyclohexylcarbodi-imide as a proteolipid in (Cattell, K. J., Lindop, C. R., Knight, I. G. & Beechey, R. B.) 169
Memory, long-term, effect of α-amanitin on ribonucleic acid polymerase II activity of rat brain nuclei and on (Montanaro, N., Novello, F. & Stirpe, F.) 1087
Menaquinone, energy-linked transhydrogenase activity in *Escherichia coli* K12 mutants deficient in (Cox, G. B., Newton, N. A., Butlin, J. D. & Gibson, F.) 489
Mescaline, role of spermidine in counteracting the destabilizing effect of, on goat cerebral-cortex ribosomes (Datta, R. K., Antopol, W. & Ghosh, J. J.) 213
Messenger ribonucleic acid, *see* Ribonucleic acid, messenger
Methanol, possible metabolic significance of three pteridines produced by *Methylococcus capsulatus* in the oxidation of (Urushibara, T., Forrest, H. S., Hoare, D. S. & Patel, R. N.) 141
Methanolysis, assessment of, and other factors used in the analysis of carbohydrate-containing materials (Chambers, R. E. & Clamp, J. R.) 1009

Methionine, maternal–foetal relationship of cystine and, in the pregnant rhesus monkey (Sturman, J. A., Niemann, W. H. & Gaull, G. E.) 78P
Methionine, methylation of ribonucleic acid by, on illumination of *Euglena gracilis* grown in the dark (Perl, M.) 401
Methyl methanesulphonate, stability of ribonucleic acid in rat liver *in vivo* after methylation with (McElhone, M. J., O'Connor, P. J. & Craig, A. W.) 821
Methyl 1-thio-β-D-galactopyranoside, competitive inhibition of *Escherichia coli* β-galactosidase by (Sinnott, M. L.) 717
Methylated ribonucleic acid, appearance of, on illumination of *Euglena gracilis* grown in the dark (Perl, M.) 401
N-Methylcarbamate, *m-tert.*-butylphenyl ester, metabolism of, in insects and mice (Douch, P. G. C. & Smith, J. N.) 385
N-Methylcarbamate, 3,5-di-*tert.*-butylphenyl ester, metabolism of, in insects and by mouse liver preparations (Douch, P. G. C. & Smith, J. N.) 395
Methylococcus capsulatus, isolation and identification of three pteridines produced by (Urushibara, T., Forrest, H. S., Hoare, D. S. & Patel, R. N.) 141
4-Methylumbelliferone, glucuronide conjugation of, by rat liver microsomal fraction (Mulder, G. J.) 9
Mevalonate, development of the system synthesizing squalene from, during early stages of the germination of pea seeds (Green, T. R. & Baisted, D. J.) 1145
Micrococcus sp. 24, glycerol teichoic acid and a polyribitol phosphate component of the cell wall of (Archibald, A. R. & Heptinstall, S.) 361
Microsomal fraction, liver, binding of metyrapone to cytochrome *P*-450 and its inhibitory action on mixed-function oxidase reactions in (Hildebrandt, A. G.) 6P
Microsomal fraction, liver, functional components of the enzyme system in, catalysing the hydroxylation of fatty acids, hydrocarbons and drugs (Coon, M. J., Strobel, H. W., Autor, A. P., Heidema, J. & Duppel, W.) 2P
Microsomal fraction, liver, mouse, incorporation of [^{3}H]leucine into proteins and of [^{14}C]glucosamine into proteins and lipids of the membranes of (Evans, W. H. & Gurd, J. W.) 615
Microsomal fraction, liver, mouse, metabolism of *m-tert.*-butylphenyl *N*-methylcarbamate by (Douch, P. G. C. & Smith, J. N.) 385
Microsomal fraction, liver, rat, apparent heterogeneity of uridine diphosphate glucuronyltransferase of (Mulder, G. J.) 9
Microsomal fraction, liver, rat, effect of vitamin E status on the selenide content of (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
Microsomal fraction, liver, rat, formation of bilirubin glucoside by (Wong, K. P.) 929
Microsomal fraction, liver, rat, metabolism of benz-[*a*]anthracene 8,9-epoxide and 10,11-dihydrobenz-[*a*]anthracene 8,9-epoxide by (Sims, P.) 159
Microsomal fraction, liver, rat, properties of uridine diphosphate glucuronyltransferase extracted from, with Lubrol (Howland, R. D., Burkhalter, A., Trevor, A. J., Hegeman, S. & Shirachi, D. Y.) 991
Microsomal fraction, liver, rat, role of adenosine 3′:5′-cyclic monophosphate in the regulation of C-4 demethylation in cholesterol biosynthesis by (Bloxham, D. P., Wilton, D. C. & Akhtar, M.) 625
Microsomal fraction, liver, rat, specific assay method for and kinetic studies on bilirubin glucuronyltransferase of (Wong, K. P.) 27
Microsomal fraction, liver, significance of drug-induced spectral changes in (Orrenius, S., Wilson, B., von Bahr, C. & Schenkman, J. B.) 8P
Microsomal fraction, mechanism of induction of hydroxylases in, and their role in polycyclic-hydrocarbon action (Gelboin, H. V.) 4P
Milk, goat, non-involvement of δ-hydroxy acid in the oxidation of fatty acids of (Swenson, P. E. & Dimick, P. S.) 1139
Mitochondria, fat-cell, epididymal, rat, metabolism of pyruvate and malate by, *in vitro* (Martin, B. R. & Denton, R. M.) 105
Mitochondria, fat-cell, epididymal, rat, regulation by insulin and other hormones of pyruvate dehydrogenase of (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115
Mitochondria, heart, ox, identification of the site of action of *NN′*-dicyclohexylcarbodi-imide as a proteolipid in membranes of (Cattell, K. J., Lindop, C. R., Knight, I. G. & Beechey, R. B.) 169
Mitochondria, 3β-hydroxy steroid dehydrogenase activity in, of rat adrenal-gland homogenates (Basch, R. S. & Finegold, M. J.) 983
Mitochondria, isolated, pathway of oxidation of glutamine and glutamate by, from mammalian cells (Kovačević, Z.) 757
Mitochondria, liver, rat, effect of vitamin E status on the selenide content of (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
Mitochondria, liver, rat, inhibition by oxalomalate of aconitate hydratase activity of (Adinolfi, A., Guarriera-Bobyleva, V., Olezza, S. & Ruffo, A.) 557
Mitochondria, muscle, demonstration of the heterogeneity of, by discontinuous-density-gradient centrifugation (Bullock, G., Carter, E. E. & White, A. M.) 107P
Mitochondria, permeability of, to carnitine and acetylcarnitine (Brosnan, J. T. & Fritz, I. B.) 94P
Mitochondria, yeast, effects of rifampicin on the biosynthesis of (Whittaker, P. A. & Wallis, O. C.) 82P
Mixed-function oxidase, *see* Oxidase, mixed-function
Monoamine oxidase, brain, pig, kinetics of phenethylhydrazine oxidation by (Tipton, K. F., & Spires, I. P. C.) 521
Monoamine oxidase, liver, rat, kinetics of phenethylhydrazine oxidation by (Tipton, K. F. & Spires, I. P. C.) 521
Monosaccharides, stability of, in methanolic hydrochloric acid of different strengths and at different temperatures (Chambers, R. E. & Clamp, J. R.) 1009
Mucopolysaccharidoses, activities of serum acid hydrolases in patients suffering from (Cunningham, W. L. & Ramage, P. R.) 33P
Mucosa, jejunal, rat, relationship between the properties of phosphofructokinase from, and the lack of a Pasteur effect on aerobic glycolysis (Tejwani, G. A. & Ramaiah, A.) 507
Musca domestica, *see* Housefly
Muscle, calcium pump in the sarcoplasmic reticulum of (Duggan, P. F.) 84P
Muscle, diaphragm, effects of insulin and growth hormone on protein synthesis in, from non-hypophysectomized rabbits (Reeds, P. J., Munday, K. A. & Turner, M. R.) 515
Muscle, diaphragm, perfused, influence of insulin and muscular contraction on glucose metabolism in, from normal and streptozotocin-diabetic rats (Beloff-Chain, A., Chain, E. B. & Rookledge, K. A.) 97
Muscle, diaphragm, rat, comparison of some metabolic parameters in perfused or incubated rat diaphragm muscle *in vitro* with those in, *in vivo* (Rookledge, K. A.) 93
Muscle, effect of growth temperature on the macroscopic and microscopic appearance of, of the copepod *Cyclops agilis* (Grainger, J. N. R. & Campbell, E.) 108P

Muscle, heart, uptake of calcium ions and the β-adrenergic receptor site in (Gillibrand, I. M. & Wyse, R.) 105P
Muscle, histochemical characteristics of fibres of, in the diaphragm (Gunn, H. M. & Davies, A. S.) 108P
Muscle, relaxing protein system and the regulation of the myofibrillar adenosine triphosphatase of (Perry, S. V.) 83P
Muscle, semitendinosus, pig, comparative study of the red fibres and white fibres of (Heffron, J. J. A. & McLoughlin, J. V.) 103P
Muscle, skeletal, hamster, properties of the sarcolemmal calcium ion-stimulated adenosine triphosphatase of (McNamara, D. B., Sulakhe, P. V. & Dhalla, N. S.) 525
Muscle, skeletal, horse, proteinase activity in commercial preparations of myoglobin from (Goldspink, D. F., Holmes, D. & Pennington, R. J.) 865
Muscle, skeletal, ox, post-mortem autolysis in (Reville, W. J., Harrington, M. G. & Joseph, R. L.) 104P
Muscle, skeletal, rabbit, location of the thiol groups of myosin from, that are protected by inorganic pyrophosphate against reaction with 2,4-dinitrophenyl 2-hydroxyethyl disulphide (Kąkol, I.) 261
Muscle, skeletal, rat, effects of insulin on free amino acid pools and protein synthesis in, *in vitro* (Hider, R. C., Fern, E. B. & London, D. R.) 751
Muscle, structural changes during the contraction of (Huxley, H. E.) 85P
Muscle, structure and function of (Colloquium) 83P
Muscular contraction, influence of insulin and, on glucose metabolism in perfused diaphragm muscle from normal and streptozotocin-diabetic rats (Beloff-Chain, A., Chain, E. B. & Rookledge, K. A.) 97
Mustard gas, *see* Di-(2-chloroethyl) sulphide
Mycophage, spectrophotometric study of the thermal denaturation in acidic solutions of double-helical ribonucleic acids from, found in *Penicillium chrysogenum* (Cox, R. A., Kanagalingam, K. & Sutherland, E.) 655
Myoglobin, horse, proteinase activity in commercial preparations of (Goldspink, D. F., Holmes, D. & Pennington, R. J.) 865
Myosin, skeletal-muscle, rabbit, location of the thiol groups of, that are protected by inorganic pyrophosphate against reaction with 2,4-dinitrophenyl 2-hydroxyethyl disulphide (Kąkol, I.) 261

Nasal septum, ox, distribution of sulphate residues in chondroitin sulphate obtained from (Wasteson, Å. & Lindahl, U.) 903
L-*threo*-Neopterin 2′:3′-phosphate, isolation and identification of, produced by *Methylococcus capsulatus* (Urushibara, T., Forrest, H. S., Hoare, D. S. & Patel, R. N.) 141
Nervous system, peripheral, dog, turnover rate of noradrenergic vesicles in (De Potter, W. P. & Chubb, I. W.) 375
Neurophysin, ox, [1-(L-2-hydroxy-3-mercaptopropionic acid)]-oxytocin, a highly potent analogue of oxytocin that is not bound by (Hope, D. B. & Wälti, M.) 909
Nicotinamide–adenine dinucleotide phosphate, reduced, effect of phenobarbitone on the production of type I hydrogen from, in different regions of the liver lobule (Butcher, R. G.) 22P
Nicotinamide–adenine dinucleotide phosphate, reduced, selective increases in type I hydrogen from, in liver from phenobarbitone-treated rats (Altman, F. P.) 21P
Nicotinamide–adenine dinucleotide, reduced, deiodination of L-thyroxine and its activity in the oxidation *in vitro* of, by peroxidase plus hydrogen peroxide (Jolin, T. & Morreale de Escobar, G.) 869
Nicotinamide–adenine dinucleotide, reduced, effect of, on the inhibition of rat liver phenylalanine hydroxylase by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine (Jakubovič, A., Woolf, L. I. & Chan-Henry, E.) 563
Nicotinamide–adenine dinucleotide (reduced)–nicotinamide–adenine dinucleotide phosphate (oxidized) transhydrogenase, energy-linked, activity of, in respiratory mutants of *Escherichia coli* K12 (Cox, G. B., Newton, N. A., Butlin, J. D. & Gibson, F.) 489
Nicotinic acid, bound, chemical nature of, of cereals (Mason, J. B., Gibson, N. & Kodicek, E.) 117P
Nicotinic acid, bound, dietary, fate of, in nicotinic acid-deficient and nicotinic acid-supplemented rats (Mason, J. B., Gibson, N. & Kodicek, E.) 118P
Nicotinic acid, comparative metabolism of nicotinamide and, in the mouse (Collins, P. B. & Chaykin, S.) 117P
p-Nitrophenol, glucuronide conjugation of, by rat liver microsomal fraction (Mulder, G. J.) 9
p-Nitrophenyl glucuronide, formation of, by uridine diphosphate glucuronyltransferase extracted from rat liver microsomal fraction with Lubrol (Howland, R. D., Burkhalter, A., Trevor, A. J., Hegeman, S. & Shirachi, D. Y.) 991
3-Nitrotyrosine, isolation of peptides containing, by using a column of anti-nitrotyrosyl antibody coupled with Sepharose (Helman, M. & Givol, D.) 971
Noradrenaline, effect of, on glyceride biosynthesis and oxidative metabolism *in vitro* in the brown fat of newborn rabbits (Knight, B. L. & Myant, N. B.) 1
Noradrenergic vesicles, turnover rate of, in dog splenic nerve (De Potter, W. P. & Chubb, I. W.) 375
Notochord, comparative biochemistry of chondroitin sulphate–proteins of lamprey, sturgeon, ray and ox cartilage and of, of lamprey and sturgeon (Mathews, M. B.) 37
Nuclear ribonucleic acid, *see* Ribonucleic acid, nuclear
Nuclei, brain, rat, effect of α-amanitin on ribonucleic acid polymerase II activity of (Montanaro, N., Novello, F. & Stirpe, F.) 1087
Nuclei, localization of 1,25-dihydroxycholecalciferol in, of bone cells from rachitic chicks after a dose of cholecalciferol (Weber, J. C., Pons, V. & Kodicek, E.) 147
Nuclei, mammalian, attempt to relate the interactions of the multiple forms of deoxyribonucleic acid polymerase with, *in vitro* with their possible functions *in vivo* (Wallace, P. G., Hewish, D. R., Venning, M. M. & Burgoyne, L. A.) 47
Nuclei, ventral-prostate-gland, rat, reconstituted cell-free system for the specific transfer of 5α-dihydrotestosterone–receptor complexes into chromatin isolated from (Mainwaring, W. I. P. & Peterken, B. M.) 285
Nucleic acids, alkylation of N-7 of guanine residues of, in rat tissues by diethylnitrosamine, *N*-ethyl-*N*-nitrosourea and ethyl methanesulphonate (Swann, P. F. & Magee, P. N.) 841
Nucleic acids, effects of a single dose of dimethylnitrosamine on the biosynthesis of, in rat liver and kidney (Stewart, B. W. & Magee, P. N.) 943
Nucleotide chromophores, stacked, circular dichroism of (Bayley, P. M.) 91P
Nucleotides, inhibition by, of the activity of α-(1→2)-fucosyltransferase from rat small intestine (Bella, A., jun. & Kim, Y. S.) 1157

Oestradiol-17β, synthesis of ribonucleic acid in immature rat uterus responding to the administration of (Knowler, J. T. & Smellie, R. M. S.) 605
Oligosaccharides, assessment of methanolysis and other factors used in the analysis of (Chambers, R. E. & Clamp, J. R.) 1009

Ovary, electrophoretic analysis of the proteins of the ribosomes of, of *Xenopus laevis* (Ford, P. J.) 1091
Oxalomalate, inhibition by, of rat liver mitochondrial and cytoplasmic aconitate hydratases (Adinolfi, A., Guarriera-Bobyleva, V., Olezza, S. & Ruffo, A.) 557
Oxidase, mixed-function, partial purification from *Pseudomonas aminovorans* of, catalysing the oxidation of secondary amines (Eady, R. R., Jarman, T. R. & Large, P. J.) 449
Oxidative metabolism, effect of noradrenaline on, *in vitro* in the brown fat of newborn rabbits (Knight, B. L. & Myant, N. B.) 1
Oxidative phosphorylation, *see* Phosphorylation, oxidative
Oxoacyl-coenzyme A thiolases, existence of, of differing substrate specificity and intracellular localization in mammalian tissues (Middleton, B.) 69P
Oxygen, biochemical adaptation in rat liver in response to exposure to a marginally toxic atmosphere of (Gorman, R. R., Jordan, J. P., Simmons, J. B. & Clarkson, D. P.) 439
Oxytocin, [1-(L-2-hydroxy-3-mercaptopropionic acid)]-, a highly potent analogue of oxytocin that is not bound by ox neurophysin (Hope, D. B. & Wälti, M.) 909

Palmitate, configuration of 2-hydroxypalmitate biosynthesized by the α-oxidation of, by pea leaf preparations (Hitchcock, C. & Rose, A.) 1155
Pea (*Pisum sativum* L). cotyledons, biosynthesis of tetrahydropteroylglutamates in, during germination (Roos, A. J. & Cossins, E. A.) 17
Pea (*Pisum sativum*) leaves, configuration of 2-hydroxypalmitate biosynthesized by preparations of (Hitchcock, C. & Rose, A.) 1155
Pea (*Pisum sativum*) seeds, development of the squalene-synthesizing system during early stages of the germination of (Green, T. R. & Baisted, D. J.) 1145
Penicillinases, two, circular-dichroism studies of, from *Bacillus cereus* 569/H (Dalgleish, D. G. & Peacocke, A. R.) 155
Penicillium chrysogenum, spectrophotometric study of the thermal denaturation in acidic solutions of double-helical ribonucleic acids from virus-like particles found in (Cox, R. A., Kanagalingam, K. & Sutherland, E.) 655
Pent-4-enoyl-coenzyme A, effect of, on *Peptostreptococcus elsdenii* butyryl-coenzyme A dehydrogenase (Engel, P. C. & Massey, V.) 889
Pentose phosphate pathway, increased activity of, in the metabolism of glucose in rat liver in response to marginal oxygen toxicity (Gorman, R. R., Jordan, J. P., Simmons, J. B. & Clarkson, D. P.) 439
Peptides, combination of nuclear-magnetic-resonance spectroscopy and potential-energy calculations in the study of the conformation of, in solution (Roberts, G. C. K. & Feeney, J.) 88P
Peptides, complete hydrolysis of, by a mixture of Sepharose-bound peptidases (Bennett, H. P. J., Elliott, D. F., Lowry, P. J. & McMartin, C.) 80P
Peptides, hormonal, conformational studies on, in solution by using nuclear-magnetic-response spectroscopy (Feeney, J., Roberts, G. C. K. & Burgen, A. S. V.) 62P
Peptides, 3-nitrotyrosine-containing, isolation of, by using a column of anti-nitrotyrosyl antibody coupled with Sepharose (Helman, M. & Givol, D.) 971
Peptides, use of mass spectrometry for the determination of the amino acid sequences of (Morris, H. R., Williams, D. H. & Ambler, R. P.) 189
Peptidochitodextrins, composition of, from fleshfly puparial cases (Lipke, H. & Geoghegan, T.) 703
Peptidylhydroxamates, formation of, in yeast (van de Meene, J. G. C., Bloemers, H. P. J. & Koningsberger, V. V.) 671
Peptostreptococcus elsdenii, identification of the green form of butyryl-coenzyme A dehydrogenase from, as a complex with unsaturated fatty acyl-coenzyme A (Engel, P. C. & Massey, V.) 889
Peptostreptococcus elsdenii, purification and properties of butyryl-coenzyme A dehydrogenase from (Engel, P. C. & Massey, V.) 879
Peroxidase, horseradish, deiodination of L-thyroxine and its activity in the oxidation *in vitro* of reduced nicotinamide–adenine dinucleotide by hydrogen peroxide plus (Jolin, T. & Morreale de Escobar, G.) 869
Peroxidase, horseradish, effects of electrolytes on complexes of anti-(horseradish peroxidase) and (Ternynck, T. & Avrameas, S.) 297
pH, effects of, on the uptake of potassium ions by baker's yeast (Ryan, H., Ryan, J. P. & O'Connor, W. H.) 1081
Phage, *see* Bacteriophage
Phaseolus vulgaris, *see* Bean
Phenethylhydrazine, kinetics of the oxidation of, by monoamine oxidases from pig brain and rat liver (Tipton, K. F. & Spires, I. P. C.) 521
Phenolphthalein, glucuronide conjugation of, by rat liver microsomal fraction (Mulder, G. J.) 9
[8-L-[^{14}C]Phenylalanine]-angiotensin I, metabolism of, in the pulmonary circulation of the rat (Ryan, J. W., Niemeyer, R. S., Goodwin, D. W., Smith, U. & Stewart, J. M.) 921
Phenylalanine hydroxylase, liver, rat, effects of catalase, dithiothreitol and reduced nicotinamide–adenine dinucleotide on the inhibition of, by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine (Jakubovič, A., Woolf, L. I. & Chan-Henry, E.) 563
Phenylalanine hydroxylase, non-enzymic hydroxylation of phenylalanine to tyrosine by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine as a source of errors in the assay of the activity of (Woolf, L. I., Jakubovič, A. & Chan-Henry, E.) 569
Phenylalanine, non-enzymic hydroxylation of, to tyrosine by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine (Woolf, L. I., Jakubovič, A. & Chan-Henry, E.) 569
Phosphatase, alkaline, analysis of the transient kinetics of, from *Escherichia coli* (Halford, S. E.) 319
Phosphatidic acid, interaction of insulin with, *in vitro* (Perry, M. C., Tampion, W. & Lucy, J. A.) 179
Phosphatidylcholine, interaction of insulin with, *in vitro* (Perry, M. C., Tampion, W. & Lucy, J. A.) 179
Phosphatidylethanolamine, surface and phase behaviour in water of, isolated from *Pseudomonas fluorescens* N.C.M.B. 129 grown at different temperatures (Cullen, J., Phillips, M. C. & Shipley, G. G.) 733
Phosphodiester groups, location of, of the cell-wall glycerol teichoic acid of *Staphylococcus lactis* I3 and their susceptibility to hydrolysis with alkali (Archibald, A. R., Baddiley, J., Heckels, J. E. & Heptinstall, S.) 353
Phosphoenolpyruvate carboxylase, properties of, isolated from maize leaves (Kerr, M. W. & Robertson, A.) 34P
Phosphoenolpyruvate, formation of, by pyruvate,phosphate dikinase from *Bacteroides symbiosus* (Reeves, R. E.) 531
Phosphofructokinase, mucosal, jejunal, rat, relationship between the properties of, and the lack of a Pasteur effect on aerobic glycolysis (Tejwani, G. A. & Ramaiah, A.) 507
Phospholipids, effects of unsaturated fatty acids and cyclopropane fatty acids on the molecular packing of (Cullen, J., Phillips, M. C. & Shipley, G. G.) 733

Phospholipids, interaction of insulin with, *in vitro* (Perry, M. C., Tampion, W. & Lucy, J. A.) 179
Phosphoprotein, identification of a structural protein in the egg shell of the oriental garden cricket as (Kawasaki, H., Sato, H. & Suzuki, M.) 495
Phosphorylation, oxidative, identification of a proteolipid in ox heart mitochondrial membranes as the site of action of *NN'*-dicyclohexylcarbodi-imide during the inhibition of (Cattell, K. J., Lindop, C. R., Knight, I. G. & Beechey, R. B.) 169
Photosynthesis, evidence for an intermediate pool of carbon dioxide and the identity of the donor C_4-dicarboxylic acid in the C_4-dicarboxylic acid pathway of, in maize and *Amaranthus* leaves (Hatch, M. D.) 425
Picea sitchensis, *see* Spruce, Sitka
Piericidin A, inhibition by, of energy-linked transhydrogenase from *Escherichia coli* K12 (Cox, G. B., Newton, N. A., Butlin, J. D. & Gibson, F.) 489
Pisum sativum, *see* Pea
Placenta, human, kinetic properties of choline acetyltransferase from (Morris, D., Maneckjee, A. & Hebb, C.) 857
Plasma membrane, occurrence of long-chain fatty acids and glycolipids in, of baker's yeast (Nurminen, T. & Suomalainen, H.) 963
Plasma membranes, liver, mouse, incorporation of [^{3}H]leucine into proteins and of [^{14}C]glucosamine into proteins and lipids of (Evans, W. H. & Gurd, J. W.) 615
Plasma, rat, effect of acetoacetate on the concentration of insulin in (Hawkins, R. A., Alberti, K. G. M. M., Houghton, C. R. S., Williamson, D. H. & Krebs, H. A.) 541
Plasma-cell tumour MOPC 21, mouse, incorporation of radioactive fucose into immunoglobulin G1 synthesized and secreted by (Melchers, F.) 241
Plasma-cell tumour MOPC 104E, mouse, incorporation of radioactive mannose, galactose and fucose into macroglobulin synthesized and secreted by (Parkhouse, R. M. E. & Melchers, F.) 235
Plasminogen, human, composition and identity of a subcomponent, with activator activity, of the activator complex of streptokinase and (Tomar, R. H. & Taylor, F. B., jun.) 793
Platelets, blood, human, effects of catecholamines on the formation of adenosine 3′:5′-cyclic monophosphate in (Haslam, R. J. & Taylor, A.) 377
Poly(adenosine diphosphate ribose) polymerase, activity of, in nuclei of the slime mould *Physarum polycephalum* (Brightwell, M. & Shall, S.) 67P
Polygalacturonic acid, conformation of the subunits of (Mitchell, J. R., Bailey, I. & Blanshard, J. M. V.) 89P
Poly-3-hydroxybutyrate, biosynthesis of, and the regulation of glucose metabolism in *Azotobacter beijerinckii* (Senior, P. J. & Dawes, E. A.) 55
Polynucleotides, conformation of, with particular reference to transfer ribonucleic acids (Cramer, F. & Saenger, W.) 87P
Polypeptide hormones, structure and function of (Colloquium) 49P
Polyribitol phosphate, presence of, in the cell wall of *Micrococcus* sp. 24 (Archibald, A. R. & Heptinstall, S.) 361
Polyribosomes, comparison of the protein synthesized by a cell-free system containing ribosomal ribonucleic acid from induced cells and ribosomes from repressed cells with the protein synthesized by a cell-free system containing, from induced cells and with native tryptophanase from *Escherichia coli* from M.R.E. 600 (Parish, J. H., Khairul Bashar, S. A. M., Brown, N. L. & Brown, M.) 643
Polyribosomes, factors influencing the association *in vitro* of, with rat liver rough endoplasmic reticulum that has been treated with ribonuclease (Shires, T. K., Narurkar, L. & Pitot, H. C.) 67
Polyribosomes, liver, rat, membrane-bound, effect of a modified separation procedure on the size and protein-synthetic activity of (Ragnotti, G.) 1049
Polyribosomes, wool-root, cell-free system containing, for the biosynthesis of wool keratin proteins (Wilkinson, B. R.) 371
Polysaccharide T, pneumococcal, effects of electrolytes on complexes of anti-(pneumococcal polysaccharide T) and (Ternynck, T. & Avrameas, S.) 297
Polysaccharides, applications of computer model-building in the study of the biochemistry of (Rees, D. A.) 86P
Polysaccharides, carbohydrate compositions of, from the cell wall of *Fusicoccum amygdali* (Buck, K. W. & Obaidah, M. A.) 461
Polysaccharides, two, characterization of, from the cell wall of *Fusicoccum amygdali* (Obaidah, M. A. & Buck, K. W.) 473
Polysomes, *see* Polyribosomes
Potassium ions, effect of diffusible acids on the uptake of, by baker's yeast (Ryan, H., Ryan, J. P. & O'Connor, W. H.) 1081
Prealbumin, subunit structure of (Gonzalez, G. & Offord, R. E.) 309
Prontosil, intestinal azo reduction and glucuronide conjugation of (Gingell, R. & Bridges, J. W.) 24P
Propane-1,3-diol, effect of, on the thermal stability of soluble calf skin collagen (Hart, G. J., Russell, A. E. & Cooper, D. R.) 599
Propionate, effect of, on the uptake of potassium ions during the oxidation of ethanol by baker's yeast (Ryan, H., Ryan, J. P. & O'Connor, W. H.) 1081
Prostate gland, rat, involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by androgens of the activities of carbohydrate-metabolizing enzymes in (Singhal, R. L., Parulekar, M. R., Vijayvargiya, R. & Robison, G. A.) 329
Prostate gland, ventral, rat, effects of diethylstilboestrol and cyproterone acetate on the metabolism of [^{3}H]-testosterone and the retention of labelled metabolites by, *in vivo* and *in vitro* (Belham, J. E. & Neal, G. E.) 81
Prostate gland, ventral, rat, reconstituted cell-free system for the specific transfer of 5α-dihydrotestosterone–receptor complexes into chromatin isolated from nuclei from (Mainwaring, W. I. P. & Peterken, B. M.) 285
Protease, *see* Proteinase
Protein, assay method for the initiation factors for the synthesis of, from rat liver (Sampson, J., Borghetti, A. F. & Korner, A.) 74P
Protein, control of the synthesis of, during lymphocyte stimulation (Ahern, T. & Kay, J. E.) 73P
Protein, effect of a modified separation procedure on the ability of membrane-bound rat liver polyribosomes to synthesize (Ragnotti, G.) 1049
Protein, effect of chlorambucil on nuclear synthesis of, in Yoshida ascites-sarcoma cells (Riches, P. G. & Harrap, K. R.) 98P
Protein, effects of a single dose of dimethylnitrosamine on the biosynthesis of, in rat liver and kidney (Stewart, B. W. & Magee, P. N.) 943
Protein, effects of insulin and growth hormone on the synthesis of, in diaphragm muscle from non-hypophysectomized rabbits (Reeds, P. J., Munday, K. A. & Turner, M. R.) 515
Protein, effects of insulin on free amino acid pools and the synthesis of, in rat skeletal muscle *in vitro* (Hider, R. C., Fern, E. B. & London, D. R.) 751

Protein, exogenous, digestion of, by rat yolk-sac cultured *in vitro* (Williams, K. E., Lloyd, J. B., Davies, M. & Beck, F.) 303
Protein, iron–sulphur (adrenodoxin,) adrenal-gland, pig, Mössbauer spectroscopy of (Cammack, R., Rao, K. K., Hall, D. O. & Johnson, C. E.) 849
Protein, isolation and identification as D-glyceraldehyde 3-phosphate dehydrogenase of, from human erythrocyte 'ghosts' (Tanner, M. J. A. & Gray, W. R.) 1109
Protein, membrane, chromatophore, aggregated states of, from *Rhodopseudomonas spheroides* (English, L. S., Lees, D. N. & Rogers, L. J.) 42P
Protein, studies on the initiation of the synthesis of, in a rat liver cell-free system (Borghetti, A. F., Sampson, J. & Korner, A.) 75P
Protein, thyroxine-binding (prealbumin), subunit structure of (Gonzalez, G. & Offord, R. E.) 309
Proteinase, activity of, in commercial preparations of horse myoglobin (Goldspink, D. F., Holmes, D. & Pennington, R. J.) 865
Proteinase, alkaline, in muscle homogenates (Holmes, D., Parsons, M. E., Park, D. C. & Pennington, R. J.) 98P
Proteinase, alkaline, purification and properties of, from *Acremonium kiliense* (van Heyningen, S. & Secher, D. S.) 1159
Proteinase, lens, senile-cataractous, human, purification and properties of (Swanson, A. A. & Nichols, J. T.) 575
Proteinase, properties of, from *Bacillus polymyxa* (Griffin, P. J. & Fogarty, W. M.) 109P
Protein–polysaccharide, cartilage, Smith-degraded, as an acceptor for xylosyl transfer (Baker, J. R., Rodén, L. & Yamagata, S.) 93P
Protein–polysaccharide, distribution of sulphate residues in chondroitin sulphate isolated from, obtained from ox nasal septum (Wasteson, Å. & Lindahl, U.) 903
Protein–polysaccharides, comparative biochemistry of chondroitin sulphate–proteins of, of lamprey, sturgeon, ray and ox connective tissues (Mathews, M. B.) 37
Proteins, antimicrobial, in ox neutrophils (Brownlie, J.) 81P
Proteins, electrophoretic analysis of, of the ribosomes of *Xenopus laevis* ovary (Ford, P. J.) 1091
Proteins, formation of *N'*-formylkynurenine from tryptophan residues in, from lens and other sources on exposure to sunlight (Pirie, A.) 203
Proteins, incorporation of [^{3}H]leucine and [^{14}C]glucosamine into, of mouse liver microsomal membranes and plasma membranes (Evans, W. H. & Gurd, J. W.) 615
Proteins, nitrated, isolation of 3-nitrotyrosine-containing peptides obtained from, by using a column of anti-nitrotyrosyl antibody coupled with Sepharose (Helman, M. & Givol, D.) 971
Proteins, non-haem iron, evidence supporting the hypothesis that the function of vitamin E is to protect from oxidation selenide located in (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
Proteins, non-histone, arrangement of histones and, on the deoxyribonucleic acid of rat thymus-gland chromatin (Itzhaki, R. F.) 221
Proteins, structural, properties of, in the egg shell of the oriental garden cricket (Kawasaki, H., Sato, H. & Suzuki, M.) 495
Proteins, study of the conformation of (North, A. C. T.) 86P
Proteins, use of mass spectrometry for the determination of the amino acid sequences of peptides and peptide mixtures derived from, by enzymic hydrolysis (Morris, H. R., Williams, D. H. & Ambler, R. P.) 189
Proteins, wool, cell-free system for the biosynthesis of (Wilkinson, B. R.) 371
Proteoglycan, *see* Protein–polysaccharide
Proteolipid, identification of the site of action of *NN'*-dicyclohexylcarbodi-imide as, in ox heart mitochondrial membranes (Cattell, K. J., Lindop, C. R., Knight, I. G. & Beechey, R. B.) 169
Pseudomonas AM1, studies on the metabolism of C_1 and C_2 compounds by, with a glycerate kinase mutant and a mutant defective in glyoxylate formation from C_1 compounds (Anthony, C., Dunstan, P. M. & Drabble, W. T.) 66P
Pseudomonas aminovorans, partial purification of a mixed-function secondary-amine oxidase system containing an enzymically active cytochrome *P*-420-type haemoprotein from (Eady, R. R., Jarman, T.R. & Large, P. J.) 449
Pseudomonas fluorescens N.C.M.B. 129, effects of growth temperature on the composition and physical properties of the lipids of (Cullen, J., Phillips, M. C. & Shipley, G. G.) 733
Pteridines, three, isolation and identification of, produced by *Methylococcus capsulatus* (Urushibara, T., Forrest, H. S., Hoare, D. S. & Patel, R. N.) 141
Pteroylglutamates, biosynthesis of derivatives of, in pea cotyledons during germination (Roos, A. J. & Cossins, E. A.) 17
Puparial cases, fleshfly, composition of peptidochitodextrins from (Lipke, H. & Geoghegan, T.) 703
Pyrophosphate, inorganic, location of the thiol groups of rabbit skeletal-muscle myosin that are protected by, against reaction with 2,4-dinitrophenyl 2-hydroxyethyl disulphide (Kąkol, I.) 261
Pyruvate dehydrogenase, mitochondrial, regulation of, by insulin and other hormones in rat epididymal fat-cells (Coore, H. G., Denton, R. M., Martin, B. R. & Randle, P. J.) 115
Pyruvate, formation of, by pyruvate,phosphate dikinase from *Bacteroides symbiosus* (Reeves, R. E.) 531
Pyruvate, inhibition by, of aspartate production by isolated mitochondria from mammalian cells respiring in the presence of glutamine or glutamate (Kovačević, Z.) 757
Pyruvate, metabolism of malate and, by rat epididymal fat-cell mitochondria *in vitro* (Martin, B. R. & Denton, R. M.) 105
Pyruvate,phosphate dikinase, purification and properties of, from *Bacteroides symbiosus* (Reeves, R. E.) 531

Reticulum, endoplasmic, liver, rat, effect of a modified separation procedure on the size and protein-synthetic activity of polyribosomes bound to (Ragnotti, G.) 1049
Reticulum, endoplasmic, rough, liver, rat, factors influencing the association *in vitro* of polyribosomes with, that has been treated with ribonuclease (Shires, T. K., Narurkar, L. & Pitot, H. C.) 67
Ribonuclease, factors influencing the association *in vitro* of polyribosomes with rat liver rough endoplasmic reticulum that has been treated with (Shires, T. K., Narurkar, L. & Pitot, H. C.) 67
Ribonucleic acid, action of monofunctional and difunctional sulphur mustards on, of bacteriophage $\mu 2$ (Shooter, K. V., Edwards, P. A. & Lawley, P. D.) 829
Ribonucleic acid, alkylation of N-7 of guanine residues of, in rat tissues by diethylnitrosamine, *N*-ethyl-*N*-nitrosourea and ethyl methanesulphonate (Swann, P. F. & Magee, P. N.) 841
Ribonucleic acid, application of the isotope-dilution principle to the analysis of factors in serum and culture media affecting the incorporation of [^{3}H]uridine and [^{3}H]cytidine into, in cultured rat lymphocytes (Forsdyke, D. R.) 721

Ribonucleic acid, deoxyribonucleic acid-like, cytoplasmic, liver, rat, selective adsorption of, on a column of methylated albumin–kieselguhr (Lichtenstein, A. V. & Shapot, V. S.) 225
Ribonucleic acid, effects of a single dose of dimethylnitrosamine on the biosynthesis of, in rat liver and kidney (Stewart, B. W. & Magee, P. N.) 943
Ribonucleic acid, messenger, polyribosomal, liver, rat, selective adsorption of, on a column of methylated albumin–kieselguhr (Lichtenstein, A. V. & Shapot, V. S.) 225
Ribonucleic acid, messenger-like, isolation of, from immunochemically precipitated polyribosomes (Boyd, S. L., Delovitch, T. L., Holme, G. & Sehon, A. H.) 99P
Ribonucleic acid, methylation of, on illumination of *Euglena gracilis* grown in the dark (Perl, M.) 401
Ribonucleic acid, nucleolar, rapid stimulation of the synthesis of, by growth hormone (Salaman, D. F. & Korner, A.) 72P
Ribonucleic acid, 5.8S, occurrence of, in plants (Payne, P. I. & Dyer, T. A.) 100P
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, effect of a single dose of dimethylnitrosamine on the activity of, in rat kidney (Stewart, B. W. & Magee, P. N.) 943
Ribonucleic acid polymerase, deoxyribonucleic acid-dependent, magnesium ion-stimulated, effect of feeding on the apparent kinetic constants and activation energy of, of rat liver (Spencer, C. A. & Henderson, A. R.) 37P
Ribonucleic acid polymerase II, effect of α-amanitin on the activity of, of rat brain nuclei (Montanaro, N., Novello, F. & Stirpe, F.) 1087
Ribonucleic acid, rapid method for the determination of, in subcellular fractions (Ragnotti, G.) 1057
Ribonucleic acid, ribonucleic acid polymerase activity as a measure of the synthesis of (Cooke, A., Kay, J. E. & Cooper, H. L.) 74P
Ribonucleic acid, ribosomal, changes in the spectrum of, from *Escherichia coli* on thermal denaturation in acidic solutions (Cox, R. A., Kanagalingam, K. & Sutherland, E.) 655
Ribonucleic acid, ribosomal, comparison of the protein synthesized by a cell-free system containing, from induced cells and ribosomes from repressed cells with the protein synthesized by a cell-free system containing polyribosomes from induced cells and with native tryptophanase from *Escherichia coli* M.R.E. 600 (Parish, J. H., Khairul Bashar, S. A. M., Brown, N. L. & Brown, M.) 643
Ribonucleic acid, ribosomal, determination of the half-life of, in rat liver *in vivo* by measuring the rate of disappearance of 7-methylguanine after methylation with methyl methanesulphonate or dimethylnitrosamine (McElhone, M. J., O'Connor, P. J. & Craig, A. W.) 821
Ribonucleic acid, ribosomal, hybridization of deoxyribonucleic acid, and, from *Escherichia coli* in aqueous solutions and in solutions containing formamide (Gillespie, S. & Gillespie, D.) 481
Ribonucleic acid, ribosomal, liver, rat, fractionation of, on a column of methylated albumin–kieselguhr (Lichtenstein, A. V. & Shapot, V. S.) 225
Ribonucleic acid, ribosomal, presence of, in *Coxiella burneti* (Thompson, H. A., Baca, O. G. & Paretsky, D.) 365
Ribonucleic acid, ribosomal, synthesis of, in immature rat uterus responding to the administration of oestradiol-17β (Knowler, J. T. & Smellie, R. M. S.) 605
Ribonucleic acid, stability of, in rat liver *in vivo* after methylation with methyl methanesulphonate or dimethylnitrosamine (McElhone, M. J., O'Connor, P. J. & Craig, A. W.) 821
Ribonucleic acid, synthesis of, in immature rat uterus responding to the administration of oestradiol-17β (Knowler, J. T. & Smellie, R. M. S.) 605
Ribonucleic acid, transfer, extensive charging of, by bean leaf extracts *in vitro* (Tao, K. L. & Hall, T. C.) 975
Ribonucleic acid, transfer, synthesis of, in immature rat uterus responding to the administration of oestradiol-17β (Knowler, J. T. & Smellie, R. M. S.) 605
Ribonucleic acids, cytoplasmic, fractionation of, from various rat tissues on a column of methylated albumin–kieselguhr (Lichtenstein, A. V. & Shapot, V. S.) 225
Ribonucleic acids, double-helical, spectrophotometric study of the thermal denaturation in acidic solutions of, from virus-like particles found in *Penicillium chrysogenum* (Cox, R. A., Kanagalingam, K. & Sutherland, E.) 655
Ribonucleic acids, nuclear, detection of tissue specificity of, from various rat tissues by fractionation on a column of methylated albumin–kieselguhr (Lichtenstein, A. V. & Shapot, V. S.) 225
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomal subparticles, large, electrophoretic analysis of the proteins of, of *Xenopus laevis* ovary (Ford, P. J.) 1091
Ribosomal subparticles, small, electrophoretic analysis of the proteins of, of *Xenopus laevis* ovary (Ford, P. J.) 1091
Ribosomes, cerebral-cortex, goat, role of spermidine in counteracting the destabilizing effect of mescaline on (Datta, R. K., Antopol, W. & Ghosh, J. J.) 213
Ribosomes, comparison of the protein synthesized by a cell-free system containing ribosomal ribonucleic acid from induced cells and, from repressed cells with the protein synthesized by a cell-free system containing polyribosomes from induced cells and with native tryptophanase from *Escherichia coli* M.R.E. 600 (Parish, J. H., Khairul Bashar, S. A. M., Brown, N. L. & Brown, M.) 643
Ribosomes, electrophoretic analysis of the proteins of, of *Xenopus laevis* ovary (Ford, P. J.) 1091
Ribosomes, skeletal-muscle and heart-muscle, relationship between glucocorticoid-induced weight loss in rats and the activity of, *in vitro* (Elliott, P., Peters, R. F. & White, A. M.) 106P
Rickettsia (*Coxiella burneti*), presence of ribosomal ribonucleic acid in (Thompson, H. A., Baca, O. G. & Paretsky, D.) 365
Rumen, stimulation by reduced methyl viologen and by reduced benzyl viologen of the hydrogenation of linoleate by *Treponema* (*Borrelia*) sp. strain $B_2 5$ from (Yokoyama, M. T. & Davis, C. L.) 913

Saccharomyces cerevisiae, effect of diffusible acids on the uptake of potassium ions by (Ryan, H., Ryan, J. P. & O'Connor, W. H.) 1081
Saccharomyces cerevisiae, occurrence of long-chain fatty acids and glycolipids in the cell-envelope fractions of (Nurminen, T. & Suomalainen, H.) 963
Saccharomyces sp., conversion of α-aminoadipate into α-aminoadipic δ-semialdehyde by a cell-free extract of (Sinha, A. K. & Bhattacharjee, J. K.) 743
[^{3}H]Salbutamol, fate of, in man (Evans, M. E., Richards, A. J., Walker, S. R. & Paterson, J. W.) 27P
Sarcolemma, properties of the calcium ion-stimulated adenosine triphosphatase of, from hamster skeletal muscle (McNamara, D. B., Sulakhe, P. V. & Dhalla, N. S.) 525
Sarcophaga bullata, *see* Fleshfly

Seedlings, maize, germinating, specific labelling with D-[1-^{14}C]glucosamine of glycoproteins formed in (Roberts, R. M., Connor, A. B. & Cetorelli, J. J.) 999
Seeds, pea, development of the squalene-synthesizing system during early stages of the germination of (Green, T. R. & Baisted, D. J.) 1145
Selenide, effect of vitamin E status on the amount and intracellular distribution of, in rat liver (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
Selenium, effect of vitamin E status on the intracellular distribution of the different oxidation states of, in rat liver (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
Seminal vesicles, rat, involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by androgens of the activities of carbohydrate-metabolizing enzymes in (Singhal, R. L., Parulekar, M. R., Vijayvargiya, R. & Robison, G. A.) 329
Serum albumin, *see* Albumin, serum
Serum, application of the isotope-dilution principle to the analysis of factors in culture media and, affecting the incorporation of [^{3}H]cytidine and [^{3}H]uridine into cultured rat lymphocytes (Forsdyke, D. R.) 721
Skeletal muscle, *see* Muscle, skeletal
Skin, calf, effects of glycols and related compounds on the thermal stability of soluble collagen from (Hart, G. J., Russell, A. E. & Cooper, D. R.) 599
Skin, calf, effects of glycols on the renaturation of soluble collagen from (Cooper, D. R., Russell, A. E. & Hart, G. J.) 1069
Skin, occurrence of hydroxylysine residues in the *N*-terminal telopeptides of collagen of, from chick embryo and newborn rat (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 925
Skin, rat, degree of hydroxylation of lysine residues in the *N*-terminal regions of the α_1- and α_2-chains of collagen from, and other sources (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 433
Small intestine, *see* Intestine, small
Snake bean, *see* Bean, snake
Sodium ions, dependence on, of the uptake of glycine by rat cerebral-cortex slices (Joanny, P., Barbosa, E., Hillman, H. & Corriol, J.) 255
Somatotrophin, *see* Growth hormone
Spermidine, role of, in counteracting the destabilizing effect of mescaline on goat cerebral-cortex ribosomes (Datta, R. K., Antopol, W. & Ghosh, J. J.) 213
Sphingolipid, occurrence of, in the cell-envelope fractions of baker's yeast (Nurminen, T. & Suomalainen, H.) 963
Splenic nerve, dog, turnover rate of noradrenergic vesicles in (De Potter, W. P. & Chubb, I. W.) 375
Sporulation, effects of medium on the form of chromosome replication and on initiation to, in *Bacillus subtilis* 168 (Marburg) (Mandelstam, J., Sterlini, J. M. & Kay, D.) 635
Spruce, Sitka (*Picea sitchensis*), extracellular enzymes of a *Bacillus* sp. associated with increased permeability in (Ward, O. P. & Fogarty, W. M.) 109P
Squalene, development of the system synthesizing, during early stages of the germination of pea seeds (Green, T. R. & Baisted, D. J.) 1145
Staphylococcus lactis I3, location of the phosphodiester groups of the cell-wall glycerol teichoic acid of, and their susceptibility to hydrolysis with alkali (Archibald, A. R., Baddiley, J., Heckels, J. E. & Heptinstall, S.) 353
Steroid molecules, optical-rotatory-dispersion studies of, in liposomes and erythrocyte membranes (Green, J. R., Edwards, P. A. & Green, C.) 41P
Steroids, biological oxygenation of drugs and, in the placenta (Chakraborty, J., Hopkins, R. & Parke, D. V.) 15P
Steroids, steroid hydroperoxides as intermediates in the biogenesis of (van Lier, J. E. & Kan, G.) 47P
Streptokinase, composition and identity of a subcomponent, with activator activity, of the activator complex of human plasminogen and (Tomar, R. H. & Taylor, F. B., jun.) 793
Streptozotocin-diabetes, *see* Diabetes, streptozotocin-
Stress, effects of, caused by experimental procedures on the concentrations of alanine, aspartate, glutamate and glutamine in rat liver (Heath, D. F., George, D. R. & Rose, J. G.) 765
Sucrose, enzymic synthesis of levan from, *in vitro* (Ceska, M.) 209
Sugars, tentative rules for the nomenclature of (IUPAC Commission on the Nomenclature of Organic Chemistry and IUPAC–IUB Commission on Biochemical Nomenclature) 673
Sulphate residues, distribution of, in chondroitin sulphate obtained from ox nasal septum (Wasteson, A. & Lindahl, U.) 903
Sulphur mustards, monofunctional and difunctional, action of, on the ribonucleic acid-containing bacteriophage μ2 (Shooter, K. V., Edwards, P. A. & Lawley, P. D.) 829
Sunlight, formation of *N′*-formylkynurenine from tryptophan residues in proteins from lens and other sources on exposure to (Pirie, A.) 203
Supernatant fraction, *see* Cytosol
Sycamore (*Acer pseudoplatanus*) callus cells, composition of the glycoprotein of the cell wall of, grown in tissue culture (Heath, M. F. & Northcote, D. H.) 953
Sycamore (*Acer pseudoplatanus*) callus cells, specific labelling with D-[1-^{14}C]glucosamine of glycoproteins formed in, grown in tissue culture (Roberts, R. M., Connor, A. B. & Cetorelli, J. J.) 999

Teichoic acid, glycerol-containing, cell-wall, location of the phosphodiester groups of, of *Staphylococcus lactis* I3 and their susceptibility to hydrolysis with alkali (Archibald, A. R., Baddiley, J., Heckels, J. E. & Heptinstall, S.) 353
Teichoic acid, glycerol-containing, cell-wall, structure of, of *Micrococcus* sp. 24 (Archibald, A. R. & Heptinstall, S.) 361
Temperature, growth, effects of, on the composition and physical properties of the lipids of *Pseudomonas fluorescens* N.C.M.B. 129 (Cullen, J., Phillips, M. C. & Shipley, G. G.) 733
Tendon, chick and rat, degree of hydroxylation of lysine residues in the *N*-terminal regions of the α_1- and α_2-chains of collagen from, and other sources (Barnes, M. J., Constable, B. J., Morton, L. F. & Kodicek, E.) 433
Tenebrio sp., *see* Mealworm
[^{3}H]Testosterone, effects of diethylstilboestrol and cyproterone acetate on the metabolism of, and the retention of labelled metabolites by rat ventral prostate gland *in vivo* and *in vitro* (Belham, J. E. & Neal, G. E.) 81
Testosterone, involvement of adenosine 3′:5′-cyclic monophosphate in the stimulation by, of the activities of carbohydrate-metabolizing enzymes in rat prostate gland and seminal vesicles (Singhal, R. L., Parulekar, M. R., Vijayvargiya, R. & Robison, G. A.) 329
Testosterone, possible role of zinc in the metabolism of, by the prostate gland (Grant, J. K., Minguell, J., Taylor, P. & Weiss, M.) 21P
Tetrahydropteroylglutamates, biosynthesis of, in pea cotyledons during germination (Roos, A. J. & Cossins, E. A.) 17

Tetranitromethane, isolation of 3-nitrotyrosine-containing peptides obtained from proteins nitrated with, by using a column of anti-nitrotyrosyl antibody coupled with Sepharose (Helman, M. & Givol, D.) 971
Thiol groups, essential, irreversible inactivation of *N*-acetylneuraminate lyase from *Clostridium perfringens* on reaction of bromopyruvate with (Barnett, J. E. G., Corina, D. L. & Rasool, G.) 275
Thiol groups, involvement of, in the green colour of *Peptostreptococcus elsdenii* butyryl-coenzyme A dehydrogenase (Engel, C. & Massey, V.) 879
Thiol groups, location of, of rabbit skeletal-muscle myosin that are protected by inorganic pyrophosphate against reaction with 2,4-dinitrophenyl 2-hydroxyethyl disulphide (Kąkol, I.) 261
Thiol groups, significance of carboxyl, amino and, in the binding of calcium ions by human erythrocyte membranes (Forstner, J. & Manery, J. F.) 343
Thymus gland, rat, arrangement of histones and non-histone proteins on the deoxyribonucleic acid of chromatin of (Itzhaki, R. F.) 221
Thymus gland, rat, attempt to relate the interactions of the multiple forms of deoxyribonucleic acid polymerase from, with nuclei and free deoxyribonucleic acid *in vitro* with their possible functions *in vivo* (Wallace, P. G., Hewish, D. R., Venning, M. M. & Burgoyne, L. A.) 47
L-Thyroxine, deiodination of, and its activity in the oxidation *in vitro* of reduced nicotinamide–adenine dinucleotide by peroxidase plus hydrogen peroxide (Jolin, T. & Morreale de Escobar, G.) 869
Thyroxine-binding protein (prealbumin), subunit structure of (Gonzalez, G. & Offord, R. E.) 309
α-Tocopherol, effect of the administration of, on the intracellular distribution of the different oxidation states of selenium in the liver of vitamin E-deficient rats (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407
[*ureyl*-^{14}C]Tolbutamide, metabolism *in vitro* of, by microsomal preparations from rat and human liver (Darby, F. J. & Evans, D. A. P.) 46P
Transcobalamin III, further observations on, in normal human serum (Scott, J. M. & Bloomfield, F. J.) 115P
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Transferrin, human, differential sedimentation-velocity and gel-filtration measurements on, containing different amounts of iron (Charlwood, P. A.) 1019
Transhydrogenase, energy-linked, activity of, in respiratory mutants of *Escherichia coli* K12 (Cox, G. B., Newton, N. A., Butlin, J. D. & Gibson, F.) 489
Transketolase, liver, rat, exchange reaction catalysed by, *in vitro* (Clark, M. G., Williams, J. F. & Blackmore, P. F.) 381
Treponema (*Borrelia*) sp. strain $B_2 5$, stimulation of the hydrogenation of linoleate in, by reduced methyl viologen and by reduced benzyl viologen (Yokoyama, M. T. & Davis, C. L.) 913
Triglyceride cycle, stimulation by noradrenaline of, *in vitro* in the brown fat of newborn rabbits (Knight, B. L. & Myant, N. B.) 1
Tryptophan residues, formation of *N'*-formylkynurenine from, in proteins from lens and other sources on exposure to sunlight (Pirie, A.) 203
Tryptophanase, native, comparison of the protein synthesized by a cell-free system containing ribosomal ribonucleic acid from induced cells and ribosomes from repressed cells with the protein synthesized by a cell-free system containing polyribosomes from induced cells and with, of *Escherichia coli* M.R.E. 600 (Parish, J. H., Khairul Bashar, S. A. M., Brown, N. L. & Brown, M.) 643
Tumour MOPC 21, plasma-cell, mouse, incorporation of radioactive fucose into immunoglobulin G1 synthesized and secreted by (Melchers, F.) 241
Tumour MOPC 104E, plasma-cell, mouse, incorporation of radioactive mannose, galactose and fucose into macroglobulin synthesized and secreted by (Parkhouse, R. M. E. & Melchers, F.) 235
L-Tyrosine methyl ester sulphotransferase, physiological role of (Barford, D. J. & Jones, J. G.) 76P
Tyrosine, non-enzymic hydroxylation of phenylalanine to, by 2-amino-4-hydroxy-6,7-dimethyl-5,6,7,8-tetrahydropteridine (Woolf, L. I., Jakubovič, A. & Chan-Henry, E.) 569
Tyrosine residues, effect of acetylation of, with *N*-acetylimidazole on morphogenesis of rat bone (Strates, B. S., Kirkpatrick, S. J., Heffner, J. E. & Urist, M. R.) 367

Ubiquinone, energy-linked transhydrogenase activity in *Escherichia coli* K12 mutants deficient in (Cox, G. B., Newton, N. A., Butlin, J. D. & Gibson, F.) 489
Urate oxidase, purified, immunoenzymology of (Fitzpatrick, D. A., Fitzgerald, O. & McGeeney, K. F.) 114P
[^{3}H]Uridine, application of the isotope-dilution principle to the analysis of factors in serum and culture media affecting the incorporation of, into cultured rat lymphocytes (Forsdyke, D. R.) 721
Uridine diphosphate galactose 4-epimerase, activity of, in rat small intestine during development (Weinstein, A., Koldovský, O. & Segal, S.) 935
Uridine diphosphate glucose, formation of bilirubin glucoside from bilirubin and, by rat liver microsomal fraction (Wong, K. P.) 929
Uridine diphosphate glucuronyltransferase, apparent heterogeneity of, of rat liver microsomal fraction (Mulder, G. J.) 9
Uridine diphosphate glucuronyltransferase, changes in the mechanism regulating the activity of, in liver during embryonic life (Burchell, B., Dutton, G. J. & Nemeth, A. M.) 23P
Uridine diphosphate glucuronyltransferase, properties of, extracted from rat liver microsomal fraction with Lubrol (Howland, R. D., Burkhalter, A., Trevor, A. J., Hegeman, S. & Shirachi, D. Y.) 991
Urine, excretion of metabolites of (+)-catechin in, in the rat (Das, N. P. & Sothy, S. P.) 417
Uterus, rat, immature, synthesis of ribonucleic acid in, responding to the administration of oestradiol-17β (Knowler, J. T. & Smellie, R. M. S.) 605

Vasopressin, effects of, on the uptake of calcium ions by kidney mitochondria and on the concentration of adenosine 3′:5′-cyclic monophosphate in toad bladder (Besley, G. T. N. & Snart, R. N.) 60P
Vigna sinensis sesquipedalis, *see* Bean, snake
Virus-like particles, spectrophotometric study of the thermal denaturation in acidic solutions of double-helical ribonucleic acids from, found in *Penicillium chrysogenum* (Cox, R. A., Kanagalingam, K. & Sutherland, E.) 655
Vitamin D, localization of 1,25-dihydroxycholecalciferol in the nuclei of bone cells from chicks deficient in, after a dose of cholecalciferol (Weber, J. C., Pons, V. & Kodicek, E.) 147
Vitamin D_3, *see* Cholecalciferol
Vitamin E status, effect of, on the intracellular distribution of the different oxidation states of selenium in rat liver (Caygill, C. P. J., Lucy, J. A. & Diplock, A. T.) 407

Wall, cell, *see* Cell wall
Water, distilled, effects of electrolytes and, on antigen–antibody complexes (Ternynck, T. & Avrameas, S.) 297

Wool, cell-free system for the biosynthesis of keratin proteins of (Wilkinson, B. R.) 371

Xanthine oxidase, significance of alternative forms of, in different mouse tissues (Joyce, P. & Duke, E. J.) 111P
Xenopus laevis, electrophoretic analysis of the proteins of the ribosomes of the ovary of (Ford, P. J.) 1091
Xylose, excretion of bilirubin conjugated with, in dog bile (Fevery, J., Van Hees, G. P., Leroy, P., Compernolle, F. & Heirwegh, K. P. M.) 803
Xylose, mass-spectrometric elucidation of the structure of the azopigment derived from bilirubin conjugated with, excreted in dog bile as azobilirubin β-D-xylopyranoside (Compernolle, F., Van Hees, G. P., Fevery, J. & Heirwegh, K. P. M.) 811

Yeast, baker's (*Saccharomyces cerevisiae*), effect of diffusible acids on the uptake of potassium ions by (Ryan, H., Ryan, J. P. & O'Connor, W. H.) 1081
Yeast, baker's (*Saccharomyces cerevisiae*), occurrence of long-chain fatty acids and glycolipids in the cell-envelope fractions of (Nurminen, T. & Suomalainen, H.) 963
Yeast, formation of peptidylhydroxamates in (van de Meene, J. G. C., Bloemers, H. P. J. & Koningsberger, V. V.) 671
Yeast protoplasts, formation of, by using an enzyme preparation from *Cytophaga* (Baird, J. K. & Cunningham, W. L.) 32P
Yeast (*Saccharomyces* sp.), conversion of α-aminoadipate into α-aminoadipic δ-semialdehyde by a cell-free extract of (Sinha, A. K. & Bhattacharjee, J. K.) 743
Yolk-sac, rat, digestion of exogenous protein by, cultured *in vitro* (Williams, K. E., Lloyd, J. B., Davies, M. & Beck, F.) 303

Zea mays, *see* Maize
Zinc, content of, in rat liver alcohol dehydrogenase (Arslanian, M. J., Pascoe, E. & Reinhold, J. G.) 1039
Zymomonas anaerobia, metabolism of glucose and fructose in (McGill, D. J. & Dawes, E. A.) 1059